



Adendorff *machinery mart*



Buyers Guide for
QUALITY
TOOLS

NATIONAL CALL CENTRE
(011) 434-7000

Prices valid from
1-15 October 2024



www.adendorff.co.za Buy Online  



29 BRANCHES IN 9 PROVINCES

See page iii for branch details

TOOLS

Scan here for branch
details



All prices include 15% VAT. Prices will be updated and subject to change without prior notification.
Please check website and in store for the latest pricing and stock availability.

PAGE	FEATURING
iii	CONTACT LIST
2	GENERATORS DIESEL & PETROL STANDBY GENERATORS
3	MAC AFRIC COMPRESSORS SILENT OIL FREE, DIRECT DRIVE, BELT DRIVE, ELECTRICAL & PETROL / DIESEL DRIVEN
4	PNEUMATIC EQUIPMENT MINI SILENT OIL FREE COMPRESSORS, AIR SANDERS, AIR POLISHERS, NAIL & STAPLE GUNS
5	SPRAY GUNS & AIRLESS SPRAYERS SPRAY GUNS, SPRAY POTS & AIRLESS SPRAYERS
6	PNEUMATIC EQUIPMENT & SANDBLASTING HOSE REELS, AIR GUNS, AIR HOSE & SANDBLASTING EQUIPMENT
7	PNEUMATIC EQUIPMENT AIR GRINDERS, AIR DRILLS, AIR RIVETERS, & AIR DESCALERS
8	PNEUMATIC/GARAGE EQUIPMENT IMPACT WRENCH, IMPACT SOCKET SETS & TYRE INFLATORS
9	GARAGE EQUIPMENT BOTTLE JACKS, TROLLEY JACKS, TYRE CHANGERS & WHEEL BALANCERS
10	PANELBEATING EQUIPMENT PANELBEATING EQUIPMENT - BODY REPAIR TOOLS & ELECTRIC POLISHERS
11	GARAGE EQUIPMENT ENGINE CRANES, JACK STANDS & HYDRAULIC TRANSMISSION JACKS
12	GARAGE EQUIPMENT HYDRAULIC PRESSES, GARAGE CREEPERS & PARTS WASHERS
13	GARAGE EQUIPMENT GREASE PUMPS, GREASE GUNS, HOSE REELS & DIESEL PUMPS
14	LIFTING AND MATERIAL HANDLING EQUIPMENT PALLET TRUCKS, CHAIN BLOCKS, LEVER & ELECTRIC HOISTS
15	BATTERY CHARGERS & AUTOMOTIVE EQUIPMENT CAR DIAGNOSTIC EQUIPMENT, BATTERY CHARGERS & JUMP STARTERS
16	GARAGE EQUIPMENT: AUTOMOTIVE AUTOMOTIVE EQUIPMENT - ENGINE MAINTENANCE TOOL KITS
17	GARAGE EQUIPMENT: AUTOMOTIVE AUTOMOTIVE EQUIPMENT - TIMING TOOL & BRAKE WINDING CALLIPER KITS
18	GARDENING EQUIPMENT CHAIN SAWS, BRUSH CUTTERS, TILLERS, TRENCH DIGGERS, PRESSURE SPRAYERS & BLOWERS
19	PLUMBING & GARDEN EQUIPMENT PIPE THREADERS, LOG SPLITTERS, DRAIN CLEANERS, DRAIN CLEANING RODS & WOOD CHIPPERS
20	WELDING EQUIPMENT TIG WELDERS, GAS, SPOT WELDERS & AUTO DARKENING WELDING HELMETS
21	WELDING EQUIPMENT MIG & MMA (ARC) WELDERS
22	METALWORK SHEARING, GUILLOTINES, RING ROLLER, UNIVERSAL BENDING EQUIPMENT
23	METALWORK BOX & PAN BENDERS, SHEARING, GUILLOTINES, BENDING BRAKES & PIPE BENDERS
24	ENGINEERING METAL WORKING LATHES, MILLING MACHINES, BRAKE DISC & DRUM LATHE
25	ENGINEERING METAL WORKING LATHES
26	ENGINEERING ACCESSORIES COLLET CHUCK SETS, LATHE CHUCKS & BENCH VICES
27	ENGINEERING ACCESSORIES VERNIERS, DIAL GAUGES, MICROMETERS & CUTTING TOOL SETS
28	ENGINEERING BENCH GRINDERS, CUT OFF MACHINES, MAG BASE DRILLS, BAND SAWS & BENCH & PEDESTAL DRILLS
29	WOODWORKING & CATERING PANEL SAWS, BAND SAWS, TABLE SAWS & MITRE SAWS
30	WOODWORKING DUST COLLECTORS, CLAMPS, PLANERS, MORTICING MACHINES, WOOD LATHES & BELT & DISC SANDERS
31	WATER PUMPS, HIGH PRESSURE CLEANERS & VACUUMS HIGH PRESSURE CLEANERS, VACUUM CLEANERS & SUBMERSIBLE PUMPS
32	CONSTRUCTION EQUIPMENT CONCRETE MIXERS, SCAFFOLDING, DUMPY LEVEL & RAMMERS
33	WINCHES, OUTDOOR & 4X4 EQUIPMENT 12-VOLT WINCHES, TARPAULINS, HYDRAULIC WINCHES & FARM JACKS
34	LIGHTING, MAC AFRIC & POWERPLUS POWER TOOLS CORDLESS BRUSHLESS RANGE, GRINDERS, DRILLS & LIGHTING
35	MAC AFRIC POWER TOOLS DEMOLITION BREAKERS, SANDERS, HAMMER DRILLS, ANGLE GRINDERS & ROUTERS
36	HAND TOOLS SCREWDRIVER SETS, SPIRIT LEVELS & LASER LEVELS, TAPE MEASURES, RIVETERS & ALLEN KEYS
37	HAND TOOLS & TEST EQUIPMENT DIGITAL MULTIMETERS, CRIMPERS, VDE HAND TOOLS & HYDRAULIC HOLE DIGGERS
38	SOCKET SETS & TORQUE WRENCHES SOCKET SETS, TORQUE WRENCHES, POWER BARS & TORX & HEX BIT SETS
39	HAND TOOLS, TOOLBOXES & WORK BENCHES COMINATION SPANNER SETS, TOOL STORAGE SOLUTIONS, GARAGE WORK-BENCHES & CABINETS
40	TOOL BOXES & TOOL CABINETS MECHANIC TOOLBOXES, TOOL CABINETS & GARAGE STORAGE SOLUTIONS



BRANCHES NATIONWIDE

NATIONAL CALL CENTRE ☎ (011) 434-7000

GAUTENG

AEROTON SALES (HEAD OFFICE) ☎ (011) 434-7100

98 Sailor Malan Avenue, off Rand Show Road, Aeroton,
✉ aeroton@adendorff.co.za

AEROTON SERVICE CENTRE ☎ (011) 434-7111

98 Sailor Malan Avenue, off Rand Show Road, Aeroton,
✉ aeroton@adendorff.co.za

TURFFONTEIN ☎ (011) 434-7152

152 Rosettenville Road, Springfield, Johannesburg,
✉ jhbsouth@adendorff.co.za

ALBERTON ☎ (011) 869-1110

Unit No. 60, **Lemon Tree Shopping Centre**, Cnr. Swartkoppies &
Heidelberg Road, New Market, ✉ alberton@adendorff.co.za

EDENVALE (MEADOWDALE) ☎ (011) 454-1407

Unit No. 8, Route 24 Complex, Herman Road, Between Edenvale &
Barbara Road Offramps, ✉ edenvale@adendorff.co.za

BOKSBURG ☎ (011) 914-1550

518 Commissioner Street, Boksburg East Industrial,
✉ boksburg@adendorff.co.za

RANDBURG (STRYDOM PARK) ☎ (011) 793-3380

2013 Malibongwe Drive, Randburg, ✉ randburg@adendorff.co.za

ROODEPOORT/KRUGERSDORP ☎ (011) 664-8336

17 Carol Road, (Service Road to Ontdekkers) Opp. Witpoortjie Station,
Breananda, ✉ roodepoort@adendorff.co.za

SPRINGS ☎ (010) 442-6969

13 Bell Street, New Era, ✉ springs@adendorff.co.za

PRETORIA ☎ (012) 329-9576

300 Steve Biko Road (Voortrekkers Road), Cnr. Adcock Street, Gezina,
✉ pretoria@adendorff.co.za

CENTURION ☎ (012) 653-0586

33 Miracle Park, Cnr. Old Johannesburg Road R101 & Lenchen Extension,
Rooihuiskraal, ✉ centurion@adendorff.co.za

SILVER LAKES (PRETORIA EAST) ☎ (012) 054-5969

Silver Oaks Crossing (Shop 41), Cnr. Solomon Mahlangu & Von Backstrom
Boulevard, Pretoria East, ✉ silverlakes@adendorff.co.za

VEREENIGING ☎ (016) 422-6057

26 De Villiers Avenue, ✉ vereeniging@adendorff.co.za

FREE STATE

BLOEMFONTEIN ☎ (051) 448-1689

Oliver Tambo Road (Church Street), Cnr. Harvey Road,
Blackwood Crossing, Oranjesig, ✉ bloemfontein@adendorff.co.za

WELKOM ☎ (057) 355-6600

137 Constantia Street, Dagbreek, ✉ welkom@adendorff.co.za

Adendorff machinery mart

NORTH WEST

RUSTENBURG ☎ (014) 594-1545

Oliver Tambo Drive R104, Cnr. Beyers Naude Drive,
✉ rustenburg@adendorff.co.za

KLERKSDORP ☎ (018) 462-1116

99 O.R. Tambo Street (Church Street), Cnr. President Kruger Street,
✉ klerksdorp@adendorff.co.za

WESTERN CAPE

CAPE TOWN ☎ (021) 552-7389

Unit 1, 21 Montague Drive, Montague Gardens,
✉ capetown@adendorff.co.za

STRAND ☎ (021) 205-2878

30 Mynhardt Street, ✉ loc30@adendorff.co.za

BRACKENFELL ☎ (021) 205-7888

Unit 1, 3 Tee-jay Road (Corner Taurus Road),
Everite Industrial Park, ✉ loc27@adendorff.co.za

GEORGE ☎ (044) 050-3610

6 Ring Road, George Industrial, ✉ loc29@adendorff.co.za

EASTERN CAPE

EAST LONDON ☎ (043) 422-0596

11 Dunn Street, Arcadia, ✉ el@adendorff.co.za

PORT ELIZABETH (QOBERHA) ☎ (041) 484-3995

27 Grahamstown Road, North End, ✉ pe@adendorff.co.za

NORTHERN CAPE

KIMBERLEY ☎ (053) 831-1882

12 Fabricia Road, Fabricia, ✉ kimberley@adendorff.co.za

LIMPOPO

POLOKWANE ☎ (015) 292-0243

31 Nikkel Street, Superbia, ✉ polokwane@adendorff.co.za

MPUMALANGA

WITBANK ☎ (013) 690-2305

40 Watermeyer Street, Klipfontein, Ext. 8, ✉ witbank@adendorff.co.za

NELSPRUIT ☎ (013) 753-3580

15 Old Pretoria Road, Entrance at 4 Stinkhout Crescent,
✉ nelspruit@adendorff.co.za

KWAZULU-NATAL

DURBAN NORTH ☎ (031) 263-0007

99 Intersite Avenue (near Bluff Meat Supply and National Security and Fire),
Springfield Park, ✉ durban@adendorff.co.za

DURBAN ☎ (031) 202-4355

192 Umbilo Road, Dalbridge, ✉ umbilo@adendorff.co.za

PIETERMARITZBURG ☎ (033) 345-1996

300 Boom Street, ✉ pmb@adendorff.co.za



PLEASE NOTE: Overflow calls to branches may be diverted to our National Call Centre @ Aeroton Head Office 011 434 7000

MAC AFRIC. GENERATORS

PETROL STANDBY GENERATORS

kVA	Nominal Output	Rated Current Output (A)	Voltage (V)	Estimated average fuel consumption (Load dependant)	AVR	Electric Start	Recoil Start	Price
1.25kVA	1kW	4.5 Amp	220V	0.43ℓ/h	✓	✗	✓	R3595 MGENER-201
2.8kVA	2kW	9.1 Amp	220V	0.8ℓ/h	✓	✗	✓	R4595 MGENER-220
2.8kVA	2kW	9.1 Amp	220V	0.82ℓ/h	✓	✓	✓	R4995 MGENER-221
5.6kVA	4kW	18.2 Amp	220V	2.2 - 3.15ℓ/h	✓	✗	✓	R8895 MGENER-450
6.5kVA	5kW	22.7 Amp	220V	2.2 - 3.15ℓ/h	✓	✓	✓	R8995 MGENER-553
① 7.5kVA	6.2kW	25 Amp	220V	2.5 - 3.15ℓ/h	✓	✓	✓	R10950 MGENER-006
② 8.75kVA	7kW	31.8 Amp	220V	2.84 - 3.15ℓ/h	✓	✓	✓	R12950 MGENER-008
12.5kVA	10kW	45.5 Amp	220V	4.06ℓ/h	✓	✓	✗	R36995 MGENER-010
12.5kVA	10kW	18.6 Amp (380V)/ 15 Amp (220V)	380V/220V	4.06ℓ/h	✓	✓	✗	R37995 MGENER-011



7.5kVA
① **R10950** MGENER-006



8.75kVA
② **R12950** MGENER-008

Warranties on Generators will be null and void if not installed by a qualified electrician that is registered with the Department of Labour and has the required certification in accordance with the law to issue a COC (Certificate of Compliance) after completion of the installation. All batteries are excluded from the warranty. See website for full T&Cs.



③ **P.O.A.** MGENER-050

DIESEL

INVERTER GENERATORS

- Pure Sine Wave Output
- Lower Noise Level
- Power Factor P/F = 1



1.8kW **R7850**
MGENER-001



3.2kW **R12950**
MGENER-003



3.2kW **R7250**
Open Type MGENER-004

DIESEL STANDBY GENERATORS

kVA	Nominal Output	Rated Current Output (A)	Voltage (V)	Model Description	Estimated average fuel consumption (Load dependant)	AVR	Price
6.5kVA	5kW	22.7 Amp	220V	Open Type	1.67ℓ/h	✓	R17995 MGENER-656
6.5kVA	5kW	22.7 Amp	220V	Enclosed Type 73 db(A) @ 7m	1.67ℓ/h	✓	R21950 MGENER-604
20kVA P/F = 0.8	16kW	69.6 Amp (220V)	220V	Silent Type with ATS 70 db(A) @ 7m	6ℓ/h	✓	P.O.A. MGENER-017
20kVA P/F = 0.8	16kW	24.3 Amp	380V	Silent Type with ATS 72 db(A) @ 6.7m	6ℓ/h	✓	P.O.A. MGENER-022
30kVA	24kW	43.2 Amp	380V	Silent Type with ATS 72 ~ 75 db(A) @ 7m	7.85ℓ/h	✓	P.O.A. MGENER-030
40kVA	32kW	57.6 Amp	380V	Silent Type with ATS 72 ~ 75 db(A) @ 7m	9.04ℓ/h	✓	P.O.A. MGENER-040
③ 50kVA	40kW	72 Amp	380V	Silent Type with ATS 72 ~ 75 db(A) @ 7m	14.6ℓ/h	✓	P.O.A. MGENER-050

Powered by **FAWDE**

Adendorff Machinery Mart Reg. No 2020/454513/07 **Warranty and Guarantee.** A 1 (one) year "Carry in" conditional warranty applies on all goods purchased. The warranty does not apply to defects due to negligence, wear and tear parts, misuse, abuse, accidental damage, modifications, lack of maintenance, improper wiring, unauthorized repairs, damage caused by lightning or power surges, goods used contrary to their instruction manuals and on batteries. If not fully satisfied with the product, the unused product can be returned for a full no hassle refund. The following conditions however, strictly apply: (a) the product must be returned within 10 days from date of purchase (b) the product must be returned in its original packaging (c) the original invoice to accompany the product. Adendorff Machinery Mart reserves the right to charge a "packaging fee" for items not returned in their original packaging. Refunds, returns, exchange and cancellation policy is in accordance with CPA regulations. If the product is not suitable for the purposes anticipated and indicated to the salesperson, a handling fee will be applicable based on the condition of the product subject to our policy. Warranties on generators will be null and void if not installed by a qualified electrician who must be registered with the Department of Labour and have the required certification in accordance with the law to issue a COC (Certificate of Compliance) after completion of the installation. A factory warranty of 1 Year or 300 hours, whichever may occur first, is applicable to our large generators. 3-month warranty applicable on all repairs. Please note, parts will not be covered under warranty if not fitted by an Adendorff in-house technician on all Adendorff Machinery Mart products. Parts deemed to be wear and tear will not be covered under the warranty. **Terms and Conditions.** All prices quoted are payable in ZAR's and are inclusive of 15% VAT.



To use our Click-&-collect service please visit our website www.adendorff.co.za and select your products for purchase. Check your shopping cart and complete the checkout process to pay. Certain items may not be available in all stores. Please enquire directly with your nearest branch. You will receive confirmation of your order via email and will be notified when goods are ready for collection in store. For full instructions, terms & conditions, please visit www.adendorff.co.za, or mail our website support on tooltime@adendorff.co.za.

Unless a specific limitation is stated, Adendorff Machinery Mart will endeavour to have sufficient advertised stock available to meet anticipated demands. Prices are reviewed on a regular basis and is subject to change without prior notification. Please contact your nearest branch or consult our website. We take great care to ensure that all advertisements are correct. If a mistake occurs or incomplete information is printed, a notice will be displayed in-store with the correct details. Actual products may vary from pictures. Please note that certain products may not be available in all stores. Enquire directly with your nearest branch. Large generators and certain items are only available at our Aeroton Johannesburg South Warehouse. Accessories are used for illustrative purposes only. Please refer to the safety tips on our website and take protective and preventative measures when using these items. For more information, visit our website at www.adendorff.co.za. Cross border customers, please note that our warranty applies only to items purchased and used within the Republic of South Africa. Any items exported which are found to be faulty must be returned to Adendorff Machinery Mart at your own cost.

PLEASE CALL YOUR NEAREST BRANCH FOR ASSISTANCE. Trading hours: Mon. to Fri. 08:00 - 17:00 | Sat. 08:00 - 13:00 | See website for Public Holidays



Adendorff Machinery Mart has taken all relevant steps to ensure customer data is protected in line with the protection of Personal Information Act 4 of 2013 (POPIA). Should you wish to update your communication preferences please send an email to customercare@adendorff.co.za For a copy of our privacy policy please refer to our website www.adendorff.co.za

**PROFESSIONAL
QUALITY**

MAC AFRIC COMPRESSORS



R2395
COMPRE-515



R3295
COMPRE-002

**Backed by Adendorff
Machinery Mart**

SANS 347: 2012 compliant –
RSA Conformity Assessment Reviewed –
AIA Verification by Intertek



R24950 COMPRE-705



R30950
COMPRV-510



DIRECT DRIVE

Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Price
24ℓ	2hp 1.5kW	110ℓ/min (3.88cfm)	230V	116psi 8 bar	R1845 COMPRE-024
50ℓ (shown)	2hp 1.5kW	120ℓ/min (4.23cfm)	230V	116psi 8 bar	R2395 COMPRE-515
100ℓ	2hp 1.5kW	120ℓ/min (4.23cfm)	230V	116psi 8 bar	R4695 COMPRE-115
100ℓ V-head	3hp 2.2kW	190ℓ/min (7cfm)	230V	116psi 8 bar	R5995 COMPRV-123



OIL-FREE SILENT TYPE

Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Price
24ℓ Silent Type	0.55kW	40ℓ/min (1.41cfm)	230V	101psi 7 bar	R2495 COMPRE-001
50ℓ Silent Type (shown)	0.75kW	60ℓ/min (2.1cfm)	230V	101psi 7 bar	R3295 COMPRE-002
50ℓ Silent Type (with 2 motors)	2 x 0.75kW = 1.5kW	120ℓ/min (4.23cfm)	230V	101psi 7 bar	R4695 COMPRE-003
100ℓ Silent Type (with 4 motors)	4 x 0.55kW = 2.2kW	160ℓ/min (5.7cfm)	230V	116psi 8 bar	R9995 COMPRE-004



BELT DRIVE – PETROL DRIVEN

Tank Size	Motor Size	Output Delivery	Max. Pressure	Price
70ℓ (Pull Start)	6.5hp	360ℓ/min (12.7cfm)	116psi 8 bar	R10950 COMPRE-070
150ℓ (Pull Start)	6.5hp	360ℓ/min (12.7cfm)	116psi 8 bar	R12950 COMPRE-071
150ℓ Electric Start 2 Stage Air Pump (shown)	15hp	614ℓ/min (21cfm) 555ℓ/min (19cfm)	90psi 6 bar 145psi 10 bar	R24950 COMPRE-705



BELT DRIVE – DIESEL DRIVEN

150ℓ Electric Start 2 Stage Air Pump	11hp	614ℓ/min (21cfm) 555ℓ/min (19cfm)	90psi 6 bar 145psi 10 bar	R26950 COMPRE-706
--------------------------------------	------	--------------------------------------	------------------------------	--------------------------



BELT DRIVE

Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Price
50ℓ	2.5hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	R5995 COMPRE-517
100ℓ	2.5hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	R7950 COMPRE-210
100ℓ Vertical Space Saver	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R8795 COMPRE-310
150ℓ	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R9295 COMPRE-315
200ℓ	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R9950 COMPRE-615
100ℓ V-head	2hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	R7850 COMPRV-120
100ℓ V-head	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R8795 COMPRV-130
200ℓ V-head	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R10950 COMPRV-230
300ℓ V-head	5hp 4kW	600ℓ/min (21.2cfm)	380V	116psi 8 bar	R17450 COMPRV-355
300ℓ V-head	7.5hp 5.5kW	670ℓ/min (23.66cfm)	380V	116psi 8 bar	R18950 COMPRV-375
500ℓ V-head (shown)	10hp 7.5kW 2 Stage Air Pump	1 050ℓ/min (28.25cfm)	380V	175psi 12 bar	R30950 COMPRV-510
500ℓ V-head	10hp 7.5kW 2 Stage Air Pump	1 150ℓ/min (37cfm)	380V	175psi 12 bar	R33950 COMPRV-575

GAUTENG

AEROTON SALES ☎ (011) 434-7100 98 Sailor Malan Avenue, off Rand Show Road, Aeroton ✉ aeroton@adendorff.co.za
AEROTON SERVICE CENTRE ☎ (011) 434-7111 98 Sailor Malan Avenue, off Rand Show Road, Aeroton ✉ aeroton@adendorff.co.za
TURFFONTEIN ☎ (011) 434-7152 152 Rosettenville Road, Springfield, JHB ✉ jhbsouth@adendorff.co.za

BRANCH CONTACT DETAILS

NATIONAL CALL CENTRE: 011 434 7000

Silent Mini Oil Free Compressors

6/ D.I.Y. Portable Silent Type

• 550W, 3/4hp, 8 bar • 105ℓ/min, 3.7cfm • 230V



R2095 COMPRE-006
Steel Tank • 14.5kg

R2295 COMPRE-007
Aluminium Tank • 13.8kg

Ideal for Air Brushing, Nailers, Staple Guns & Air Blowers

PNEUMATIC EQUIPMENT

175mm Buffer/Polisher

Air Angle Type

R2295

APOLIS-175

- 12cfm
- Free Speed: 2 500r/min
- Spindle Thread Size: 5/8" • Suggested Min. Compressor: 4kW • Safety Lever Throttle



Dual Action Palm Sanders (6 - 8cfm)

125mm (5") Pneumatic

R695 ASANOR-002

ALSO AVAILABLE

With Self Vacuuming Function

(velcro type) **R945** ASANOR-005



Dual Action Sander

R1095

ASANDA-020

- 8 - 10cfm
- Pad Size: 150mm
- Adjustable Air Flow for a virtually scratch free finish



ALSO AVAILABLE

125mm/150mm Velcro Sanding Pads & Sanding Discs

ENQUIRE IN STORE

Air Brushes

R595

ABRUSH-008

- Air Consumption: 0.4 - 0.8cfm
- 0.2mm Fine Tip Fluid Nozzle
- Working Pressure: 1 - 3 bar
- Gravity Side Feed

- Air Consumption: 0.4 - 0.8cfm
- 0.3mm Fine Tip Fluid Nozzle
- Working Pressure: 1 - 3 bar
- Gravity Top Feed

R895

ABRUSH-002



Straight Line Sander

R1495

ASANSL-010

- Smooth Action
- Double Piston
- 4 - 6cfm • Stroke: 2 100/min
- Paper Size: 70 x 445mm



Pneumatic Orbital Finishing Sander

R895 ASANOR-001



Industrial Coil Nailers

45 - 70mm
R2995

ANAILR-900

Required Pressure: 5 - 7 bar

45 - 90mm
R3995

ANAILR-909



MAC AFRIC.

ALSO AVAILABLE

50, 70 & 90mm Coil Nails (on a roll)

3-in-1 Finishing Nailer

R1595 ANAILA-001

- 4.8 - 7.5 bar
- Ideal for: 18#GA Staples 16 - 40mm
- 18#GA F-nails 20 - 50mm
- 16#GA T-nails 25 - 64mm



Industrial 34° Clipped Head Nailer

R2195 ANAILA-028

- Range: 50 - 90mm
- Shank Ø: 2.98 - 3.33mm

ALSO AVAILABLE

Nails: 50, 75 & 90mm



50mm Combination Nailer and Stapler

R545 ANAILA-055

- For: 18# F-Nails 15 - 50mm, 5.8mm Crown Staples (16mm available in store)
- Safety Pin • Quick Release Nose Piece for fast clearing of jams
- Required Pressure: 4 - 7 bar



Staplers

Required Air Consumption: 2 - 4cfm



R995 ASTAPL-010

- Heavy Duty Model (shown)
- Capacity: 10 - 22mm Staples
- Crown: 10mm



R475 ASTAPL-013

- DIY Model (shown)
- Capacity: 6 - 13mm Staples
- Crown: 10mm

Brad Nailers



Required Air Consumption: 2 - 4cfm

MAC AFRIC.

F-Nails - 18# Gauge

30mm • 10 - 30mm **R1095** ANAILA-030 (shown)

50mm • 15 - 50mm **R1595** ANAILA-050

D.I.Y. F30 • 10 - 30mm **R395** ANAILF-030

D.I.Y. F50 • 15 - 50mm **R545** ANAILF-050

T-Nails - 16# Gauge

T50 • 20 - 50mm **R1295** ANAILR-650

T64 • 32 - 64mm **R1495** ANAILR-664



HEAVY DUTY
D.I.Y.
HEAVY DUTY

GAUTENG

ALBERTON ☎ (011) 869-1100 Unit No. 60, Lemon Tree Shopping Centre, Cnr. Swartkoppies & Heidelberg Road, New Market ✉ alberton@adendorff.co.za

EDENVALE (MEADOWDALE) ☎ (011) 545-1407 Unit No. 8, Route 24 Complex, Herman Road, Between Edenvale & Barbara Road Offramps

✉ edenvale@adendorff.co.za

BRANCH CONTACT DETAILS

MAC AFRIC. TOP QUALITY SPRAY GUNS

GRACO GX21 Airless Sprayer

R24950 ASPRAY-021

The GX21 is a fast, portable and affordable solution for small finishing faces.

- Compatible Material: Primer, Stains, Water-based Paint, Acrylics, Enamel and Latex
- Max. Flow Rate: 1,8l/min • Motor Type: Brushless DC
- Pump Type: ProX Piston Pump • Voltage: 230V

ONLY AVAILABLE AT CERTAIN STORES ENQUIRE IN STORE

Airless Sprayers

Brushless Motor

Rongpeng R550
R16995
ASPRAY-550

GRACO Classic
495 PC

R66950
ASPRAY-495

ONLY AVAILABLE AT CERTAIN STORES

ENQUIRE IN STORE

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Spray Pots

ACCESSORIES INCLUDED:
Gun, Gauge & Hose

Operating Pressure Price

① 10ℓ	1.4 - 2.4 bar	R2495 ASPRAP-010
② 2ℓ	0.8 - 2.1 bar	R1395 ASPRAP-002

Required Air Consumption: 8 - 12cfm

Industrial Quality (Excluding Gun & Hose)

③ 20ℓ with Auto Agitator	R5695 (shown) ASPRAP-022
20ℓ with Manual Agitator	R4695 ASPRAP-021
10ℓ with Auto Agitator	R4295 ASPRAP-012
10ℓ with Manual Agitator	R3295 ASPRAP-011
40ℓ with Manual Agitator	R8995 ASPRAP-040

Electric Airless D.I.Y. Spray Guns


① 0.5kW, 230V	② 0.06kW, 230V	③ 0.6kW, 230V (shown)
---------------	----------------	-----------------------

Max. Flow	900ml/min	260ml/min	1 000ml/min
Tank Capacity	800ml	800ml	900ml
Nozzle	1.8mm/2.6mm	0.8mm	2.5mm

R795
ASPRAY-012

R495
ASPRAY-011

R795
ASPRAY-013



Low Volume Low Pressure • Bar: 2 - 3.5 • CFM Requirements: 3 - 3.9

① Gravity Feed • 1.3mm Nozzle	R695 ASPRAG-700
② Gravity Feed • 1.3mm Nozzle	R695 ASPRAG-500
③ Gravity Feed (Anodized Finish) • 1.5mm Nozzle	R695 ASPRAG-109
④ Mini Side Feed Touch-up • 0.6mm Nozzle	R445 ASPRAG-019
⑤ Gravity Feed Spray Gun Holder	R100 ASPRAA-001

High Volume Low Pressure • Bar: 2 - 3.5 • CFM Requirements: 4.2 - 7.1

⑥ Gravity Feed Mini Touch-up • 0.8mm Nozzle	R295 ASPRAG-110
⑦ Gravity Feed • 2.5mm Nozzle	R345 ASPRAG-025
⑧ Gravity Feed • 1.4mm Nozzle	R375 ASPRAG-106
⑨ Gravity Feed • 1.4mm Nozzle	R275 ASPRAG-107
⑩ Gravity Feed with Regulator • 1.4mm Nozzle	R445 ASPRAG-827

Suction Feed Spray Guns

EXCELLENT QUALITY

① High Pressure • 4 - 7cfm • 1.8mm Nozzle	R325 ASPRAH-001
② Low Volume Low Pressure Anodized • 3 - 3.9cfm • 1.5mm Nozzle	R895 ASPRAH-003
③ High Volume Low Pressure • 4.2 - 7.1cfm • 1.4mm Nozzle	R695 ASPRAH-005
④ Low Pressure • 0.8mm Nozzle	R245 ASPRAL-615

MAC AFRIC

① Mini Gravity Feed (HVLV) • 1.0mm Nozzle **R1095** ASPRAG-300

② Gravity Feed (with Stand) (HVLV) • 1.3mm Nozzle **R1195** ASPRAG-100

③ Gravity Feed (HVLV) • 1.3mm Nozzle **R1995** ASPRAG-101

PROFESSIONAL

GAUTENG

BOKSBURG ☎ (011) 914-1550 518 Commissioner Street, Boksburg East Industrial ✉ boksburg@adendorff.co.za
RANDBURG (STRYDOM PARK) ☎ (011) 793-3380 2013 Malibongwe Drive, Randburg ✉ randburg@adendorff.co.za
ROODEPOORT/KRUGERSDORP ☎ (011) 664-8336 17 Carol Road, Opp. Witpoortjie Station, Breananda ✉ roodepoort@adendorff.co.za

BRANCH CONTACT DETAILS

NATIONAL CALL CENTRE: 011 434 7000

PNEUMATIC EQUIPMENT

8mm I.D. Ø Air Line Hoses

Blue PVC Flex Hose
20m with Couplings
(shown) **R325** **AHOSES-020**


Blue PVC Flex Hose
• 10m with Couplings **R215** **AHOSES-028**

Blue PVC Flex Hose
• 100m Roll **R1500** **AHOSES-006**

HEAVY DUTY RUBBER Reinforced

8mm I.D. Ø **R22** **AHOSES-009**
per meter cut (min 10m)

10mm I.D. Ø **R25** **AHOSES-011**
per meter cut (min 10m)



DISCLAIMER: Image provided for illustrative purposes only; actual product appearance may differ

Auto Retractable Hose Reels



1 20m (10mm fittings)
• Steel design with enhanced durability **R2495** **GHOSE-020**

2 15m (10mm fittings)
• Steel design with enhanced durability **R2295** **GHOSE-016**

3 15m (8mm fittings) **R1395** **GHOSE-015**

4 8m (10mm fittings)
• Steel design with enhanced durability **R1195** **GHOSE-008**

5 10m (10mm fittings) **R1195** **GHOSE-010**

6 20m (10mm fittings) **R1950** **GHOSE-021**

Air Recoil Hose with 1/4" Male BSP-Adaptor

8mm

Hose Length: 15m

R215 **AHOSES-015**

Hose Length: 7m

R145 **AHOSES-007**



5 Piece DIY Air Tool Kit

R395 **ASPRAK-006**



R145

ACLEAN-001

Engine Cleaning Gun

• 2 - 4 bar

R275

AGUNUC-002

Pneumatic Undercoating Gun

- Suction Feed Type
- Max. Pressure: 9 bar
- 4cfm



Air Duster Gun

R80 **ADUSTR-001**



R395

AGUNUC-001

Rubberizing/Stone Chipping Gun

• 4cfm

R195

AGUNWT-001

Pneumatic Watering Gun

• 6cfm

SANDBLASTING EQUIPMENT

Sand Blast Guns



R245 **AGUNSB-000**

Sand Blast Pot Gun with 4 Nozzles



R245

AGUNSB-003

Gun with

4 Ceramic Nozzles

R495

AGUNSB-118

Gravity Feed
(Top Load Type)



R395

GCABSB-008

Sandblasting Hood



Sandblasting Sand (Fine Grit)

• 25kg Bag • *47 - 58 Microns

R75 **GCABSG-030**

Sand Blast Pots



90L "Dust Free" Sandblasting Unit complete with 1 200W, 230V, Vacuum, Hose and Gun

R6495 **GPOTSB-001**

Compressor Required



Features:

- Range of Blasting Pressure: 420kPa - 900kPa (4.2 - 9 bar)
- Nozzle Sizes: Ø 2.4, 2.7, 3.2, 3.6mm

45L

R2195

GPOTSB-045

90L

R2995

GPOTSB-090

Sandblasting Cabinets



R2495 **GCABSB-001**
Bench Type

- Complete with High Efficiency Gun, Light, Pickup Hose, Gloves, Spare Glass Shields and Nozzles
- 580 x 490 x 490mm



Vertical Type

R6950 **GCABSB-002**

- Heavy Duty Steel Construction
- Complete with High Efficiency Gun, Hose, Light, Gloves, etc.
- 890 x 570 x 1 390mm



R19450 **GCABSB-003**
Industrial Sand Blast Cabinet with Foot Pedal & Extractor

• 1 220 x 600 x 1 710mm

GAUTENG

SPRINGS (010) 442-6969 13 Bell Street, New Era, Springs ✉ springs@adendorff.co.za

PRETORIA (012) 329-9579 300 Steve Biko Road (Voortrekkers Road), Cnr. Adcock Street, Gezina ✉ pretoria@adendorff.co.za

CENTURION (012) 653-0586 33 Miracle Park, Cnr. Old Johannesburg Road R101 & Lenchen Extension, Rooihuiskraal ✉ centurion@adendorff.co.za

BRANCH CONTACT DETAILS

PNEUMATIC EQUIPMENT

5 Piece Brass Quick Coupler Set

R100 ACOUPL-005

For use on all Air Operated Equipment



Metal Shear

R845

ASHEAR-001

- 4cfm
- Cuts, Trims, Outlines and Shears Plastic, Tin, Aluminium and Other Metals up to 18# Rolled Steel
- Capacity: 1mm max. Mild Steel



Needle Descalers / Air Hammers

R495 AHAMMC-190

190mm Hammer Action Chisel Set • 5cfm



R795

ASCALD-190

190mm Combination Air Hammer/Descaler Chisel Set (shown) • 5cfm



ALSO AVAILABLE

HEAVY DUTY

Barrel Type Descaler • 5cfm

R2595 ASCALD-001

① Spring Balancer

- Takes the weight of the Air Tool off your hand
- Weight Tension: 1 - 2kg

R425 ABALAN-100



Pneumatic Screwdriver

② 4.55mm, Straight Type Screwdriver

R895 ASCRWD-455



HEAVY DUTY

Adjustable Clutch • 7cfm

R1445 ASCRWD-002

Air Die Grinder

- Ideal for Tyre Repair
- Includes Bits



R1895 AGRIND-002

HEAVY DUTY

42 Piece Pneumatic Tool Kit

R2495

ATOOKL-042

- 12.5mm (½") Drive Impact Wrench with 10 Sockets
- Heavy Duty Dual Action Sander
- 6mm Air Die Grinder and Stones
- 10mm Reversible Air Drill
- 150mm Air Hammer with Chisels and Bits
- 8 - 10cfm



Air Grinders



112mm **R995** AGRIND-112

125mm **R1745** AGRIND-125

175mm **R1845** AGRIND-176

180mm (shown) **R2195** AGRIND-180

R795

AMULTI-022

4-in-1 Variable Multi Function Air Tool



3" (75mm) Air Cut-Off Tool

- 6cfm

R395

ACUTTO-075



ALSO AVAILABLE

Cutting Discs **R20** EACH ACUTTD-001

Pneumatic Riveter

R1695 ARIVET-001

- 4 Nozzles • 4.2cfm
- For Rivets 2.4 - 4.8mm

ALSO AVAILABLE

Complete Set with Service Kit • 4.2cfm

R1995 ARIVET-002



Air Riv-Nut Tool

R1195 ARIVNR-001

- Riv-Nut Sizes: M4, M5, M6 M8



Pneumatic Drills

- Reversible
- 6cfm



With Key Chuck

10mm **R495** ADRILR-010

12.5mm (shown) **R575** ADRILR-005

With Keyless Chuck

10mm **R495** ADRILR-011

12.5mm **R545** ADRILR-012

Air Die Grinder Kits

R395

AGRIND-001

For grinding those difficult to reach areas

14 Piece

- 8cfm • 25 000rpm
- Collet Chuck Capacity: 3mm & 6mm



17 Piece Air Micro Die Grinder Kit

R485

AGRINK-017

- 3mm Collet and Inline Oiler • 10 Grinding Stones
- Grinder Body Dimensions: 140mm x Ø15.5mm • 54 000rpm



GAUTENG

SILVER LAKES (PRETORIA EAST) (012) 054-5969 Silver Oaks Crossing (Shop 41), Solomon Mahlangu & Von Backstrom Boulevard, Pretoria East

silverlakes@adendorff.co.za

VEREENIGING (016) 422-6057 26 De Villiers Avenue vereeniging@adendorff.co.za

BRANCH CONTACT DETAILS

NATIONAL CALL CENTRE: 011 434 7000

PNEUMATIC/GARAGE EQUIPMENT

1" Drive Truck Wheel Nut Removers



REMOVE TRUCK WHEEL NUTS WITH EASE

3 800Nm Torque Output: 1:60

R795 GWRENC-280

5 200Nm Torque Output: 1:90

R895 GWRENC-520

Sockets not included

10 Piece Deep 1" or 3/4" Drive Impact Sockets

(88mm deep)

- 21, 22, 24, 27, 29, 30, 32, 33, 38, 41mm

R995 3/4" TSOCKE-011
1" TSOCKE-010



Impact Socket Sets

R1095 TSOCKE-038

38 Piece Metric/Imperial

3/8" Drive • 3/4", 11/16", 5/8", 9/16", 1/2", 7/16", 3/8", 5/16"

- 8, 10, 11, 12, 13, 14, 17, 19mm

1/2" Drive • 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

- 10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm



R1095 TSOCKE-015

15 Piece 12.5mm

(1/2" Drive, (75mm) Deep Metric • 10 - 24mm




1/2" & 3/8" 119 Piece Impact Socket Set



R3695
TSOCKE-120

Contains both metric and SAE (Imperial Sizes)
Chrome Molybdenum Steel Material: 35CR-MO
Tool Standard: ANSI



VISIT OUR WEBSITE FOR DETAILED CONTENTS

MAC AFRIC

Impact Wrenches

① 12.5mm (1/2") Twin Hammer (shown)
• 720Nm • 4.6cfm • 2.2/s

R895 AWRENC-007

12.5mm (1/2") Twin Hammer
• 850Nm • 4.87cfm • 2.3/s

R1095 AWRENC-008

19mm (3/4") Twin Hammer
• 1 300Nm • 7.42cfm • 3.5/s

R2495 AWRENC-009

② 19mm (3/4") Twin Hammer (shown)
• 1 600Nm • 8 - 12cfm

R3495 AWRENC-005



25mm (1") Drive Heavy Duty Impact Wrench



HEAVY DUTY

2 600Nm • 13.3cfm • 6.3/s

R3595 AWRENC-026

3 200Nm • 13.98cfm • 6.6/s

R4295 AWRENC-032

4 800Nm • 14.83cfm • 7/s

R4995 AWRENC-048

2 600Nm • 13.35cfm • 6.3/s
(Short Anvil)

R3495 AWRENC-027

Air Wrench Kits

12.5mm (1/2") Drive

- 6 - 8cfm
- Complete with 10 Sockets: 9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm
- Forward and Reverse Push Button

R1295
AWRENC-001



R795 AWRENC-015

15 Piece 12.5mm (1/2") Drive Ratchet Wrench Kit • 8cfm

- Complete with 7 Sockets: 9, 10, 11, 13, 14, 17, 19mm

Air Inflators/Deflators with Hose, Nozzle and Gauge

1/4" BSP Inlet

① Tyre Inflator/Deflator

0 - 700kPa

R225 AGAUGE-004

② Tyre Inflator/Deflator
• Robust Design

0 - 1 200kPa

R445 AGAUGE-000

③ Garage Type

0 - 1 100kPa

R795 AGAUGE-001

④ Garage Type

0 - 1 050kPa

R1395 AGAUGE-002

⑤ Digital Tyre Inflator

0.68 - 1 700kPa

R445 AGAUGE-008

⑥ Inflator/Deflator

48 - 1 240kPa

R945 AGAUGE-009



FREE STATE

BLOEMFONTEIN (051) 448-1689 Oliver Tambo Road (Church Street), Cnr. Harvey Road, Blackwood Crossing, Oranjesig ✉ bloemfontein@adendorff.co.za

WELKOM (057) 355-6600 137 Constantia Street, Dagbreek ✉ welkom@adendorff.co.za

BRANCH CONTACT DETAILS

GARAGE EQUIPMENT

EXCELLENT
QUALITY

Bottle Jacks



€ Model	Safe Working Capacity	Min. Height	Max. Height	Price
2000	2 Ton	158mm	308mm	R245 GJACKB-002
5000	5 Ton	200mm	405mm	R375 GJACKB-005
10000	10 Ton	240mm	480mm	R495 GJACKB-010
20000	15 Ton	250mm	490mm	R895 GJACKB-020
30000	20 Ton	285mm	475mm	R1245 GJACKB-030
50000	30 Ton	285mm	480mm	R1945 GJACKB-050

Garage Trolley Jacks

HEAVY DUTY

R2495 GJACKT-002

Model-2500 Short Wheel Base

- Lifting Height: 120 - 500mm
- Safe Working Capacity: 2.0 Ton • 32kg



R3695 GJACKT-300

Model-3000 Short Wheel Base

- Lifting Height: 100 - 530mm
- Safe Working Capacity: 2.25 Ton
- 42kg



Long Reach Trolley Jacks

€ Model	Safe Working Capacity	Lifting Capacity	Length of Jack	Weight of Jack	Price
3000	2.25 Ton	600mm	1 290mm	54kg	R6495 GJACKT-003
5000	4.0 Ton	685mm	1 410mm	89kg	R9950 GJACKT-005
10000	8 Ton	700mm	1 560mm	133kg	R15950 GJACKT-010
20000	11 Ton	640mm	1 420mm	230kg	R21950 GJACKT-020 (shown)

Combination Hydraulic Bead Breaker only



R3695
GBEADB-001

Pneumatic Hydraulic Pump for GBEADB-001
R3495 GPUMPS-001

Heavy Duty Tyre Repair Kit



R345
GTYRER-001

- Heavy Duty T-handle Reamer
- Heavy Duty T-handle Insert/Spiral Probe Tool • Ideal for Vehicles & Motorcycles

Mini Trolley Jacks



	2250-LD	2250-HD
Weight	8.3kg	12.5kg
Lifting Height	135 - 330mm	135 - 385mm
Safe Working Capacity	1.1 Ton	1.5 Ton
	R695 GJACKT-000	R895 GJACKT-001

4 Ton 2 Post Electric/Hydraulic Lift

AUTO RELEASE

MANUAL RELEASE

R35950*
GLIFTS-003

R33950*
GLIFTS-002



Vehicle for illustrative purposes only

Colour may vary

Warranty null and void if not installed by a certified accredited installer. Please contact your nearest Adendorff branch for contact details of certified installers.

* AVAILABLE FROM AEROTON JOHANNESBURG SOUTH WAREHOUSE ONLY

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Pneumatic Tyre Changers and Balancers

Compressor Required



1
Wheel for illustrative purposes only

	CB530	(shown) CB800
Motor Power	230V	230V
Rim Width	40 - 310mm	40 - 510mm
Rim Ø	254 - 508mm	265 - 615mm
Balancing Speed	210rpm	200rpm
Rim Accuracy	1G	1G
	R17995 GTYREB-001	R21995 GTYREB-002

Compressor Required



2
Wheel for illustrative purposes only

	(shown) Model F 112	Model LT 910	Model LT 950A With Helping Arm
Motor	1.1kW, 230V	1.1kW, 230V	1.1kW, 230V
Internal Clamp	12" - 22"	14" - 26"	14" - 26"
Max. Wheel Ø	1 000mm	1 100mm	1 100mm
Max. Wheel Width	270mm	381mm	381mm
	R17995 GTYREC-002	R23995 GTYREC-005	R34950 GTYREC-006

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

NORTH WEST

RUSTENBURG (014) 594-1545 Oliver Tambo Drive R104, Cnr. Beyers Naude Drive ✉ rustenburg@adendorff.co.za

KLERKSDORP (018) 462-1116 99 O.R. Tambo Street (Church Street), Cnr. President Kruger Street ✉ klerksdorp@adendorff.co.za

BRANCH CONTACT DETAILS

NATIONAL CALL CENTRE: 011 434 7000

E&OE
WEEK-40-(01-10)

PANELBEATING EQUIPMENT

Polishers

EXCELLENT
QUALITY



- ① Vertical Polisher • 570W • 180mm **R1195** TPOLIS-182
- ② Angle Polisher • 1 400W • 180mm **R1495** TPOLIS-180
- ③ Random Orbital Polisher • 900W • 150mm **R1495** TPOLIS-151

Hydraulic Body Repair Kits with Attachments

EXCELLENT
QUALITY

WITH NEW
IMPROVED SEALS

HEAVY DUTY



- (shown) 10 Ton **R2995** GBODYR-010
- 15 Ton **R4995** GBODYR-015
- 20 Ton **R8950** GBODYR-020

Model Contents
Vary

Dent Lifter Kit with Attachments & Glue Gun



R845

GBODYR-001

OPTIONAL EXTRA

Sliding Hammer for
Dent Lifter Kit



R395

GHAMSL-002

Paintless Hail Rod Dent Removal Kit

R3695

GBODYR-002

The MAC AFRIC Paintless Hail Rod Dent Removal Kit, abbreviated as PDR, is a comprehensive set of tools designed for efficient dent removal without the need for repainting. It includes a variety of rod tips in different sizes and shapes, along with essential accessories like pump wedges, plastic chisels, chains, and a small hammer. The kit also features an air pump bag, which aids in enlarging narrow gaps without surface damage, making it suitable for car dent repair and other expansion needs such as window gaps.



R745

GSTAND-020

Super Sturdy
Portable Foldable
Work Paint Stand

- With rubber protection

Slide Hammer & Dent Puller Kits



(shown) 12 Piece

R995

GHAMSL-013

14 Piece

R1495

GHAMSL-014

HEAVY DUTY

PROFESSIONAL

Wheel Arch Fender Roller



R1695

GPANFR-001

- Flares Arches
- Repair Arch Damage
- Bolts directly to Hub Flange
- Adjustable

Trim Removal Tool Sets



(shown)

11 Piece
R225

GPANEL-011

27 Piece
R395

GPANEL-027



10 Ton Frame Straightner

R17995 GSTRGT-001

With Anchor Post for added Flexibility, includes Accessories as shown



Panelbeating Kits



7 Piece

R695

GPANEL-001



9 Piece

R1795

GPANEL-009

PROFESSIONAL

WESTERN CAPE

MONTAGUE GARDENS (CAPE TOWN) ☎ (021) 552-7389 Unit 1, 21 Montague Drive, Montague Gardens ✉ capetown@adendorff.co.za
STRAND ☎ (021) 205-2878 30 Mynhardt Street ✉ loc30@adendorff.co.za

BRANCH CONTACT DETAILS

GARAGE EQUIPMENT

Ratchet Type Jack Stands

3 Ton Capacity for Cars (<i>shown</i>)	R395 PER PAIR GSTAND-003
6 Ton Capacity for LDV's & Trucks	R675 PER PAIR GSTAND-006
12 Ton Capacity for LDV's & Trucks	R1595 PER PAIR GSTAND-012



Wheel Chocks

Mighty 5T



R70 GSTAND-203
EACH

Mighty 20T



R140 GSTAND-202
EACH

1 Ton Hydraulic Coil Spring Compressor

- Capacity: Max. Compression Tension, 1 Ton (hand-pump included)
- Max. Extension: 260mm
- Retracted Dimension: 100mm
- Rod Travel: 100mm

R2995
GCOILS-010



12V Hydraulic Jack


- R3495** GJACKC-002
- Safe Working Capacity: 2.25 Ton
 - Lifting Height: 20 - 56cm • Stroke: 350mm



Hydraulic Transmission Jacks

R6995 GJACKT-102
€ Model-500
Telescopic

- Height Range: 870 - 1 847mm
- Safe Working Capacity: 0.4 Ton



R4950
GJACKT-100

€ Model-1000
Low Level

- Length: 760mm • Width: 430mm
- Height: 215mm • Extended: 625mm
- Lifting Height: 775mm
- Safe Working Capacity: 0.6 Ton



Motorcycle Lift Jack

R2495 GJACKM-001

- Base: 290 x 290
- Min. Height: 130mm
- Max. Height: 420mm



Easy Park Hydraulic Vehicle Positioning Jack

R3695
PER PAIR
GJACKT-150

Capacity: 650kg per Jack



Wheel for illustrative purposes only



12V Car Scissor Jacks

COLOUR MAY VARY

R1595 GJACKC-004

- Model 2000
- Lifting Height Capacity: 14 - 43cm



MAC AFRIC

Engine Stands

① Model 450 Universal (4 & 6 Cylinder Engines)

R1195 GSTAND-450

② Model 550 Universal with Oil Pan & Parts Tray (4 & 6 Cylinder Engines)

R2295 GSTAND-550

③ Model 900 (4, 6 & 8 Cylinder Engines)

R2495 GSTAND-500

④ Model 900 with Geared Rotator (4, 6 & 8 Cylinder Engines) (*shown*)

R4495 GSTAND-100



Adjustable Arms to fit all Popular Car & LDV Engines

Interchangeable Fork Strut Coil Spring Compressor Kit

R2295
GCOILS-005

MAC AFRIC



Manual Coil Spring Strut Compressor

R6295 GCOILS-006

Assemble and disassemble your Coil Spring Struts anywhere with this manual Spring Compressor!

- Max. Diameter: 300mm
- Max. Height: 630mm
- Travel/Stroke: 330mm
- Max Shock Absorber Length: 580mm



Model 2000 Engine Cranes

R4495 GCRANE-002

- Fixed Frame (*shown*)
- Net Weight: 85kg
 - Gross Weight: 88kg

OPTIONAL EXTRA

R595 (*shown*) 750kg Load Leveller



HYDRAULIC

ALSO AVAILABLE

Extra Heavy Duty Construction Type, Model 2000 for Trucks

- Nett Weight: 168kg
 - Gross Weight: 191kg
- R9450**
GCRANE-005

Foldable with 6 Wheels (*shown*)

- Nett Weight: 85kg
- Gross Weight: 89kg

R4695 GCRANE-004

With Pneumatic Function

- Nett Weight: 83kg
- Gross Weight: 86kg

R4995 GCRANE-003

WESTERN CAPE

BRACKENFELL (021) 205-7888 Unit 1, 3 Tee-jay Road (Corner Taurus Road), Everite Industrial Park ✉ loc27@adendorff.co.za
GEORGE (044) 050-3610 6 Ring Road, George Industrial ✉ loc29@adendorff.co.za

BRANCH CONTACT DETAILS

NATIONAL CALL CENTRE: 011 434 7000

GARAGE EQUIPMENT

Parts Washers

R3995 GWASHP-091

90° Compact on Trolley (shown)

- Includes Pump
- 750 x 530 x 900 mm

USE WATER-BASED SOLVENTS ONLY

MAC AFRIC

R2495 GWASHP-090

90° Compact (shown)

- Stationary
- Includes Pump
- 760 x 520 x 890mm

R3995 GWASHP-180

180° • Stationary

- Includes Pump
- 1 100 x 550 x 900mm
- Suitable for cleaning larger parts

HEAVY DUTY

Garage Creepers

Tools for illustrative purposes only

Roller Seat with Bottom Tool Tray
R395

GCREEP-002



Padded Mechanics Creeper

R595 GCREEP-001



36" Plastic Creeper

R695 GCREEP-003



R945 GSTOOL-001
Swivel Bar / Garage Stool

- The all-new garage stool is perfect for the everyday use by mechanics or DIY enthusiasts

HEAVY DUTY

48" Plastic Creeper

R1095 GCREEP-005



HEAVY DUTY

R1495

GCREEP-044

44" Heavy Duty Creeper

- Heavy Duty Frame Designs • 150kg rating



Professional 6L Ultrasonic Cleaner with Heating and Digital Timer

NEW

R3895

GCLEAN-006

BEFORE

AFTER



Pictures for illustrative purposes only

Equipped with a potent 180W ultrasonic power and a 300W heater, this device is designed to deliver a deep and efficient cleaning for a variety of items.

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

9L Fluid/Oil Extractors

Manual

R1195

HPUMPO-013



Pneumatic

R1195

HPUMPO-012



Capacity: 9 litres

Utilised for extracting various fluids, particularly favoured in automotive maintenance for removing oil substances from engines and confined areas.

Hydraulic Workshop Presses

(shown) 40 Ton Hydraulic-Pneumatic 100 Ton Hydraulic


	40 Ton Hydraulic-Pneumatic	100 Ton Hydraulic
Stroke	300mm	500mm
Distance between H-frame	680mm	710mm
Height of Press	1.6m	1.95m
Width of Work Table	325mm	370mm

R16995 R42950

GPRESS-041 GPRESR-001

HEAVY DUTY

MAC AFRIC



6 Ton Bench Type Hydraulic Press (Bottle Jack Type – no Gauge)
R1895 GPRESS-006

Workshop Presses

MAC AFRIC

BOTTLE JACK TYPE

HYDRAULIC



① D.I.Y. 12 Ton Bottle Jack Type (shown) **R2695** GPRESS-009

D.I.Y. 20 Ton Bottle Jack Type **R3695** GPRESS-010

② 12 Ton Press with Gauge (shown) **R5495** GPRESS-012

20 Ton Press with Gauge **R6795** GPRESS-020

20 Ton Pneumatic Press with Gauge (Dual Function) **R7295** GPRESS-021

EASTERN CAPE

EAST LONDON ☎ (043) 422-0596 11 Dunn Street, Aracadia ✉ el@adendorff.co.za

PORT ELIZABETH (GQEBERHA) ☎ (042) 484-3995 27 Grahamstown Road, North End ✉ pe@adendorff.co.za

BRANCH CONTACT DETAILS

GARAGE EQUIPMENT

Grease Pumps



R1195 **GGREAS-002**

15kg High Pressure with Trolley, Drum, Gun & Hose (manually operated)

R2495 **GGREAS-009**

G.Gun 10ℓ High Pressure Foot Operated Grease Drum
 • Two Stage Pump
 • Canisters can use 5 - 8kg Grease

12V Diesel Pump

Complete Kit (shown) **R2895**


- 40ℓ/min
- Includes Pump, Gun, Hose, Meter and Bracket

HPUMPO-008

ALSO AVAILABLE

230V Models (single phase)

ENQUIRE IN STORE



ALSO AVAILABLE

① Pump Only	R895 HPUMPO-011
② Hose Only	R845 HPUMPH-005
③ Gun Only	R345 HPUMPO-009
④ Meter Only	R845 HPUMPO-010

① + ② + ③

Pump + Gun + Hose (Kit)

R1895 **HPUMPO-007**

Dual Function Grease Gun



R795 **AGREAS-001**

6 Piece Air or Hand Operated Grease Gun Kit (pistol type)

Grease Guns



400cc **R235**

GGREAS-400

500cc **R245**

GGREAS-501

600cc **R275**

GGREAS-600



12V Mini Oil Extractor Pump



R375

HPUMPO-002

PVC Clear Pipe included



12V D.C. Oil Transfer Pump

R895

HPUMPO-001

- Fits 210ℓ Drum
- Length of Shaft: 360mm
- Diameter of Drum: 300mm
- Min. Depth of Drum: 345mm



(Plastic)

Pneumatic Grease Drums

Includes Hose, Gun & Trolley

Grease Pump	Inlet Pressure	Price
12ℓ (shown)	6 - 8 bar	R2950 GGREAS-012
30ℓ	6 - 8 bar	R4495 GGREAS-005
40ℓ	4 - 8 bar	R4995 GGREAS-017



HEAVY DUTY

Auto Retractable Hose Reels

15m **R4495**

GHOSE0-001

SUITABLE FOR OIL



10m **R2895**

GHOSEG-010

SUITABLE FOR GREASE



(10mm) 3/8" Air Couplers Male or Female **R60** each

Rotary Drum Pumps

Fits into a 210ℓ Drum **R395** **TPUMPD-001**
 Ideal for Oil, Paraffin & Diesel (shown)

Aluminium Hand Pump **R695** **TPUMPH-001**
 Ideal for Oil, Paraffin & Diesel

R795 **TPUMPD-003**

P.P. (Polyphenylene) Ideal for: AdBlue/DEF, water, alcohol, kerosene, lubricant, water-based chemical acid and alkali solutions

PROFESSIONAL



Pneumatic Oil Pump

R13950 **HPUMPO-004**

Pneumatic Mobile Oil Dispensing Kit (without drum)

(complete unit shown)

- Ratio 5:1 • Trolley, Pump, Hose Reel & Digital Oil Gun



Drum for illustrative purposes only

R6295

HPUMPO-003

Pneumatic Oil Dispensing Pump (only)

- Ratio 5:1



Digital Oil Gun (only) • Flow Rate: 0 - 60ℓ/min

R2195 **HPUMPO-005**

NORTHERN CAPE

KIMBERLEY (053) 831-1882 12 Fabricia Road, Fabricia ✉ kimberley@adendorff.co.za

BRANCH CONTACT DETAILS

NATIONAL CALL CENTRE: 011 434 7000

LIFTING & MATERIAL HANDLING EQUIPMENT



Electric Chain Hoists (Double Chain)

CE Model	① 1000	② 1000	③ 2000
Safe Working Capacity	0.75 Ton x 6m	0.75 Ton x 6m	1.5 Ton x 6m
Voltage/Motor	230V - 0.8kW	380V - 1.1kW	380V - 1.5kW
Lifting Speed	1.8m/min	3.6m/min	3.4m/min

HEAVY DUTY

R14750 GHOIST-100 **R13950** GHOIST-101 **R14950** GHOIST-102

Chain Blocks

① Triangle VC Type with 3m Lift

CE Model	Safe Working Capacity	Price	
1000	0.75 Ton	R1495	GCHAIN-101
2000	1.5 Ton	R1995	GCHAIN-102
5000	4 Ton	R3795	GCHAIN-105

② With 3m Lift

CE Model	Safe Working Capacity	Price	
1000	0.75 Ton	R995	GCHAIN-001
2000	1.5 Ton	R1395	GCHAIN-002
5000	4 Ton	R2895	GCHAIN-005

Lever Blocks with 1.5m Lift

CE Model	Safe Working Capacity	Price	
1000	0.75 Ton	R1595	GCHALB-001
2000	1.5 Ton	R1995	GCHALB-002
3000	2.25 Ton	R2795	GCHALB-003
5000	3.75 Ton	R3895	GCHALB-005

1.5 Ton Gantry Crane

R12950

GCRANE-000

- Adjustable
- Mobile
- Height Adjustment: 2.1 - 3.3m

2 Ton Crawls

I-beam for illustrative purposes only



(shown) Geared with Chain

Manual Type

I-Beam Size: 100 - 150mm

I-Beam Size: 80 - 150mm

R1895 GCRAWL-001

R1395 GCRAWL-002


Beam Clamp

(shown)

Model 2000 74 - 230mm
R795 GCLAMB-002

Model 5000 89 - 320mm
R1495 GCLAMB-005

Duplex Flat Webbing Slings



	Rated	Length	Width	Price	
①	2 Ton	1.5m	30mm	R100	GSLING-002
②	3 Ton	2.5m	90mm	R195	GSLING-003
③	5 Ton	4m	150mm	R495	GSLING-005

230V Electric Hoists

I-beam for illustrative purposes only

① 1 Ton Manual Crawl for Electric Hoist
For Models: PA250, PA400 & PA1000

R1795 GCRAWL-000

Universal Crawl Mounting Bracket

R225 GHOIST-001

	PA250, 250kg	PA400, 400kg	PA600, 600kg	PA1000, 500kg
② Capacity Double Line	250kg/5.5m	400kg/5.5m	600kg/5.5m	1 000kg/5.5m
Capacity Single Line	125kg/11m	200kg/11m	300kg/11m	500kg/11m



R2195 GHOIST-250

R2995 GHOIST-400

R3295 GHOIST-601

R7995 GHOIST-500

Hand Pallet Trucks

HYDRAULIC

(shown) 2.5 Ton

	2.5 Ton	2 Ton	2 Ton (Narrow Fork)	1.5 Ton (Low Level)
Outer Width of Fork	685mm	685mm	510.5mm	665mm
Inner Width of Fork	360mm	375mm	200.5mm	340mm
Fork Length	1 200mm	1 200mm	1 000mm	1 220mm
Height	80 - 200mm	80 - 200mm	80 - 200mm	52 - 150mm

R4995 GPALLT-002

R4695 GPALLT-000

R4495 GPALLT-005

R5995 GPALLT-001

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Hand Stacker

R12950

GPALLT-003

- Capacity: 1 000kg
- Height: 1.6m
- Heavy Duty Construction

HYDRAULIC



LIMPOPO

POLOKWANE ☎ (015) 292-0243 31 Nikkel Street, Superbia ✉ polokwane@adendorff.co.za

BRANCH CONTACT DETAILS

BATTERY CHARGERS & AUTOMOTIVE EQUIPMENT

Battery Chargers/Boosters

Model	Charging Current	Price
320	35A (12V & 24V)	R2195 GCHARG-321
400	40A (12V & 24V)	R2495 GCHARG-400
600	52A on 12V & 55A on 24V	R2995 GCHARG-600

Battery for illustrative purposes only



Analogue Battery Load Tester

R445 TTESTB-001

- Testing Range: 6 - 12V
- Rated Capacity: 32A to 500A



Portable Inspection Camera/Bore Scopes

R2495 GSCOPE-006

Visual Inspecting Cleaning Borescope



R3950 GSCOPE-005

2-Way Articulating Borescope

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Battery Tester & Analyser

R2395 TTESTB-003

- Testing Range: 100 - 2 000 CCA (12V) • 12V & 24V Starting & Charging System



Brake Fluid Tester

R895 GBRAKT-001

Vehicle Current Tester

R295 TTESMF-001

- Measurement range: 0.1A ~ 19.9A
- Max. Load: 20A/32Vdc for max. 10 secs.
- Accuracy: ± (2% of reading + 2 digits)



Mini Coating Thickness Gauge

R395 GGAUGP-001

- Portable coating thickness gauge, which can quickly, nondestructively, and accurately measure non-metallic coating thickness (such as paint, film, etc.) of metal substrate.
- Measurement range: 0~1.8mm/0~71.0mil
- Car mode resolution: 0.05mm/2mil • User mode resolution: 0.01mm/1mil
- Measurement error: ±0.1mm



iCarsoft Diagnostic Testers

R895 GTESTC-001

1800 Plus

R4295 GTESTC-002

CR Elite

R5995 GTESTC-003

CR Pro

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Intelligent/Digital Battery Chargers

EXCELLENT QUALITY



	Charging Current	Charging Stages	Input Voltage	Price
1	1.5 Amp (12V)	3-step	12V	R345 GCHARG-001
2	4 Amp (12V) / 2 Amp (6V)	9-step	6V & 12V	R495 GCHARG-103
3	8 Amp (12V) / 2 Amp (6V)	9-step	6V & 12V	R695 GCHARG-107
4	10 Amp (12V) / 2 Amp (6V)	9-step	6V & 12V	R895 GCHARG-110

	Charging Current	Charging Stages	Input Voltage	Price
5	4 Amp	9-step	6V & 12V	R745 GCHARG-104
6	8 Amp	9-step	12V	R995 GCHARG-108
7	25 Amp (12V)	9-step	12V & 24V	R2595 GCHARG-125
8	15 Amp	9-step	12V	R1995 GCHARG-126

12V/24V Lithium Ion Jump Starters



Start Current	400A (12V); 500A (24V)	600A (12V); 600A (24V)
Peak Current	800A (12V); 1 000A (24V)	1 500A (12V); 1 500A (24V)
Battery Type	Lithium Ion Polymer	Lithium Ion Polymer
Battery Capacity	27 000mAh	45 000mAh

R3495 GSTART-007

R6495 GSTART-005

R1950 Lithium Ion Battery Jump Starter

- Battery Type: Li Polymer
- Battery Capacity: 11.1V / 5.2Ah
- Peak Current: 500A @ 100ms

MPUMALANGA

WITBANK (013) 690-2305 40 Watermeyer Street, Klipfontein, Ext. 8 ✉ witbank@adendorff.co.za

NELSPRUIT (013) 753-3580 Riverside Park, 3 Emnotweni Avenue, (behind Engen Garage), R40 ✉ nelspruit@adendorff.co.za

BRANCH CONTACT DETAILS

NATIONAL CALL CENTRE: 011 434 7000

GARAGE EQUIPMENT: AUTOMOTIVE

23 Piece Oil Filter Wrench Kit

R895

GOILFR-002



114 Piece Oil Sump Thread Repair Set

R745

GOILTR-114



Universal Valve Spring Remover and Installer Compressor Kit

R1095

GVALVC-002



Diesel Injector Puller Kit

R945

GPULLE-004

- With Slide Hammer
- Ideal for the removal of stuck and seized common Rail Injectors without dismantling the Cylinder Head



10 Piece Bearing Race & Seal Driver Kit

R595

TBEARS-006

- Easily replace bearing races without damaging race or axle housing • Collars fit most wheel bearing sizes • Machined aluminium construction



6 Piece Telescopic Gauge Set

R385

GGAUGE-001



Universal Ball Joint Separator

R465

GJOINT-001

- Open Range: 50 - 120mm



12 Piece Oil Pressure Tester Set

R545

GOILPT-001



Hand Held Vacuum Pump

- Suitable for wide range of vehicles



R345

GVACUM-001

Universal Bush Remover/Installer Sleeve Set

R2295

GBUSHK-001



Valve Spring Compressor Set with Pipe Frame

R295

GVALVC-001



3 Jaw Internal & External Puller Kit with Sliding Hammer

R995

TPULLG-050

- Small Internal Puller Capacity: 15 - 30mm
- Large Internal Puller Capacity: 30 - 80mm
- External Puller Capacity: 15 - 80mm



Combination 2/3 Jaw Pullers

75mm

R120

TPULLG-075

100mm

R185

TPULLG-100

150mm

R295

TPULLG-150

250mm

R895

TPULLG-250

300mm

R1295

TPULLG-300



Bearing Separator Kit



R995

TBEARS-001

- Range: 30 - 50mm; 50 - 75mm
- Length of Jaws: 110mm (2 Jaw Puller)
- Max. Shaft Length: 210mm

Gear Pullers

HYDRAULIC

10 Ton (Crank Type)

(shown) 10 Ton

20 Ton


	10T	10T	20T
Rated Output	10T	10T	20T
Reach	160mm	135mm	350mm
Max. Stroke	60mm	170mm	100mm
Spread	250mm	250mm	560mm

HEAVY DUTY

R1995
GPULLE-011

R3295
GPULLE-010

R5950
GPULLE-020



KWAZULU-NATAL

DURBAN NORTH (SPRINGFIELD PARK) ☎ (031) 263-0007 99 Intersite Avenue (near Bluff Meat Supply and National Security and Fire), Springfield Park ✉ durban@adendorff.co.za

BRANCH CONTACT DETAILS

GARAGE EQUIPMENT: AUTOMOTIVE


LARGE RANGE AVAILABLE:
See in store or visit our website

PETROL

R1645

GTIMEK-015

- Suitable for BMW 2.0 (N20/N26)



Timing Tool Kits

R395 GTIMEK-003

- Car Engine Timing Tool Set for VAG 1.2, 1.4TFSi, 1.4, 1.6FSi – Chain Drive
- Timing Kit suitable for 1.2/1.4TFSi and 1.4/1.6FSi engines
- Kit contains essential tools for crank TDC positioning, camshaft setting and tensioner locking



R1195 GTIMEK-002

- Suitable for VAG 1.2, 1.4 TFSi, 1.4, 1.6 FSi, Chain Drive
- Suitable for 1.2/1.4 TFSi and 1.4/1.6 FSi Engines
- Contains Essential Tools for Crank, TDC Positioning, Camshaft Setting and Tensioner Locking • VW and Audi Engine Timing Tool Set for use on Petrol and Diesel Engines. To set the correct timing when replacing the Timing Belt.



PETROL

R1695

GTIMEK-009

- Suitable for BMW 2.5, 3.0 (N51-52-52-53-54)



Fuel Pressure Tester Set

R325

GFUELT-001



Diesel Injector Tester

R1695

GTESTD-001



Universal Fuel Suction Retriever Pump (1.5 litre)

With Connectors

R595

GFUELT-004



Compression Tester Kits

R345 GCOMPT-003



PETROL

Diesel Injector Seat Cutter Set

R495

GINJEC-007

- Used to clean/decarbonise injector seats. Suitable for a wide range of vehicles • Set of 5 Cutters



Adjustable Fuel Tank Remover

R225

GFUELR-001



Fuel Injector Cleaning System

R1995

GFUELT-003



2m Self Priming Hose with Brass Head

R95

GPIES-001



DIESEL

R1595 GCOMPT-002



High Pressure Diesel Pump Test Kit

An essential tool for accurately measuring the high-pressure fuel circuit of diesel common rail systems. Featuring a 2,000 bar gauge, pressure relief valve and high-pressure flexible hoses. The kit also includes a set of dummy pump regulators and injector pipe blanks.

R3995 GTESDP-001



One Man Brake Bleeder Kit

R75

GBRAKB-002



Pneumatic Brake Bleeder

R285

GBRAKB-001



22 Piece Fuel And Aircon Disconnect Set

This Kit is used for fast and easy separation of quick disconnect style fittings.

R595 GFUELT-022



MAC AFRIC

Radiator/Water Tank Leak/Pressure Detector Sets

- Test Cooling Systems for Leaks
- Includes Hand Pump and Test Head



33 Piece **R1895** GTESTR-002




15 Piece **R1595** GTESTR-001

AC Manifold Set for 134A Ref. Gas

R1195

GAIRCN-001

- Test, evaluate, fill Air Conditioning Systems
- Highly accurate Gauge Set • Lets you quickly compare high side and low side pressure readings to manufacturer specifications • 1/2" ACME Fittings




Brake Caliper Wind Back Tool Sets

- Winds Back Brake Piston for replacing Brake Pads
- Prevents damage to the Piston & Boot

18 Piece **R365** GBRAKE-018

22 Piece **R395** GBRAKE-022



KWAZULU-NATAL

DURBAN (UMBILO) ☎ (031) 202-4355 192 Umbilo Road, Dalbridge ✉ umbilo@adendorff.co.za
PIETERMARITZBURG ☎ (033) 345-1996 300 Boom Street ✉ pmb@adendorff.co.za

BRANCH CONTACT DETAILS

NATIONAL CALL CENTRE: 011 434 7000

GARDEN EQUIPMENT

Earth Auger

1 68cc 2 Stroke Earth Auger Drive Unit Only (shown)


R2950
MAUGER-002

2 150mm Auger Bit (shown)

R385
MAUGER-150

200mm Auger Bit

R435
MAUGER-200



PETROL

Vacuum Blowers

PETROL

Handheld Type, 25.4cc

R1995 MBLOWR-026

- Powerful 25.4cc, 2 stroke fuel efficient low emissions engine
- Easy-start electronic ignition system
- Two-part blower tube for easy storage
- Light weight design ensuring comfort and easy manoeuvring

Backpack Type, 52.8cc

R3695 MBLOWR-053

PETROL

- Powerful 52.8cc, 2 stroke fuel efficient low emissions engine
- Remove debris, dead leaves, and other miscellaneous material from the ground with ease

Chainsaws

45cc

R1795 MSAWCH-040

- Powerful MAC AFRIC 45cc engine
- Delivers power to cut through the toughest jobs
- Inertia activated chain brake system
- Easy start
- Primer bulb
- Anti-vibration system



- MAC AFRIC • Oregon Chain • Walbro Carburetor
- Easy start with Decompression Valve
- Long Life Air Filter System
- Controlled Delivery Oil Pump
- Anti-vibration System
- Automatic Choke System
- Primer Bulb

(shown) 45cc **R2950** MSAWCH-045 62cc **R4995** MSAWCH-062

MAC AFRIC 25ℓ Knapsack Mister Duster

R2950 MMISTR-050

- Model GX50
- 50cc
- Range: Max. ±12m

MAC AFRIC 2-Stroke Hedge Cutter

R3295

MHEDGE-022

- Engine Displacement: 22.5cc
- Trimming Length: 560mm

Brush Cutters

43cc

R1995

MBRUSH-043

68cc

R2795

MBRUSH-068

ALSO AVAILABLE (shown)

1 MAC AFRIC Commercial Brush Cutter

- Displacement: 52.8 / 53cc

R4995

MBRUSH-052

MAC AFRIC 6.5hp Pressure Sprayers

1 **R5950**

MSPRAY-006



2 **R8450**

MSPRAY-007

- Fitted with hose reel and wheels

Spraying Pressure	15 - 50kg/cm ²	15 - 50kg/cm ²
Flow Rate	14 - 22ℓ/min	19.5 - 34ℓ/min
No Load Speed	800 - 1 200rpm	520 - 900rpm

R5950
MSPRAY-006

R8450
MSPRAY-007

7hp Trench Digger

R34950 MTREND-001

- 7hp • 4 Stroke
- Trench Width: 100mm
- Trench Depth: 150/250/340/450mm
- Average Speed of Trench Digger: 60m/h

PETROL



Log Saws

PETROL

DIESEL

(shown) LS 710

LS 700

Motor	13hp	13hp
Blade	700 x 30 x 3.0mm	700 x 30 x 3.0mm
Max. Cutting Ø	240mm	240mm
Max. Cutting Length	2m	2m

R17495
WLOGSW-701

R22950
WLOGSW-703

Tillers



Engine 1 52cc (3hp) 2 212cc (8hp)

Working Width 300mm 700mm

Working Depth 100 - 150mm 150mm

G.W./N.W 15.5/14.5kg 62/59.7kg

PETROL

R3595
MTILER-001

R9950
MTILER-002

Please enquire at your nearest store for stock availability

NATIONAL CALL CENTRE: 011 434 7000

GARDEN & PLUMBING EQUIPMENT

50mm, 6.5hp Wood Chipper



R8450
WCHIPR-001

NEW

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

100mm, 6.5hp Wood Chipper



R12950
WCHIPR-002

NEW

MACAFRIC

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

150mm, 15hp Wood Chipper



R25950
WCHIPR-003

NEW

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

R3495 WLOGSP-018

10 Ton Manual Hydraulic

- Max. Splitting Force: 10 Ton
- Max. Log Length: 450mm
- Ram Stroke: 212mm
- Base Dimensions:
1 069 x 204 x 939mm
- Cradle Dimension: 95 x 100 x 100mm



R5495 WLOGSP-007

6 Ton Electric/
Hydraulic

- Model no: HLS6T-52
- Motor: 50Hz, 230V, 2 000W IP54
- Log Capacity: Ø: 50 - 250mm Length: 520mm
- Splitting Force: 6 Ton
- Hydraulic Pressure: 20Mpa
- Hydraulic Oil Capacity: 3/5ℓ



Log Splitters



R12450 WLOGSP-006

8 Ton Electric & Hydraulic

- Vertical Type Motor: 2.8kW
- Max. Splitting Force: 8 Ton
- Max. Log Splitting Length: 700mm
- Splitting Ø: 80 - 350mm

R15950 WLOGSP-010

10 Ton

- Engine: 196cc/6.5hp
- Max. Log Capacity: 700mm
- Min Log Ø: 80mm
- Max. Log Ø: 350mm
- Splitting Force: 10 Ton

EFFICIENT & FASTER



R8950 WLOGSP-008

8 Ton Electronic Kinetic Log Splitter

- Model no: HLS8T
- Motor: 230V, 50Hz, 1 800W, IP54
- Log Capacity: Ø: 50 - 300mm Length: 520mm
- Weight: 84kg

PLEASE NOTE: The diameter/length Ratings is indicative – a small log can be difficult to split when it has knots or a particularly tough fibre. On the other hand, it may not be difficult to split logs with regular fibres even if its diameter exceeds the max.

36 Ton Log Splitter on Wheels



R29950
WLOGSP-032

PETROL

- Motor: 10hp
- Max. Log Splitting Length: 450 x 610mm

Pipe Threader



R1095

GPIPTH-001

- Capacity: 1/2" - 2"

Chain Pipe Wrench



100mm (4")

R995


TPIPCW-004

200mm (8")

R1595

TPIPCW-008

Plumbers Drain Cleaning Rod Sets



14 Piece
• 10 x 1m x 6mm

R1695 XRODRN-001

14 Piece
• 10 x 2m x 6mm

R2195 XRODRN-003

HEAVY DUTY

14 Piece
• 10 x 2m x 8mm

R3295 XRODRN-002

Electric Multi
Function Pipe
Threading Machine
with Dies

1/2" - 2" **R11950**

GPIPTH-003

1/2" - 4" **R17995**

GPIPTH-007

Pipe Chain Vices



Bench Type

R1595

EVICES-004

Capacity: 1/8" (3.2mm) - 4" (100mm)

Tri Stand Type

R4495

EVICES-003

Capacity: 1/8" (3.2mm) - 6" (150mm)

Plumbers Drain Cleaners

Model 200 (shown)
(Manual Feed/Push)

R14995

TDRAIN-201

ALSO AVAILABLE

Model 75

Ideal for Kitchen/Sink Drains,
Hotel Industry

R7995 TDRAIN-075

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



See website for hints and tips www.adendorff.co.za

NATIONAL CALL CENTRE: 011 434 7000

WELDING

Auto Darkening Welding Helmets



WELDERS CHOICE

R395
EWELDH-006

- Viewing Area: 96 x 39mm
- Shade Control: Adjustable
- Sensitivity Control: Adjustable
- Switching Time: 1/25 000s • Colour: Black



R275
EWELDH-002

- Non-adjustable**
- View Area: 91 x 39mm
 - Colour: Matt Black



Fast Reaction Time & Fine Adjustment, Fully Automatic

R795

EWELDH-005

- Welding & Grinding Function
- Viewing Area: 100 x 60mm
- Switching Time: 1/25 000s • Colour: Carbon Fibre

PROFESSIONAL



R895 EWELDH-004

- Large Viewing Area: 98 x 87mm
- Shade Range: Internal Selection (9-13/5-8)
- Grinding Function: DIN4 (Internal)
- Delay Time: 0.1 - 1.0s Stepless Variable (Internal)

PROFESSIONAL



Welding Magnets

Large: 190mm across (shown)


R75 EAMAGW-001

Medium: 155mm across

R55 EAMAGW-002

Small: 120mm across

R35 EAMAGW-003



Oxygen Acetylene Kit

R2595 EOXYAC-001

Oxygen & Acetylene Regulators, Torch Cutting & Welding Nozzle, Goggles, Spark Lighter, Hoses, with Flashback Arrestor
N.B. This Kit fits on Large Bottles Only (Large Bottles not supplied with Kit)



GAS

Spot Welding

R13950 230V EWELSP-026
380V EWELSP-025

- Rated Power: 25kVA
- Rated Current: 60A • Arm Length: 250mm
- Max. Welding Thickness: 3 + 3mm
- Duty Cycle: 20% • Weight: 120kg

Hand Held (HS3000) 230 Volt

R13995
EWELSP-001

- Max. Spot Weld Thickness: 2 + 2mm
- Max. Clamping Force: 120kg
- Min. Rest Period between Welds: 20 sec.
- Weight: 10.5kg



AC/DC TIG Inverter Welder

Suitable for Ferrous & Non Ferrous Metals, Mild Steel, Stainless Steel & Aluminium

R14495 EWELDT-201

- 200A • 230V
- 60% @ 200A



R19995 EWELDT-315

- 300A • 380V
- Output Current (A) 12 - 300 (TIG), 15 - 240 (MMA)
- HF Arc • 60% Duty Cycle

PROFESSIONAL'S CHOICE

TIG/DC 230V Inverter Welders with High Frequency Start

① **Model TIG 160**
• 3.3kW • 60% Duty Cycle

R3995
EWELDT-160

Suitable for Mild Steel & Stainless Steel (Ferrous Metals Only)

② **Model TIG 200 with MMA Function** (shown)
• 4.8kW • 60% Duty Cycle

R4695
EWELDT-200



AC/DC 185A TIG Inverter Welder with MMA Function

Suitable for Ferrous & Non Ferrous Metals, Mild Steel, Stainless Steel & Aluminium

• 150A • 230V • 35% Duty Cycle
R11950 EWELDT-185

OPTIONAL EXTRA

Foot Pedal for 185A TIG Welder

R895 EWELDT-181



POPULAR CHOICE

TIG

Plasma Cutters (DC Inverter)

COMPRESSOR REQUIRED

PLASMA CUT



Cut 40 (shown) R4295 EWELDP-040

- 230V • HF Arc • Max. Cutting: 8mm Mild Steel, 3mm Stainless Steel

Cut 100 (shown) R15950 EWELDP-100

- 380V • Max Cutting: 1 - 25mm
- 60% Duty Cycle • HF Arc • 20 - 100A

Cut 60
230V **R7495** EWELDP-059
380V **R7695** EWELDP-060
• Max. Cutting: 1 - 15mm Mild Steel; 1 - 8mm Stainless Steel • HF Arc



Buy Online



www.adendorff.co.za

NATIONAL CALL CENTRE: 011 434 7000

WELDING

MAC AFRIC 250 Amp MIG Welder

R9950 EWELDM-203

- 250A • 230V • 60% @ 250A
- Output Current: 40A - 250A

ACCESSORIES INCLUDED MIG Torch & Earth Clamp

MIG

MAC AFRIC MIG Welder

EXCELLENT
QUALITY

MIG

R6495 EWELDM-180

- PRO-MIG 180, 230V • Gas/No Gas
• 30 - 180A • MIG/MMA-function

OPTIONAL EXTRA

R2795

EWELDM-181

MIG Spool Gun for Aluminium Welding. Includes roll of 0,8mm - 500g aluminium welding wire

ACCESSORIES INCLUDED

MIG Torch & Earth Clamp

MAC AFRIC MIG 500 Inverter MIG/MAG Welding Machine Kit

R34950 EWELDM-500

Experience unparalleled efficiency in industrial welding tasks with our high performing MIG 500 inverter MIG-MAG welding machine. Designed to tackle heavy duty assignments, this robust welding solution stands as the optimal choice for heavy duty applications.

- Input Voltage/Phase/Frequency: 380V/3P/50Hz
- Output Current/Voltage/Duty Cycle @ 40°C: MIG: 500A/39V/60%
- MIG: 387A/34V/100%
- Amps Input at Rated Output: MIG: 38.4A@500A
- Output Range: MIG: 50-500A/72V, MMA: 50-500A/72V • Weight: 42kg

MIG-MAG

MAC AFRIC Combination DC MIG Inverter Welders

New Improved Professional Quality with IGBT Technology & Flux Core Option (Gas/No Gas)

MIG

Compact, powerful & easy to use for MIG and ARC welding. With adjustable constant wire feed for smoother, more even welds. This will suit general metal fabrication, which makes it ideal for the general workshop. With the flip of a switch it can change from MIG to ARC.

Model	Voltage	Amp	Duty Cycle	Duty Cycle	Price
Model 200 (shown)	230V	200A	60% @ 200A	100% @ 130A	R8995 EWELDM-202
Model 250	380V	250A	60% @ 250A	100% @ 180A	R14995 EWELDM-205
Model 350	380V	350A	60% @ 350A	100% @ 270A	R24950 EWELDM-351

MIG135 D.I.Y. Flux Cored Welder

R1995 EWELDM-135

The all-new MAC AFRIC 100A IGBT MIG Welder is our smallest MIG welder! Absolutely no gas is required – making this the ultimate welder for portability, convenience, and simplicity. With improved welding performance on a lower current to enhance welds on thinner materials.

- Input voltage: 230V 50Hz
- Output Current: 40 - 100A
- Duty Cycle: 20% @ 90A, 60% @ 45A
- Wire Diameter: 0.8mm (Flux-cored Wire)



MAC AFRIC D.I.Y. MIG-MAG Welders

ENQUIRE IN STORE

Flux Core Welding Wire

MIG-MAG

Light Duty for the D.I.Y. Enthusiast
• 230V • 10% Duty Cycle



Model	Output Current	Price
MIG 150 Gas/No Gas	40A - 140A	R3295 EWELDM-150 (shown)
MIG 195 Gas/No Gas	30A - 190A	R3495 EWELDM-195

MAC AFRIC MIG/CUT/MMA/LIFT TIG 4-in-1 Inverter Welder

4-IN-1



- Max. Output Current: 200A
- Rated Max. Input Power: 7.9KVA
- Power Input: 230V
- Current Range: MIG: 20 - 200A / CUT: 20 - 40A / MMA: 20 - 180A / LIFT TIG: 20 - 180A
- Electrode Ø: MIG: 0.6 - 1.0mm / MMA: 1.6 - 5.1mm
- Max. Cutting Thickness – CUT: 12mm
- Duty Cycle: 25%

R7995

EWELDM-240

MAC AFRIC DC Inverter Welders

EXCELLENT
QUALITY

PLEASE NOTE: Use minimum 2.5mm² Core Extension Cord

ACCESSORIES INCLUDED Electrode Holder and Earth Clamp

MMA



	Model	Voltage	Duty Cycle	Price
IGBT	Model 140 Mini D.I.Y.	230V	35%	R1295 EWELDS-140
	Model 161 D.I.Y.	230V	60%	R1695 EWELDS-161
	Model 201 D.I.Y.	230V	60%	R1995 EWELDS-201
	Model 315	380V	40%	R7495 EWELDS-315
MOSFET	Model 160	230V	60%	R2595 EWELDS-160
	Model 200	230V	60%	R2895 EWELDS-200
	PREMIUM QUALITY			
	Model 200 with V.R.D.	230V	60%	R3995 EWELDS-202
	Model 250	230V	60%	R4995 EWELDS-251
	Model 250	380V	60%	R4995 EWELDS-250

Visit our website for detailed specifications www.adendorff.co.za

NATIONAL CALL CENTRE: 011 434 7000

Ring Rollers

Supplied with Standard Set of Forming Dies

MANUALLY OPERATED

For Solids **R24950**

EBENDR-004

- Solid Flat Bar Mild Steel: 20mm x 5mm min. Ø 160mm
- 50mm x 10mm min. Ø 400mm
- Solid Square Bar Mild Steel: 10mm x 10mm min. Ø 160mm
- 20mm x 20mm min. Ø 500mm



R1995 **EBENRR-001**

- Ring Size Range: 25 - 75mm
- Round Steel Capacity: 6mm
- Flat Steel Capacity: 5 - 25mm



Rotary (Jenny) Machine

Supplied with Standard Set of Forming Dies

Model RM12 • Capacity: 0.8mm
• Throat Depth: 177mm (shown)

R6995 **EBENDR-008**

Model RM08 • Capacity: 1.2mm
• Throat Depth: 400mm

R6395 **EBENDR-012**



Tube Notcher

Attachment for Pedestal Drill

R1395 **ETUBEN-001**

- Spindle: 1/2"
- Tube Capacity: 2" (50mm)
- Angle Capacity: 0 - 60°



Steel Cropper for Round, Angle and Flat Steel

R5495

ESHEAR-002




VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

4 Ton Hand Notcher

R7995 **ENOTCH-000**

- Mild Steel • Stroke: 19mm
- Max. Notching: 150 x 150mm
- Cutting Capacity: 16# 1.6mm



Shrinker/Stretcher Combo Set

R3795

EBENSS-001

ACCESSORIES INCLUDED

Complete with Shrinking/Stretching Die Set

Ideal for Sheet Metal Forming. Makes it easy to add strength & rigidity to you sheet metal projects



Multi-Purpose Metal Craft Bending Set

R7995 **EBENDR-003**

Functions: Riveting, Rolling, Bending, Twisting, Scrolling and Shearing

Shearing

- Flat Bar: 30 x 5mm
- Square Bar: 6 x 6mm • Round Bar: Ø 6mm

Punching • 4mm Diameter

Screwing • Flat Bar: 30 x 5mm

• Square Bar: 10 x 10mm

Curving • Flat Bar: 30 x 5mm

• Square Bar: 8 x 8mm • Round Bar: Ø 10mm



Square Tube Roller

R4295 **EBENDR-006**

Complete with a Set of Rollers

Max. Capacity Mild Steel	Min. Ø	Min Radius
20 x 20 x 1.2mm	450mm	180mm
25 x 25 x 1.2mm	500mm	170mm
30 x 30 x 1.5mm	550mm	200mm
40 x 40 x 1.5mm	600mm	220mm



Multi Function Shearing Machines

R49950

230V **ESHEAR-001**

380V **ESHEAR-000**

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



Arbor Presses

Throat Depth Price

1 Ton	110mm	R1195 EPRESA-001
2 Ton	190mm	R2895 EPRESA-002
3 Ton	300mm	R4495 EPRESA-003
5 Ton	450mm	R9950 EPRESA-005



Benders

Compact Bender Set

R2695 **EBENDR-002**

- 1" - 3" • Mild Steel
- Right Angle Bending Capacity: 0 - 200mm
- Suitable for Flat, Square, and Solid Bar



Universal Type for hot or cold bending (various shapes)

R3995

EBENDR-001

- Cold Bending:**
- Square Steel: 16 x 16mm
 - Round Steel Ø: 18mm • Angle: 60 x 8mm
 - Flat Steel: 70 x 6mm; 60 x 8mm; 30 x 12mm
- Hot Bending:**
- Square Steel: 30 x 30mm
 - Round Steel Ø: 30mm • Angle: 70 x 15mm
 - Flat Steel: 70 x 15mm; 60 x 20mm



Universal Scroll Bender

R4950 **EBENDR-000**

- Capacity:
- Round Bar Ø: 10mm
 - Flat Bar: 30 x 10mm
 - Square Bar: 10 x 10mm



Mini Guillotine, Bender & Roller

R6995

ESHEET-305

- Capacity: 1mm x 305mm
- Roller Ø: 38mm



Guillotine/Shears

Rated Mild Steel Material Dependant

R6950

ESHEAR-101

- Capacity: 1 000 x 1.5mm
- Mild Steel: 1.5mm

280mm Metal Shear, Bench Type

- Mild Steel: 1mm

R1095 **ESHEAR-003**



Please enquire at your nearest store for stock availability

Foot Shearer/Guillotine

EXCELLENT QUALITY




R39950 ESHEAR-132

- Capacity: 1.5mm x 1 320mm
- With Foot Control For Easy Operation

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Sheet Metal Bending Brakes

Rated Mild Steel Material Dependant



1 200mm
R9950 ESHEEB-048

- Capacity: 1mm x 1 200mm




900mm
R6950 ESHEET-001

- Width: 900mm
- Capacity: 2mm x 900mm

Guillotine, Bender & Roller

MILD STEEL ONLY

Rated Mild Steel Material Dependant



Width	Capacity	Price
1 000mm	1 000mm x 1mm	R17995 ESHEET-100
1 320mm	1 320mm x 1mm	R32950 ESHEET-132
1 320mm	1 320mm x 1.5mm	R42950 ESHEET-133

Slip Rollers

- High Strength Steel Rollers
- Quick Release Top Roller
- Hardened Steel Gearing

Capacity	Roll (Ø size)	Price
Mini 305mm x 0.8mm	32mm	R3595 ESLIPR-002
900mm x 1.5mm	50mm	R14950 ESLIPR-001
1 300mm x 1.5mm	75mm	R26950 ESLIPR-003

Box and Pan Sheet Metal Folders

R35950 EBENDB-127

Rated Mild Steel Material Dependant



- Capacity: 2.0mm x 1 270mm
- Folding Angle: 135°
- Max. Clamping Bar Lift: 47mm
- Weight: 385kg
- With Foot Control for Easy Operation

(shown)

1.0mm x 610mm

R5995
EBENDB-160

1.2mm x 1 220mm

R14950 EBENDB-122



Hand Pipe Bending Set

R3495 GPIPHB-001

- Max. Bending Angle: 180°
- Round Pipe: 10, 12.5, 16, 19, 22mm
- Pipe Wall Thickness: 0.8mm - 1.2mm (Material Dependant)
- 2 Set Square Pipe Dies and Rollers: 19, 25mm

ALSO AVAILABLE 25mm Round Pipe Die

R475 GPIPHB-000

Hand Pipe Bender

R8495

GPIPHB-025

Rated Mild Steel Material Dependant

- Max. Bending Angle: 270°
- Wall Thickness (mm): 0.8 - 1.2mm
- Standard Dies: 1/2", 9/16", 5/8", 3/4", 7/8", 1"

Pipe Benders

The Hydraulic Pipe Benders in our collection are specifically crafted for precise cold bending of schedule 40/80 (thick wall) pipes, perfectly suited for a diverse range of pipe installations and general engineering purposes (not recommended for thin-wall piping). They are particularly useful for crafting items like gates and more. **Pipe Wall Thickness requirement: minimum 4mm**

12 Ton (shown)

- Bending Capacity: 1/2" - 2" (12.5, 20, 32, 40, 50mm)

R2595 GPIPEB-012

16 Ton

- Bending Capacity: 1/2" - 3" (12.5, 20, 32, 40, 50, 65, 75mm)

R3895 GPIPEB-016

16 Ton Hydraulic Horizontal with Stand (shown)

- 2 Stage Jack
- Bending Capacity: 1/2" - 3" (12.5 - 75mm)

R6195

GPIPEB-003

18 Ton Hydraulic Horizontal with Stand

- 2 Stage Jack
- Bending Capacity: 1/2" - 3" (1.5 - 75mm)

R7950 GPIPEB-004

Multi Function Rolling Type Pipe Bending Machine

Rated Mild Steel Material Dependant

R22995

GPIPEB-005

- Motor: 1.5kW, 230V
- Includes 9 Round Pipe Moulds: 16, 19, 22, 25, 51, 32, 38, 63, 76mm
- 8 Square Pipe Moulds: 16, 19, 22, 25, 30, 38, 40, 50mm
- Bending Wall Thickness: 0.5 - 2mm



Hydraulic Exhaust-Tube Bender

R149950 GPIPEB-007



- Motor: 5.5kW, 7.5hp, 380V
- Bending Capacity: 1/2" - 2 1/2" OD
- Max. Bending Capacity: 1/2" - 3" OD
- Swaging Capacity: 1" - 3"
- Hydraulic Pump Output: 4 200psi
- Max. Bending Force: 27 215kg
- Dimensions: 1 800mm x 900mm x 108mm

See website for hints and tips www.adendorff.co.za

NATIONAL CALL CENTRE: 011 434 7000

ENGINEERING

Mini Drilling/ Milling Machines



WITH AUTO
FEED

R15950

EMILGH-130

- Drilling Capacity: 13mm • End Mill Capacity: 16mm
- Face Mill Capacity: 30mm • Longitudinal Axis (X): 220mm
- Cross Axis (Y): 100mm • Head Stock Travel (Z): 180mm
- Spindle Taper: MT3 • Throat: 167mm
- Table Size: 390 x 92mm • T-slot Size: 12mm
- Column Swivel Angle: ±45°
- Main Motor Output Power: 350kW

R19950

EMILGH-131

Brake Disc and Drum Lathe

R49950

ELATHB-001

- Motor: 1.1kW, 230V • The all-new MAC AFRIC disc and drum lathe is a great new edition of our garage range. This machine revolutionizes the concept of lathing and offers a complete solution for brake disc and drum reconditioning. The lathe features solid construction, dual functionality with a 3-speed spindle operation for a quality finish in less time. Ideal for disc size(s) 180 - 400mm not exceeding 40mm thickness and for the brake drum's - outer diameter 180 - 450mm. The user-friendly features an infinitely adjustable spindle-feed gearbox that allows the operator to precisely pin point the right settings for precision turning. This machine is a great all-rounder offering reliability and durability to complete the garage workshop.

ONLY AVAILABLE AT
CERTAIN STORES



Combination Bench Lathe, Milling & Drilling Machines



WITH AUTO FEED &
ADJUSTABLE HEAD

EXCELLENT
QUALITY

500mm Multi Purpose Geared Head Bench Lathe

WITH MINI MILLING AND DRILLING FUNCTION

- Lathe**
- Motor: 550W, 230V
 - Distance Between Centres: 550mm
 - Max. Swing Over Bed: 250mm
 - Range of Thread: 0.25 - 3.5mm
- Milling**
- Motor: 350W, 230V
 - Max. Drilling Capacity: 13mm
 - Max. Milling Capacity: 16mm
 - Max. Face Milling: 30mm

R36950

ELATHE-251



GEAR
DRIVEN

Bench Type Milling Machines

REVERSABLE MOTOR ALLOWS FOR
MILLING AND TAPPING

	HQ500	HQ800
Turning		
Swing Over Bed	420mm	420mm
Distance Between Centres	500mm	800mm
Spindle Bore	28mm	28mm
Spindle Taper	MT4	MT4
Drilling and Milling		
Drilling Capacity Ø	22mm	22mm
Powerful Motors	1 Lathe 0.55kW, 230V 2 Drill 0.55kW, 230V	0.55kW, 230V 0.55kW, 230V



OPTIONAL EXTRA

Stand **R2695** EMILST-001

Horizontal x-axis
Auto Feed **R5995** EMILAF-000

(shown) **40mm** **32mm**

Motor	1.5kW, 230V	0.75kW, 230V
Max. Drilling Ø	45mm	32mm
Face Mill Capacity	80mm	63mm
End Mill Capacity	28mm	28mm
Headstock Swivel	±90°	±90°
Max. Distance Nose to Table	450mm	450mm
Spindle Taper	MT4	MT3
Forward and Backward Travel	175mm	175mm
Working Area of Table	800 x 240mm	700 x 240mm

R37950

EMILGH-045

R32950

EMILGH-032

MAC AFRIC

Milling Machines

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Turret Head 380V

Max. Drilling Ø	50mm
Max. Boring Ø	152.4mm
Distance Spindle to Table Surfaces	0 - 405mm
Spindle Speeds	60 - 3 600rpm
Table Size	1 370 x 254mm
Table Travel	400 x 800mm
Motor	2.2kW
Weight	1 200kg

R149950 EMILGH-632

ACCESSORIES INCLUDED

Water Pump, Light, D.R.O. 3-axis & Auto Feed



Gear Driven 380V

Max. Drilling Ø	50mm
Max. Boring Ø	120mm
Distance Spindle to Table Surfaces	100 - 480mm
Spindle Speeds	115 - 1 750rpm
Max. Tapping Ø	M16
Table Size	1 120 x 230mm
Table Travel	600 x 300 x 280mm
Motor:	1.5kW horizontal, 2.2kW vertical
Weight	1 450kg

R134950 EMILGH-635

ACCESSORIES INCLUDED

Water Pump, Light, D.R.O. 3-axis & Auto Feed



GEAR
DRIVEN

Buy Online www.adendorff.co.za

NATIONAL CALL CENTRE: 011 434 7000

ENGINEERING

550mm Geared Head Bench Lathe

R41950 ELATHE-613

- Motor: 1.1kW, 230V
- Max. Swing Over Bed: 330mm
- Spindle Bore: 38mm • Spindle Taper: MT3
- Tail Stock Sleeve Taper: MT3
- Swing Over Carriage: 210mm
- Distance between centres: 550mm



PROFESSIONAL'S CHOICE

GEAR DRIVEN

OPTIONAL EXTRA Stand **R4795 ELATHE-614**

180mm Variable Speed Mini Bench Lathe

R11450 ELATHE-181



- Motor: 0.4kW, 230V
- Swing Over Bed: 180mm
- Spindle Bore: 20mm
- Spindle Speed Range: (L) 200 - 1 150rpm (H) 460 - 2 500rpm
- Distance Between Centres: 310mm
- Tail Stock Taper: MT2

520mm Belt Driven Screwcutting Bench Lathe

R19995 ELATHE-520

- Motor: 0.55kW, 230V
- Swing Over Bed: 210mm
- Spindle Bore: 20mm • Spindle Taper: MT3
- Spindle Speed: 140 - 1 800rpm
- Distance Between Centres: 520mm
- Includes 3 Jaw Chuck (100mm)



OPTIONAL EXTRA Stand **R3495 ELATHE-521**

500mm Geared Head Bench Lathe

R28995 ELATHE-250

- Motor: 750W, 230V • Including 3 Jaw Chuck
- Distance Between Centres: 500mm
- Max. Swing Over Bed: 250mm
- Range of Thread: 0.25 - 2.5mm
- Spindle Bore: MT3 • Spindle Speeds: 12 Steps 80 - 1 600rpm • Weight: 180kg




GEAR DRIVEN

750mm Geared Head Bench Lathe

R59950

ELATHE-750



GEAR DRIVEN

OPTIONAL EXTRA Stand **R5995 ELATHE-751**

The MAC AFRIC ELATHE-750 showcases exceptional engineering, boasting solid construction, remarkable precision, and seamless operation with an array of features. This model stands out as a remarkable value for money and the preferred choice for professional enthusiasts and engineers. It comes equipped with a quick change tool post, significantly reducing set up time for effortless operation. Furthermore, this lathe includes steady and follow rests, an LED worklight, a coolant system and features a 3-axis D.R.O. system for heightened accuracy and repetitive turning.

- Max. Swing Over Bed: 330mm
- Max. Length of Workpiece: 750mm
- Max. Swing Carriage: 220mm • Bed Width: 160mm
- Spindle Bore: 38mm • Spindle Taper: MT#5
- Spindle Speeds: 12 steps
- Spindle Speeds Range: 60 ,90, 120, 160, 220, 300, 380, 500, 640, 850, 1 110, 1 650rpm

ONLY AVAILABLE AT CERTAIN STORES

500mm Geared Head Metal Screwcutting Bench Lathe

R22950

ELATHE-500

- Motor: 370W, 230V
- Swing Over Bed: 205mm
- Spindle Bore: 20mm
- Thread Pitches: 0.4 to 3mm
- Auto Feed
- Distance Between Centres: 550mm
- Includes 3 Jaw Chuck (125mm)
- Weight: 125kg



GEAR DRIVEN

OPTIONAL EXTRA Stand **R3695 ELATHE-501**

Geared Head Metal Lathes

ENQUIRE IN STORE

ONLY AVAILABLE AT CERTAIN STORES

	(shown) 632C	636A	Turner 3610	Industrial Tool Room D420
Powerful Motor	1.5kW, 230V	1.5kW, 230V	1.5kW, 230V	3kW, 380V
Swing Over Bed	320mm	330mm	356mm	410mm
Swing Over Cross Slide	178mm	198mm	210mm	255mm
Distance Between Centres	1 000mm	1 000mm	1 000mm	1 000mm
Swing in Gap	450mm	476mm	506mm	540mm
Spindle Bore	38mm	38mm	38mm	52mm
Spindle Taper/Tail Stock	MT5/3	MT5/3	MT5/3	MT6/4
Gross Weight	550kg	620kg	640kg	1 500kg

ALSO AVAILABLE

LARGER MODELS

1.5m and 2m from Aeroton Johannesburg South Warehouse Only

R76950
ELATHE-100

R89950
ELATHE-107

R99950
ELATHE-106

R164950
ELATHE-104

ACCESSORIES INCLUDED

Pedestal & Splash Cover

Footbrake, Pedestal & Splash Cover

3-axis D.R.O. Footbrake, Pedestal & Splash Cover

Footbrake, Stand & Splash Cover



GEAR DRIVEN

PROFESSIONAL'S CHOICE

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

PLEASE ENQUIRE AT YOUR NEAREST STORE FOR STOCK AVAILABILITY

Visit our website for detailed specifications www.adendorff.co.za

NATIONAL CALL CENTRE: 011 434 7000

ENGINEERING ACCESSORIES



Compound Cross Slide Tables

Table Size	① 330 x 220mm	② 425 x 240mm
Height	115mm	125mm
x-travel	190mm	225mm
y-travel	100mm	150mm
	R3695 EATABL-001	R6495 EATABL-002

58 Piece Clamping Kits



Stud Size	Table Slot	Price
M10	T12mm	R995 EACLAM-010
M12	T14mm	R1095 EACLAM-012
M14	T16mm	R1295 EACLAM-014

Arbor Collet Chuck Sets

8 Piece MT2 (2 - 10mm)

R1295 EACOLT-002



8 Piece R8 (2 - 10mm)

Collet Ø: 2-1.5, 3-2, 4-3, 6-5, 7-6, 8-7, 10-9mm

R1895

EACOLT-008

9 Piece MT3 (4 - 16mm)

R1495 EACOLT-016

12 Piece MT3 (M12) ER32 (shown)

R2495 EACOLT-032

12 Piece R8 (M12) ER32

R2495 EACOLT-031

Coolant Hose Kits



1/4" Hose Kit & Magnetic Base

R195 EHOSEC-001

① 1/2" Hose Set (shown)

R195 EHOSEC-002

② 1/2" Hose Set & Magnetic Base **R265** EHOSEC-003

Machinest 1-2-3 Set Up Blocks



R545

EABLOC-123

300mm Surface Gauge

R695

EAGAU-300

4 Piece Measuring Set



R695 EAMICM-004

- 150mm Vernier • 150mm Steel Rule
- 0 - 25mm Outside Micrometers
- 100 x 70mm Square • In Case

5 Piece Wiggler & Centre Finder Set

R245 EAFIND-002

Edge Finder

R135 EAFIND-001

160mm Rotary Table

R8995

EATABL-160



Lathe Chucks

ENQUIRE IN STORE

3 Jaw (self centering)

- 100 - 200mm

4 Jaw (independent)

- 100 - 250mm



PLEASE NOTE: To fit these Chucks, Back Plate modifications are required

Semi Universal Dividing Head

Including 130mm 3 Jaw Chuck

R9950 EADIVH-100



VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

ONLY AVAILABLE AT CERTAIN STORES

Vices



Machine Tool Vices

80mm **R1295** EVICEM-001

120mm **R1995** EVICEM-125

200mm **R4495** EVICEM-200

HEAVY DUTY



Offset Vice 150mm

R3195

EVICES-605

Drill Press Vices

75mm **R255** EVICDP-001

100mm **R285** EVICDP-004

150mm **R425** EVICDP-006

PROFESSIONAL

100mm

R795

EVICDP-002

150mm

R995

EVICDP-003

Cross Slide Vices

100mm **R1195** 150mm **R1595**

EVICEC-101

EVICEC-151

Bench Vices



DUCTILE STEEL

R1950

EVICES-601



CAST IRON

R1595

EVICES-010

ALSO AVAILABLE Large range of Bench Vices from 4" - 8" and Anvils, 20, 30 & 50kg

WHY DUCTILE STEEL? It is more flexible and elastic due to its modular graphite inclusions

① 6" 150mm Industrial Bench Ductile Iron, Swivel Base, 16.5kg (shown) **R1950** EVICES-601

CAST IRON

4" 100mm Swivel Base, 6kg **R595** EVICES-404

② 6" 150mm Fixed Base, 15.5kg (shown) **R1595** EVICES-010

6" 150mm Fixed Base, 28kg **HEAVY DUTY** **R1995** EVICES-603

8" 200mm Fixed Base with Anvil, 45kg **R3295** EVICES-803

Please enquire at your nearest store for stock availability

NATIONAL CALL CENTRE: 011 434 7000

ENGINEERING ACCESSORIES

Micrometers

OUTSIDE



R995 EAMICR-004

Set of 4 • 0 - 100mm
• Accuracy, Scale: 0.01mm

ALSO AVAILABLE

INDIVIDUALLY

0 - 25mm	R195
100 - 200mm	R1495
150 - 300mm	R1995

DIGITAL OUTSIDE



R945 EAMICR-025

0 - 25mm

INSIDE



(shown)
5 - 100mm **R2895**
5 - 30mm **R695**

EAMICR-100 EAMICR-030

150mm Measuring Calipers

OUTSIDE



R145
EAVERO-150

INSIDE



R130
EAVERI-150

H.S.S. End Mill Sets

Range of loose End Mills available



	Round Shank	Price
13 Piece	4 - 16mm	R975 EAMILS-016
23 Piece	3 - 25mm	R2595 EAMILS-023

Boring Bar Sets



	Round Shank	Price
9 Piece (shown)	12mm	R445 EABORI-009
13 Piece	18mm	R745 EABORI-012

"Live" Centres



MT1	MT2	M3	M4	M5
R365	R395	R445	R595	R895
EACENT-002	EACENT-000	EACENT-001	EACENT-004	EACENT-005

Cutting Tool Sets



Indexable 7 Piece

10mm	R1395 EACUTT-001
12mm	R1495 EACUTT-000
16mm	R1795 EACUTT-016



Indexable 9 Piece


20mm	R1995 EACUTT-020
25mm	R2595 EACUTT-025

ENQUIRE IN STORE

ALSO AVAILABLE Large range of assorted replacement Cutting Tips for above Sets

Verniers

Digital



- Power on/off Switch
- Metric/Imperial Switch

150mm Caliper
• High Accuracy: Scale: 0.02mm (0.01mm) **R375** EAVERD-151

200mm Caliper
• High Accuracy: Scale: 0.02mm (0.01mm) **R545** EAVERD-200

300mm Caliper
• High Accuracy: Scale: 0.02mm (0.01mm) **R895** EAVERD-300

Standard Type • Stainless Steel

150mm Caliper • Accuracy: 0.02mm **R275** EAVERN-150

200mm Caliper • Accuracy: 0.02mm **R295** EAVERN-201

300mm Caliper • Accuracy: 0.02mm **R595** EAVERN-301



R495 EAVERN-155
150mm Dial Gauge (shown)

- Stainless Steel • High Accuracy, Scale: 0.01mm

Dial Gauges & Magnetic Bases



① **Dial Test Indicator Gauge**
Plunger Type • 0.01mm (shown) **R325** EGAUD-001

② **Magnetic Base (shown)** **R295** EAMAGB-001

Magnetic Base with Micro Adjusting Arm **R545** EAMAGB-002

Dial Test Indicator Gauge with Toggle Switch • Range: 0.8mm • Reading: 0.01mm **R645** EGAUG-002

Electronic Digital Dial Indicator Gauge
Plunger Type • Range: 0 - 12.7mm **R985** EGAUD-002

Quick Change Tool Posts



4 (STANDARD) HOLDERS INCLUDED

- FEATURES: • Ease of Operation Cuts Set-up Time by 90%
• Handy Lathe Accessory for Tool Rooms & General Engineering Shops • No Shims are required to Adjust Tools to Correct Centre Height

PLEASE NOTE: Machining is necessary to install a Quick Change Tool Post on your Lathe

10mm	R3495 EAPOST-010	16mm	R2895 EAPOST-016
12mm	R2495 EAPOST-012	25mm	R5295 EAPOST-025

Parting Tools



12mm **R85** EACUTP-012
16mm **R125** EACUTP-016

- Square Shank Size: 12 & 16mm



Assorted D.I.Y. Metal Lathe Cutter Set

	Shank Size	Price
5 Piece	8mm x 8mm	R265 EACUTB-004
5 Piece	10mm x 10mm	R295 EACUTB-005
8 Piece	6mm x 6mm	R365 EACUTB-008

See website for hints and tips www.adendorff.co.za

NATIONAL CALL CENTRE: 011 434 7000



Bench Grinders



- ① Multi-purpose Bench Grinder with Flexible Shaft **R945** EGRINB-075
- ② 150mm, 230V, 2 950rpm, 0.25kW **R795** EGRINB-151
- ③ 200mm, 230V, 2 950rpm, 0.35kW **R1195** EGRINB-200
- ④ Combination Grindstone / Wire Polisher, 150mm, 230V, 2 950rpm, 0.52kW **R2695** EGRINB-300
- ⑤ 150mm, 230V, 2 950rpm, 0.52kW **R2595** EGRINB-152
- ⑥ 250mm, 230V, 2 950rpm, 0.9kW **R3495** EGRINB-255
- ⑦ 200mm, 380V (Three Phase), 2 950rpm, 0.9kW **R3295** EGRINB-250
- ⑧ Combination Grindstone / Belt, 150mm, 230V, 2 950rpm, 0.52kW **R2895** EGRINB-305
- ⑨ Wet & Dry Bench Grinder, 150mm, 230V, 2 950rpm, 0.52kW **R2895** EGRINB-310
- ⑩ 200mm Bench Buffer & Polisher, 230V, 2 950rpm, 0.75kW **R2495** EGRINB-201

Cut-off Machines

COLD CUT



(shown)
180mm
R2895
ECUTLD-180
355mm
R6995
ECUTLD-002

DIRECT DRIVE

2 000W,
230V, 355mm
R2495
ECUTLD-001



ABRASIVE CUT

BELT DRIVE

R8795 230V
(shown) 380V

ECUTHD-220
ECUTHD-383

HEAVY DUTY

- Motor: 2.2kW • 230V (2 600rpm)
- 380V (2 800rpm)
- Capacity: (Mild Steel) Pipe:
100 Ø x 6mm Wall Thickness
- Angle Iron: 100 x 100 x 10mm • Solid: 40mm

ABRASIVE CUT

R9450 ECUTHD-400

- 400mm • Motor: 4kW, 380V
- Capacity: (Mild Steel) Pipe: 130 Ø x 6mm
Wall Thickness
- Angle Iron: 100 x 100 x 10mm
- Solid: 50mm



Metal Belt Sanders



R12995 230V **WSANDS-076**
380V **WSANDS-075**

- Motor: 3kW, also available 230V or 380V
- Belt Size: 75 x 2 000mm
- Working Area: 460 x 75mm

Horizontal Metal or Wood Cutting Band Saw



R7995 ESAWHV-115

- With Vice on Stand • Motor: 0.55kW, 230V
- Blade Size: 1 640 x 13 x 14TPI
- Suitable for Metal, Wood, Plastic and Steel
- Capacity: Round: 110mm
Rectangular: 100 x 130mm

Hydraulic Horizontal Metal Cutting Band Saw

R50950 230V **ESAWHB-916**
380V **ESAWHB-917**

- Motor: 1.5kW, available 230V or 380V
- Blade Size:
25 x 0.9 x 3 035mm
- Cutting Capacity: 225 x 335mm
- Blade Speeds: 25/40/51/71rpm



Magnetic Base Drills with Coolant Feature

The MAC AFRIC portable Magnetic Base Drill showcases a high-performance motor within a robust, sturdy design, enhancing overall productivity. Ideal for on-site hole cutting in steel plates, including H-beams, framework, ship building, bridge construction, steel reinforcements, and various other metal working and construction tasks.

Motor	1 200W, 230V	1 850W, 230V
Capacity	35mm	75mm

MAC AFRIC. **R8450** **R18995**
EDRILM-001 EDRILM-002

ALSO AVAILABLE Large Range Annular Core Bits

ENQUIRE IN STORE



Bench & Pedestal Drills



13mm Bench Drill, D.I.Y.
• Motor:
0.35kW,
230V
• 5 Speed
R1945
EDRILB-002

Motor: 0.55kW,
230V, 12 Speed
16mm Pedestal Type (shown)
R5695 EDRILP-002

16mm Bench Type
R4895 EDRILB-001

ALSO AVAILABLE

Pedestal Drills • Motor: 1.1kW, 230V • 12 Speed

25mm **R11450** EDRILP-003

32mm **R12950** EDRILP-004

HEAVY DUTY



WOODWORKING & CATERING EQUIPMENT

Meat Process Bone Saws



- 750W • 230V
- Cutting Depth: 250mm
- Table Size: 375 x 380mm
- Blade Size: 1 650 x 16 x 0.5mm

R7995 (shown)
WSAWMF-004

- **Stainless Steel**
- 750W • 230V
- Table Size: 495 x 440mm
- Cutting Depth: 240mm
- Blade Size: 1 650 x 16 x 0.5mm

R9950 **WSAWMF-006**

Meat Mincer

R7995 **HMIXER-012**


When it comes to kitchen appliances, you can rely on our all-new MAC AFRIC Meat Mincer. Perfectly suitable to process and mince fresh meat. Ideal for farmers, hunters, game lodges and home industries. • Motor: 850W • Voltage: 230V



Multi Purpose Band Saw

R7495 **WSAWMF-001**

- 550W • 230V
- Table Size: 600 x 465mm
- Cutting Depth: 240mm
- Blade Size: 2 085 x M13 x 6TPI



NEW IMPROVED MODEL

5l Sausage Filler

R2695 **HFILER-005**

With our all-new MAG AFRIC Sausage Filler, you can make your own sausages/boerewors. With its manual crank, it is an easy process of stuffing and rolling out your own sausages. This kit also comes with a wide variety of filler sizes to suit your needs. Ideal for farmers, hunters, game lodges and home industries. • Kit includes: 16, 22, 32, 38mm Stainless Steel Tubes.



250mm D.I.Y. Table Saws

R2995
WSAWLD-004

- Motor: 1 800W, 230V, 50Hz
- Blade Size: Ø250mm x Ø16
- Table Size: 642 x 487mm
- Cutting Height Max: 65mm/45°
- Height Adjustment: 0 - 85mm
- Tilting Saw Blade: 0 - 45°



Super Sturdy Stand



R4995
WSAWLD-003

- Motor: 230V, 50Hz, 1 800W
- Blade Size: Ø250mm x Ø16
- Table Size: 642 x 532mm
- Cutting Height Max: 55mm/45°
- Height Adjustment: 0 - 80mm
- Tilting Saw Blade: 0 - 45°



Aluminium Table with Extension and Folding Stand



300mm Panel Saw with Saw Scoring Function

R49950 230V **WSAWPN-302**
380V **WSAWPN-303**

- Motor: 2.2kW
- Sliding Action: 2 800mm
- Saw Blade Ø: 300mm

- Major Table Size: 385 x 800mm
- Length of Sliding Table: 3 200mm
- Suitable for Standard Full Sheet Size

ALSO AVAILABLE Range of Adjustable Roller Stands



PROFESSIONAL

Band Saws

230mm (9"), Bench Model

R3795 **WSAWBS-009**

- Motor: 350W, 230V, 50Hz
- Max. Cutting Depth: 80mm
- Max. Cutting Width: 230mm
- Table Size: 305 x 305mm
- Blade Length: 1 575mm, Width: 6.35mm, Teeth: 6 TPI
- Thickness: 0.3mm

EXCELLENT QUALITY



	(shown)	350mm (14")	400mm (16")
Motor		0.75kW, 230V	1.55kW, 230V
Capacity		335 x 160mm	370 x 200mm
Table Pivot Capacity		0 - 45°	0 - 45°
Blade Size		2 480mm	2 950mm



R12450
WSAWBS-014

R18995
WSAWBS-016

250mm Tilting Arbor Table Saw

R17495 **WSAWHD-250**

- Motor: 2.2kW, 230V, Belt Driven
- Mitre Angle: 45° • Blade Size: 254mm
- rpm, no load: 2 900
- Max. Cut Depth: 85mm
- Table Size: 508mm x 686mm
- Gross Weight: 110kg

HEAVY DUTY



250mm (2 000W) Sliding Compound Mitre Saw

R4495 **WSAWMT-200**

- 230V • 50Hz • **2 000W** • 4 500rpm
- Cuts 0 - 45° • 45° Tilting Motor
- Blade Size: 254 x 15.9 x 2.8mm



PROFESSIONAL'S CHOICE

Visit our website for detailed specifications www.adendorff.co.za

NATIONAL CALL CENTRE: 011 434 7000

Clamps

75mm **R85**
 100mm **R110**
 150mm **R175**
 200mm **R245**

G-Clamps

250mm **R295**
 300mm **R310**



T-bar Clamps

770mm **R385** 1 370mm **R595**
 1 070mm **R445** 1 710mm **R675**



F-Clamps

120 x 250mm **R185** 120 x 600mm **R245**
 120 x 400mm **R225** 120 x 1 000mm **R295**



Ratchet Style F-Clamps

120 x 250mm **R375** 120 x 600mm **R425**
 120 x 400mm **R395** 120 x 1 000mm **R545**



Heavy Duty Ratcheting Bar Clamp

150mm **R225** WCLAMP-014
 300mm **R215** WCLAMP-015
 450mm **R225** WCLAMP-016
 600mm **R265** WCLAMP-017



HEAVY DUTY

MAC AFRIC Work Table with Adjustable Footpads and Large Solid Wood Tabletop

- Adjustable foot pads for stability
- Solid rubberwood top supporting up to 490kg
- Perfect for everything from light DIY to heavy duty tasks
- Dimensions: 113cm x 60cm
- Ample workspace and legroom
- A must-have for craftsmen and hobbyists alike.



R2795

GBENCH-006

Industrial Automatic Planers

ALSO AVAILABLE
 Combination Planer & Thicknesser
R39950

230V **WPLANE-402**
 380V **WPLANE-400**



(shown)
 381mm (15") 508mm (20")

Motor	2.2kW, 230V	2.2kW, 230V
Cutter Head	76mm	80mm
Thickness of Stock	152mm	204mm
Width of Stock	305mm	508mm
Depth of Cut	3mm	3mm
Table Size	381 x 508mm	630 x 510mm
Weight	210kg	375kg

MAC AFRIC **R24950** **R34950**
 WPLANE-375 WPLANE-020



R8995
WLATHE-900

900mm Between Centres with Swivel Head

- Motor: 0.55kW, 230V
- 10 Variable Speeds • 500 - 2 000rpm
- Swivel Head for various turning functions

Wood Lathes

WOODCRAFTERS CHOICE



R4995 **WLATHE-001**
 450mm Between Centres Bench Type
 • Motor: 0.55kW, 230V

ALSO AVAILABLE Range of Wood Lathe Chucks **ENQUIRE IN STORE**



R3295 **WLATHE-100**
 1 000mm Bench Type
 • Motor: 0.37kW, 230V

700mm Bench Morticer

R4895 **WMORTI-007**

- Motor: 0.37kW, 230V
- Chuck: 13mm
- Spindle Speed: 1 400rpm
- Bushing Size: 19.05mm
- Chisel Capacity: 6 - 12mm



Belt & Disc Sanders

① **Bench Type (shown)**

R1895 **WSANDS-015**

- Motor: 0.30kW, 230V
- Belt Width: 25mm
- Disc: 125mm



Bench Type

4" x 6" Belt & Disc Sander
 • Belt Size: 100 x 915mm

R3295 **WSANDS-016**



② **On Stand (shown)**

- Motor: 0.55hp, 230V
- Disc: 230mm
- Belt Size: 1 220 x 150mm

R6495 **WSANDS-069**



Wood Moisture Tester

R395

TTESDM-001

300mm Disc Sander with Stand

- Motor: 0.75kW, 230V

R3950

WSANDS-012



Mortice Lock Fitting Jig

R1495 **WMORTI-012**

Drill & Bit for illustrative purposes only



Surface Planer/Joiner

R10950

WPLANE-150


- 150mm
- Motor: 0.55kW, 230V



Horizontal Belt Sander

R12995 **WSANDH-001**

- Motor: 1.1hp, 230V
- Belt Size: 2 000 x 152mm



305mm Planer

R7995 **WPLANE-300**

- Input Voltage: 230V / 50hz
- Power: 1.8kW
- Feed Rate No. 1 (Slow): 4m/min
- Feed Rate No. 2 (Fast): 6m/min
- Maximum Work-piece Width: 330mm
- Minimum Work-piece Length: 140mm
- Work-piece Height: 4.2mm - 150mm
- Maximum Cut Depth Per Pass: 3mm



MAC AFRIC

Dust Collectors

	0.75kW 230V Motor	1.5kW 230V Motor	2.2kW 380V Motor, Double Head (shown)
	Single Bag	Single Bag	Double Bag
Fan Ø	230mm	300mm	305mm
Inlet Ø	100mm	125mm	150mm
Bag Ø	370mm	500mm	500mm
Bag Height	640mm	850mm	850mm
Air Speed	600cfm (14.15m³/min)	1 490cfm (42.15m³/min)	2 300cfm (65.09m³/min)
	R4495 WDUSTC-001	R5695 WDUSTC-002	R7895 WDUSTC-003



Please enquire at your nearest store for stock availability

WATER PUMPS, HIGH PRESSURE CLEANERS & VACUUMS



CONTRACTORS CHOICE

PETROL

Water Pumps

	2" (50mm)	3" (75mm)	4" (100mm)
Motor	5.5hp	6.7hp	9hp
Head	26m	22m	20m
Suction Height	7m	7m	7m
Capacity	22 000ℓ/h	50 000ℓ/h	75 000ℓ/h

Recoil Start	R2995 MPUMPS-552	R3695 MPUMPS-553	R7295 MPUMPS-804
---------------------	----------------------------	----------------------------	----------------------------

PETROL

For Dirty Water 3" (75mm)	High Pressure	Chemical Pump 2" (50mm)
---------------------------	---------------	-------------------------

	2" (50mm)	3" (75mm)	4" (100mm)
Motor	5.5hp	5.5hp	5.5hp
Head	25m	55m	25m
Suction Height	6m	6m	8m
Max. Capacity	45 000ℓ/h	10 000ℓ/h	49 000ℓ/h

Recoil Start	R5995 MPUMPS-006	R4495 MPUMPS-005	R4995 MPUMPS-550
---------------------	----------------------------	----------------------------	----------------------------

DIESEL

2" (50mm)	3" (75mm)	4" (100mm)
-----------	-----------	------------

	2" (50mm)	3" (75mm)	4" (100mm)
Motor	2.8kW	4kW	6.3kW
Head	25m	25m	31m
Suction Height	8m	8m	7m
Rated Speed	3 600rpm	3 600rpm	3 600rpm
Capacity	25 000ℓ/h	50 000ℓ/h	75 000ℓ/h

Electric and Recoil Start	R9950 MPUMPS-007	R10950 MPUMPS-008	R13995 MPUMPS-009
----------------------------------	----------------------------	-----------------------------	-----------------------------



Submersible Pumps



SP400 with Float Switch (Clean Water), 5m Head	R995 HPUMPS-001
SP550 with Float Switch, 7m Head	R1195 HPUMPS-002
SP750 with Float Switch, 8m Head	R1295 HPUMPS-004

Sewage Pumps

① 0.55kW, 230V	② 1.1kW, 230V
----------------	---------------

	①	②
Head	8m	16m
Max. Flow	20m ³ /h	14m ³ /h
Pump Body	Stainless Steel & Cast Iron	Cast Iron

Colour may vary

R2995 HPUMPD-101	R4895 HPUMPD-202
-------------------------	-------------------------

Pressure Pumps

① R1595 HPUMPP-008	② R2145 HPUMPP-010
0.37kW End Suction Peripheral Vane Pump	0.75kW End Suction Peripheral Vane Pump

R2295 HPUMPP-009

0.75kW End Suction Single Stage Centrifugal Pump

	① 0.75kW	② 0.37kW	③ 0.75kW
Max. Flow	7.2 (m ³ /h)	2.4 (m ³ /h)	3.6 (m ³ /h)
Head Range	14 - 32 (m)	1 - 27 (m)	2.5 - 53 (m)
Max. Suction	7 (m)	8 (m)	8 (m)
Including Pressure Flow Control Switch	R2295 HPUMPP-009	R1595 HPUMPP-008	R2145 HPUMPP-010



High Pressure Cleaners

① **R1595** HCLEAN-130

③ **R3695** HCLEAN-150

④ **R11950** HCLEAN-003

⑧ **R12950** HCLEAN-299

ELECTRIC DRIVEN Includes 5m Hose, Gun & Lance

	Voltage kW	Rated Bar Pressure	Flow Rate ℓ/min	Price
①	1.5kW, 230V (shown)	90	6	R1595 HCLEAN-130
②	1.9kW, 230V	110	6	R2195 HCLEAN-200
③	3kW, 230V (shown)	150	6.8	R3695 HCLEAN-150

ELECTRIC DRIVEN Includes 10m High Pressure Hose with Gun & Lance

④	2.2kW, 230V (shown)	100	15	R11950 HCLEAN-003
⑤	3kW, 380V	150	15	R11950 HCLEAN-004

PETROL DRIVEN Includes 10m High Pressure Hose with Gun & Lance & 5 x Quick Change Nozzles for various applications

	Motor	Rated Bar Pressure	Flow Rate ℓ/min	Price
⑥	4kW, 5.5hp	124	7.5	R8495 HCLEAN-220
⑦	5kW, 6.7hp	186	11.4	R10750 HCLEAN-201
⑧	6.6kW, 9hp (shown)	206	11.35	R12950 HCLEAN-299

DIESEL DRIVEN Includes 10m High Pressure Hose with Gun & Lance & 5 x Quick Change Nozzles for various applications

	Motor	Rated Bar Pressure	Flow Rate ℓ/min	Price
⑨	6.6kW, 9hp	248	15.1	R19995 HCLEAN-360



Stainless Steel Pressure Pumps

0.75kW 85ℓ/min 40m Head	1.1kW 100ℓ/min 48m Head
-------------------------------	-------------------------------

R2495 HPUMPP-004 **R2995** HPUMPP-005

OPTIONAL EXTRA

230V Pressure Flow Control Switch
• 10 Amp

R595 HPUMPP-006



Foam Machine

Ideal for Car Wash

Compressor Required

- Capacity: 70ℓ
- Low Pressure
- Operating Pressure: 1 - 2.5 bar
- Pneumatic

R1995 HFOAMS-070

Vacuum Cleaners

EXCELLENT QUALITY

30ℓ Wet & Dry
• 1 200W

R2195 HVACUM-030

70ℓ Wet & Dry (shown)
• 2 000W
• Dual Motor

R4495 HVACUM-070



CONSTRUCTION



Tamping Rammers

Petrol engine	4 Stroke, 4hp	4 Stroke, 3.5hp
Fuel Tank Capacity	3ℓ	3ℓ
Impact Force	16kn	14kn
Shoe Size	L = 350mm W = 280mm	L = 350mm W = 280mm
Weight	82kg	70kg
	R29950 MRAMMR-004	R24950 MRAMMR-003

PETROL

CONTRACTORS CHOICE



Plate Compactors

CONTRACTORS CHOICE

	(shown) HS090	HS120
Petrol Engine	5.5hp	5.5hp
Plate Size	570 x 450mm	480 x 660mm
Weight	90kg	120kg
	R15450 MCOMPT-090	R15995 MCOMPT-120

PETROL

MAC AFRIC

Drive Unit with Female Coupling for Vibrating Poker

R5995 MVIBRA-001



PETROL

OPTIONAL EXTRA



Vibrating Pokers

Length: 6m

50mm
R1895

MVIBRA-002

38mm
R1795

MVIBRA-003

Power Trowel Float


CONTRACTORS CHOICE

R15995

MPOWER-001

- Ø = 915mm
- 5.5hp Petrol Engine

PETROL



Dumpy Level

With Automatic Leveling Function incl. Tripod and 5m Staff

R4950

TLEVEL-320


ALSO AVAILABLE

Staff
R845

TLEVEL-322

Tripod
R845

TLEVEL-321



ROTSURE

Measuring Wheels


PROFESSIONAL

① Model 32 Deluxe **R1095** HWHEEL-001

② Model 16 Deluxe (Small) **R795** HWHEEL-002

③ Model 24 (Large) **R495** HWHEEL-000

Scaffolding



① Tubular Frame 1.5m x 1m Panel **R550** TSCAFO-001

② Castor Wheel **R395** TSCAFO-002

③ Cross Brace **R235** TSCAFO-003

④ Board **R545** TSCAFO-004

⑤ Tiebar **R220** TSCAFO-005

⑥ Leveling Jack **R295** TSCAFO-007

DFS400 Concrete Cutter

R18950 MCUTTR-001

- Cutting Speed: 5 - 50m/s
- Max. Cutting Depth: 120mm
- Width: 3-5mm
- Max. Power Output: 9hp / 3 600rpm
- Cooling Water Tank Capacity: 28ℓ
- Cooling Form: Spray • Weight: 110kg
- Dimensions: 1 580 x 500 x 900mm
- Blade not included

PETROL



Backhoe Digger

R58950

MDIGBH-001

- 15hp LIFAN Engine
- 250mm Bucket

PETROL



MAC AFRIC

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Concrete Mixers



① 135ℓ (shown) • Motor: 0.55kW **R3995** MMIXER-130

180ℓ • Motor: 0.65kW **R4950** MMIXER-180

210ℓ • Motor: 1kW **R8495** MMIXER-210

160ℓ • 3hp **R6995** MMIXER-161

350ℓ • 6.5hp • 4 Stroke • Weight: 328kg • Capacity: 254ℓ Volume **R21950** MMIXER-350

500ℓ • 8hp **R29950** MMIXER-500

500ℓ • 8hp **R31950** MMIXER-501

ELECTRIC

PETROL

DIESEL

Buy Online




www.adendorff.co.za

NATIONAL CALL CENTRE: 011 434 7000

WINCHES, OUTDOOR & 4X4 EQUIPMENT

12V Winches


HEAVY DUTY



Including Fairlead	Motor	Weight	Capacity Rolling Weight	Price
EWK 8 000U 12 Volt (shown)	1.6kW p/m	31kg	3 620kg @ 6m / 2 170kg @ 29m	R4995 GWINCH-800
EWG 8 000U 12 Volt	2.7kW s/w	36kg	3 620kg @ 6m / 2 170kg @ 29m	R6495 GWINCH-802
EWX 10 000U 12 Volt	4.3kW s/w	38kg	4 536kg @ 5.3m / 2 571kg @ 26m	R7495 GWINCH-901
EWX 12 000U 12 Volt	4.5kW s/w	42kg	5 440kg @ 4.8m / 3 125kg @ 25m	R8495 GWINCH-912
EWP 12 000U 12 Volt 2 Speed with High & Low Gear	5.4kW s/w	44kg	5 443kg @ 4.9m / 3 084kg @ 25.5m	R9950 GWINCH-914


p/m = permanent magnet s/w = series wound

Hand Gear Winches



1 360kg (shown)	R795 GWINCH-502
• With Nylon Strap Belt • Length of Strap: 7m	
1 360kg • With Steel Cable	R785 GWINCH-501
• Length of Cable: 10m	
450kg (shown)	R465 GWINCH-050
• With Steel Cable • Length of Cable: 10m	

High Lift Jacks



	1.21m (48")	1.52m (60")
Capacity	3 000kg	3 000kg
Max. Height	48"	60"
Min. Height	6"	6"
Can Lift	2 Ton at 50% Height	2 Ton at 50% Height
	1.75 Ton at Max. Height	1.75 Ton at Max. Height
	R1195 GJACKF-048	R1295 GJACKF-060


Nylon Base for High Lift Jack **R465** GJACKF-001

Tarpaulins



180GSM (Medium Weight)	± 2 x 4m	R175 TTARPL-204
	± 3 x 5m	R345 TTARPL-305
	± 5 x 6m	R595 TTARPL-506
Light Duty	60GSM (Light Weight)	
	± 5 x 6m	R245 TTARPL-507
HEAVY DUTY	PVC 550GSM (Heavy Weight)	
	5 x 6m	R1645 TTARPL-156
	3 x 5m	R895 TTARPL-135

Trailer Jacks/Jockey



1	900kg Base Type (no wheel)	R495 GJACKX-452
2	300kg Jockey Wheel	R495 GJACKX-453
3	450kg Jockey Wheel	R895 GJACKX-451


Hydraulic Winches

HEAVY DUTY



	Oil Flow Pressure	Capacity	Price
HWN 15 000YD Ideal for Roll Back	20~60 ℓ/min	6 804kg @ 1 885.5psi	R13895 GWINCH-916
HWD 12 000A 2 Speed ideal for 4x4's	5~45 ℓ/min	5 443kg @ 1 595.4psi	R13950 GWINCH-915

EXCELLENT QUALITY



12 Volt

Including Fairlead	Motor	Capacity	Price
EWK 2 000D 12 Volt (shown) • 2 Way Control	1.7kW p/m	907kg @ 2.1m	R1495 GWINCH-200
EWP 2 500D 12 Volt • 2 Way Control	1.9kW p/m	1 134kg @ 2.1m	R1995 GWINCH-250
EWP 2 500A 12 Volt • With ATV Control	1.9kW p/m	1 134kg @ 2.1m	R1995 GWINCH-201
EWP 3 500D 12 Volt • 2 Way Control	2.4kW p/m	1 588kg @ 2.1m	R2095 GWINCH-350

p/m = permanent magnet



20ℓ Jerry Can for Fuel, 0.8mm
R445
GCANJR-020

AVAILABLE IN 

MAC AFRIC.

2 Piece Tyre Grabber Set

Wheels for illustrative purposes only



R295 GTYREG-003

- Ideal for emergency recovery • Mud – Sand – Snow
- The "Get Unstuck" traction solution for bakkies/SUV's (2 Pack) • The unique design is featured to enhance the ability of a slipping tyre to extract itself from a poor traction situation • Recommended for 4x4 bakkies and All-Wheel Drive SUV's with Standard or All-Terrain Tyres.

12 Volt Air Compressors

NEW



R1995
GCOMPR-004

R2495
GCOMPR-005

DIGITAL DISPLAY

Get plenty of air when you need it with this high volume portable automotive air compressor. The lightweight, portable design makes it easy to store.

- Amperage: 90A • Working Pressure: 8.7 Bar (125PSI)
- Outlet Air Flow: 300ℓ/m

Visit our website for detailed specifications www.adendorff.co.za

NATIONAL CALL CENTRE: 011 434 7000

POWERPLUS®



750W Rotary Hammer Drill (POWX1170)
R2495
YDRILR-117



20V Li-Ion Cordless Drill Kit (POWX0435)
• Including 2 x Batteries
R1895 YDRILC-435



Disc not included

2 300W, 230mm Angle Grinder
R2295
YGRINH-230



1 600W Rotary Hammer Drill (POWX1175)
R2295
YDRILR-155



650W Impact Drill (POWX026)
R845
YDRILI-002



Disc not included

900W, 115mm Angle Grinder (POWX0611)
R895
YGRIND-900



1 200W Variable Speed Router (POWX0910)
R2195
YROUTR-001



950W Belt Sander (POWX0460)
R2095 YSANDB-001



1 400W Circular Saw (POWX0520)
R2295
YSAWCL-001



450W Random Orbital Sander (POWX0471)
R1395 YSANDR-001



900W Biscuit Jointer (POWX131)
R1795 YBISCT-001



900W Reciprocating Saw (POWX0397)
R1445 YSAWRP-005



220W Mouse Sander (POWX0480)
R795 YSANDM-001



600W Variable Speed Jigsaw (POWX0330)
R1045 YSAWJG-001

MAC AFRIC

20V Cordless Range

QUALITY ASSURED

MAC AFRIC



Driver/Hammer Drill (Tool Only)
R1295
SDRILC-008



Brushless Impact Driver (Tool Only)
R1195
SDRILC-010



Brushless Angle Grinder (Tool Only)
R1495 SGRINC-002



Brushless Rotary Hammer Drill (Tool Only)
R1995
SDRILC-025



Brushless Impact Wrench (Tool Only)
R995
SWRENC-002



185mm Circular Saw
R1795 SSAWCL-002



Electric Leaf Blower
R895 SBLOWC-002

Batteries are for illustrative purposes only. Not included



Battery Charger
R495 SCHARG-002



4.0AH Battery
R995 SBATTR-005


Lighting



1	Rechargeable Portable LED Lantern	R195 HLIGHL-002
2	Rechargeable LED Lantern • 3 Settings (high = 1 500 lumens)	R395 HLIGHL-001
3	Aluminium LED Rechargeable Spotlight • 800 lumens	R445 HLIGHS-036
4	Rechargeable Lithium Ion Spotlight with Side Light	R395 HLIGHT-010

5	Rechargeable LED Flashlight • 1 000 lumens	R275 HLIGHT-009
6	Search Glare Rechargeable Flashlight • 800 lumens	R495 HLIGHT-012
7	Rechargeable LED (90 PCS) Emergency Light	R285 HLIGHT-007
8	Multifunction Rechargeable Search Light with FM & MP3 Media System	R795 HLIGHS-100

LED 3-Way Portable Tripod Working Light with Stand



NEW

ADJUSTABLE:
Vertical: 180°
Horizontal: 270°

R1495 HLIGHS-300

- 3 settings: 1 500, 4 000, 7 000 Lumens.
- This powerful LED light provides adjustable brightness settings of up to 7000 lumens and features an adjustable light angle to ensure comprehensive illumination.
- Powered by a rechargeable 7.3V (4000mAh) battery, it offers between 1.5 to 7 hours of runtime, making it the perfect companion for projects on the go.

Adjustable: Max. height 1.69m

MAC AFRIC

Please enquire at your nearest store for stock availability

NATIONAL CALL CENTRE: 011 434 7000

POWER TOOLS



Scan here to view our extensive power tool range and detailed specifications



Disc not included



Angle Grinders

DIY

R495 SGRIND-114
540W DIY, 115mm

R1495 SGRIND-230
2 200W, 230mm

R595 SGRIND-115
840W, 115mm

Disc not included

Disc not included

1 650W Router



R1695 SROUTR-001

550W Router Trimmer



R795
SROUTR-002



840W Planer

R1395 SPLANE-001



1 400W Circular Saw

R1595 SSAWCL-001

Disc not included



Blade not included

590W Reciprocating Saw

R1395 SSAWRP-001



P.O.A. SGRIND-006

2 000W Heat Gun



R445
THEATG-001

Demolition Breakers

Sanders

PROFESSIONAL'S CHOICE

300W Random Orbital Sander

R895 SSANDR-001

1 200W Belt Sander

R1795 SSANDB-001

330W Orbital Finishing Sander

R895 SSANDF-001

R875 SSANDB-002
500W, Narrow Belt Sander

680W Blower/Vacuum

R595 SBLWR-001

800W, Electric Mixer

R895 SMIXER-001

R5995 TBREAK-175
• 1 750W • 48J • 24.2kg

NEW

R5950 TBREAK-110
• 1 500W • 45J • 20kg

R11950 TBREAK-205
• 2 050W • 50J • 45kg

Magnifying LED Lamp

60 Piece LED 81.5mm (3.5")

R595 HLIGHT-001

- Lens Material: Glass
- 3.5W • 100 - 240V • Free Standing
- With on/off Switch

60 Piece LED 125mm (5")

R995 HLIGHT-002

- Lens Material: Glass
- 3.5W • 100 - 240V
- With Table Clamp
- With on/off Switch

PROFESSIONAL

960W Rotary Hammer Drill

R1695 SDRILR-030

720W, 26mm Rotary Hammer Drill

R1495 SDRILI-002

710W Electric Drywall Screwdriver

R795 SSCREW-001

700W Impact Drill

R695 SDRILI-001

Combination Rotary Tool Kits with Accessories

① 125W • 230V **R395** HENGDR-004

② 130W • 230V **R695** HENGDR-210

③ 170W • 230V **R795** HENGDR-190

Versatile Tool Kits for Drilling, Engraving, Polishing, Cleaning, Cutting and Grinding. Ideal for D.I.Y. Hobby and Model Enthusiasts for Intricate Detailed Work.

Visit our website for detailed specifications

NATIONAL CALL CENTRE: 011 434 7000

HAND TOOLS

Laser Levels

① (shown)

3-line Professional Laser Level (excl. Tripod)

R2595 TLASER-300



② 5-line Professional Laser Level (excl. Tripod)

R3495

TLASER-500



③

OPTIONAL EXTRA

Tripod Stand

R345 TLASER-100



Multifunction Wire Stripper

R125 TSTRIP-005

Ultimate all-in-one tool for wire stripping, crimping, grasping, shearing, and more. Made from high-quality stainless steel.


Designed to handle a range of tasks, from stripping wires up to 3.2mm in diameter to winding and crimping.

MAC AFRIC

Self Adjusting Wire Stripper

R185 TSTRIP-004

Works with single-conductor 10 to 24 AWG (0.25mm²-6mm²) stranded or solid wire. Automatic stripping pliers automatically adjust according to the volume of cable wire stripping diameter.



Riveters



① Double Handle (Straight Type) • 3.2 - 4.8mm **R245** TRIVET-001

② Hand Riviter • 2.4 - 4.8mm **R295** TRIVET-015

③ Lazy Tong • 2.4 - 4.8mm **R895** TRIVET-017

④ Rotating 360° (Aluminium Alloy) Hand Riveter • 2.4 - 4.8mm **R265** TRIVET-002

⑤ Double Action Labour Saving Hand Riveter • 3.2 - 6.4mm **R285** TRIVET-003

Tape Measures

3m **R40** TTAPEM-003

5m **R50** TTAPEM-005

8m **R80** TTAPEM-008

10m **R95** TTAPEM-010



8m **R110**

TTAPEM-800

5m **R90**

TTAPEM-500

This MAC AFRIC tape measure is purposely designed and engineered for the contractor in mind. The tape measure features an auto-lock button, chrome case design, durable rubber grip, magnetic hook and nylon coated tape surface making this tape measure, more durable, wear and corrosion resistant.

Allen Keys

10 Piece Chrome Vanadium Hex Key with Ball Joint for hard to reach places (shown)

R85 TKEYSA-010

25 Piece, Metric & Imperial, in Plastic Pouch

R85 TKEYSA-025

18 Piece Hex & Torx Star Key Set

R145 TKEYSA-018



9 Piece Metric Ball Point Key Set

R195

TKEYSA-109

Screwdrivers

EXCELLENT QUALITY


Why S² Steel? It is the hardest, most ductile, and longest wearing steel that exists in the "Hex" Tool Industry.

S² STEEL SCREWDRIVER SETS

8 Piece **R295** TSCREW-008

12 Piece Bolster Screwdriver Set **R295** TSCREW-012

12 Piece Go-Thru **R425** TSCREW-014



HIGH QUALITY CHROME VANADIUM SETS

10 Piece All Purpose Set with Bolsters **R285** TSCREW-011


6 Piece Set with Hardened Tips **R100** TSCREW-006

26 Piece Wall Mounted or Standing Screwdriver Set **R545** TSCREW-026

53 Piece Ratchet Screwdriver Set **R275** TSCREW-053



Aluminium Levels



600mm **R245** TLEVEL-602

1m **R345** TLEVEL-101

Equipped with shockproof end caps and exceptionally clear vials resistant to fogging, leakage, or breakage. Offers a distinctive front-facing view of the vertical vial and features a magnified vial for enhanced visibility. Boasting high-precision and first-rate accuracy, constructed from a durable high-quality aluminium alloy with a robust design.

Aluminium Speed Squares



7" (175mm) **R125**

TTSQUAR-007

12" (300mm) **R245**

TTSQUAR-012

Precision Tool Kits

126 Piece

R545

TT00LK-126



ALSO AVAILABLE

170 Piece

R795

TT00LK-170

HAND TOOLS & TEST EQUIPMENT

Crimping Tool Sets



MC4 for solar installations

R845

TCRIMP-009

MAC AFRIC

Hydraulic Type



8 Ton (shown)

11 Ton

Max. Stroke	12mm	18mm
Dies	6, 10, 16, 25, 35, 50, 70mm ²	16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300mm ²
Crimping Range	6 - 70mm ²	16 - 300mm ²
Diameter	9.5mm	19.5mm
	R895 ECRIMP-001	R995 ECRIMP-002

Testers

R1095 TTESDM-015

Metal-Wood Wall Detector

- Wood: 20mm
- Copper Conductors (live) 50mm
- Ferrous Metals: 100mm
- Non-ferrous Metals: 80mm



R195 TTEST-001

Non-contact Voltage Tester

- Voltage Detecting Range: 5V AC - 1 000V AC
- Frequency Range: 50Hz - 400Hz
- Safety Category: CAT IV 1 000V



R895 TTEST-002

Multifunction Voltage Tester

- Voltage Range: 10 - 690V AC/DC
- Single Pole Voltage: 100 - 690V
- Frequency Range: 45 - 65Hz
- Rotary Field Indication Voltage: 100 - 690V



Ratchet Cable Cutter

- Cutting Range: Ø75mm
- Suitable for Cu-Al Cable & Armored Cable



R2495

TCUTTR-001

Infrared Thermal Imaging Camera



Model HT 02 **R5495** TTEST-003

Model HT 18

R8950 TTEST-004

- Ideal for Electricians, Automotive Industry, Aviation and many more



VDE Pliers

180mm Side Cutter

R175 TPLIER-014

200mm Combination

R195 TPLIER-013

160mm Wire Stripper

R160 TSTRIP-002

200mm Long Nose

R185 TPLIER-015

MAC AFRIC



Crimpers

Non-insulated Terminal

R225 TCRIMP-002

Wire Ferrule

- Used for electricians & cabling, ideal for insulated terminals

R225 TCRIMP-003

Model LS-9

- Ideal for non-insulated Terminals 1.25 - 8mm²

R225 TCRIMP-004

Model LS-05H

- Coaxial Crimper

R225 TCRIMP-005

Model LS-03C

- Insulated Terminal Crimper 0.5 - 6mm²

R225 TCRIMP-006




7 Piece Electric Screwdriver Set

R175

TSCREE-007

MAC AFRIC



Digital Multimeters



1	Model DT830D R85 TTESDM-830
2	Model MAS850 R150 TTESDM-850
3	Model 266 with Clamp Meter R195 TTESDM-266
4	Model DT920 R235 TTESDM-920
5	Model EM6187 R945 TTESDM-618

FLUKE SEE RANGE IN STORE
Multimeters



Fluke 107

R2695
TTESDM-107

Fluke 302 Clamp

R3145
TTESDM-302

8 Ton Hydraulic Hole Digger

R1795

EHOLED-001

- Hole Ø: 22, 27, 34, 43, 49 & 60mm
- Stroke: 13mm
- Capacity: 1.6mm Stainless Steel; 3.2mm Mild Steel



10 Piece Electrical Tool Kit in Zipper Bag

R695 TT00LB-210

Contents:

- Side Cutting Plier: 150mm
- VDE Long Nose Plier: 150mm
- VDE Stripper Plier: 150mm
- VDE 5 x Screwdrivers (Slotted 4 x 100, 5.5 x 125mm) (Phillips PH0 X 60, PH1 X 80, PH2 X 100mm)
- Tester: 140mm
- 200 - 250V
- Insulation Tape: 10m



42 Piece VDE Electrical Tool Set in Bag



R1495 TT00LB-042

See website for hints and tips www.adendorff.co.za

NATIONAL CALL CENTRE: 011 434 7000

SOCKET SETS & TORQUE WRENCHES

Socket Sets



R895 TSOCKE-020
20 Piece 3/8" Drive • 1/4", 5/16", 3/8", 7/16", 1/2", 3/4", 11/16", 3/4", 13/16", 7/8", 15/16"



R775 TSOCKE-019
19 Piece Socket Set on Hanger
 • 1/2" Drive • CRV
 • Sizes: 8 - 20, 23, 24, 27, 30, 32mm



R395 TSOCKE-000
25 Piece 1/4" Drive
 • Sizes: 4, 4.5, 5, 5.5, 6, 6.5, 7 - 14mm
 • Sizes (5 Tube Sockets): 8, 10 - 13mm



R1695 TSOCKE-180
108 Piece
 • 1/4" & 1/2" Drive



R1095 TTORXB-041
41 Piece • 13-Star L Key
 • 12-Star Socket • 13-Star Bit
 • 3-Bit Holder in Metal Case
 • Quality Chrome Molybdenum

Torx & Hex Bit Sets

R545 TTORXB-042
41 Piece Torx Bit Set • 14-Star Power Bits • 14 Hex Power Bits
 • 11 Spline Power Bits
 • 2 Drive Adaptors



R485 TKEYSA-007
8 Piece 1/2" Drive Hex Bit Set (S² Steel) • Sizes: 6, 7, 8, 10, 12, 14, 17, 19mm



R395 TTORXB-009
9 Piece • T20 - T60
 • 1/2" Drive Torx Bit, 100mm "Long"



R295 TRATCH-012
Extendable



R245 TRATCH-002
Rotatable



R2495 TSOCKE-082
82 Piece Superlock Chrome Vanadium 6mm (1/4") & 12.5mm (1/2") Drive Socket, Bit & Spanner Set



R2195 TSOCKE-045
45 Piece Superlock 10mm (3/8") & 12.5mm (1/2") Drive Socket Wrench Set
 • 14 Piece 10mm (3/8") Superlock Sockets: 6 - 19mm
 • 20 Piece 12.5mm (1/2") Superlock Sockets: 10 - 32mm



R1295 TSOCKE-024
24 Piece Hardened Chrome Vanadium Superlock Hexagonal Socket Set
 • 12.5mm (1/2") Drive
 • 18 Metric Sockets: 10 - 32mm



R1195 TSOCKE-048


48 Piece 6mm (1/4") & 10mm (3/8") Drive Socket/Bit Set
 • 6mm (1/4") Drive: 9 Sockets
 • 10mm (3/8") Drive: 9 Sockets

R695 TSOCKE-026

26 Piece 6mm (1/4") Drive Socket Wrench Set



Torque Wrenches



R795 TWRENT-005
6mm (1/4") Drive 2 - 24Nm (L = 150mm)

R995 TWRENT-002
10mm (3/8") Drive 6 - 30Nm (L = 285mm)

R1445 TWRENT-008
10mm (3/8") Drive 6 - 30Nm (L = 320mm)

R1195 TWRENT-003
12.5mm (1/2") Drive 40 - 210Nm (L = 530mm)

R1895 TWRENT-006
12.5mm (1/2") Drive 65 - 335Nm (L = 520mm)

R2695 TWRENT-004
19mm (3/4") Drive 100 - 500Nm (L = 860mm)

R9950 TWRENT-007
19mm (3/4") Drive 200 - 1 000Nm (L = 1 150mm)

R575 TWRENT-001
Click Torque Wrench 12.5mm (1/2") Drive 28Nm - 210Nm (L = 470mm)

In-house Calibration Offered (at Aeroton Head Office) on MAC AFRIC Torque Wrenches

ENQUIRE IN STORE FOR PRICING

Power Bars

R195 TPOWEB-450
12.5mm (1/2") Drive • Length: 450mm

R575 TPOWEB-600
19mm (3/4") Drive • Length: 600mm

R595 TPOWEB-025
25mm (1") Drive • Length: 600mm

19mm (3/4") Drive Chrome Alloy Mechanics Socket Sets

(shown) **R4295** TSOCKE-126
26 Piece
 • 20 Chrome Alloy Metric Sockets: 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 34, 36, 38, 41, 46, 50, 55, 60, 65mm



R3695 TSOCKE-127
27 Piece
 • 12 SAE Sockets: 7/8", 15/16", 1", 1 1/8", 1 1/16", 1 1/8", 1 7/16", 1 5/8", 1 3/4", 1 7/8", 2"
 • 10 Metric Sockets: 22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm

Hexa TOOL BOX SETS

Hexa Socket Sets are crafted using top-grade chrome vanadium steel, ensuring the highest quality. These sets feature a Hexagonal Superlock™ Pattern that applies force on the socket face rather than the corners. This design allows the socket to turn metric or imperial sizes, and can even manage worn nuts with ease.



Please enquire at your nearest store for stock availability

NATIONAL CALL CENTRE: 011 434 7000

HAND TOOLS, TOOL BOXES & WORK BENCHES

EXCELLENT
QUALITY

Gear Wrenches

72 Tooth for Smooth Action



8 Piece (shown)
• 8, 10, 11, 12, 13, 14, 17, 19mm

R795
TSPANR-008

12 Piece • 6, 8, 10, 11, 13, 14, 17, 19, 22, 24, 27, 30mm

R1495
TSPANR-012

8 Piece with Forward & Reverse Ratchet Function • 8, 10, 11, 12, 13, 14, 17, 19mm

R995
TSPANR-009

12 Piece with Flexible Head
• 6, 8, 10, 11, 13, 14, 17, 19, 22, 24, 27, 30mm

R1895
TSPANR-014


Universal Gear Wrench Socket Sets

- High Quality CRV Steel • 72 Teeth for Durability
- Compact Universal Kit • Saves Space

R545

36 Piece TSPANR-036

- Ratchet Wrench Size: 17 - 19mm
- Socket Insert Size: 8, 9, 10, 11, 12, 13, 15, 16, 17, 18mm



COMPACT & CONVENIENT

R365

TSPANR-006

6 Piece

- Ratchet Wrench Size: 14 - 19mm
- Socket Insert Size: 8, 10, 12, 13, 17mm



Combination Spanner Sets

8 Piece • 8, 10, 11, 12, 13, 14, 17, 19mm
• Carbon Steel

R95 TSPANR-008

11 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19mm • CRV

R185 TSPANR-011

12 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19mm • CRV

R225 TSPANR-012

16 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22mm • CRV

R395 TSPANR-016

① **17 Piece** • 6 - 20, 22, 24mm • CRV (shown)

R445 TSPANR-017

19 Piece • 6 - 20, 22, 24, 27, 32mm • CRV

R595 TSPANR-019

Imperial/SAE/AF

9 Piece 1/4" - 3/4" on Hanger

R195 TSPANR-909

② **14 Piece** 1/4" - 1 1/4" in Canvas Pouch (shown)

R695 TSPANR-914

22 Piece Combo Set IMPERIAL/METRIC
1/4" - 7/8" and 6 - 19mm in Canvas Pouch

R595 TSPANR-922

Combination Chrome Vanadium Spanner Sets in Canvas Pouch

17 Piece Satin Finish • 6 - 24mm

R575 TSPANR-018

③ **26 Piece Satin Finish** • 6 - 32mm (shown)

R1595 TSPANR-027

25 Piece Matt Finish • 6 - 30, 32mm

R1095 TSPANR-026

6 Piece Combination Jumbo Spanner Set

R1245 TSPANR-600

- 35, 38, 41, 45, 48, 50mm
- Black Oxide Finish



Jobsite Tool Box



Metal Thickness	1.5mm	1.5mm
Net Weight	35.5kg	59kg
Gross Weight	40kg	67kg
Dimensions	915 x 432 x 541mm	1220 x 615 x 720mm
	R4495 TT00LB-036	R6295 TT00LB-048

HEAVY DUTY

The MAC AFRIC heavy-duty job site toolbox is **built to last**. Manufactured from **1.5mm** mild steel and finished with a blue hammer tone epoxy powder coating finish. Features a heavy duty tough durable design with carrying handles, secured lock compartment, and heavy-duty hinges for extra security and safety. Ideal for bakkie toolboxes, tradesman, workshops, camping-outdoor, garage tool storage, home storage, 4x4 off-road, and many more.

Steel Work Benches

Folding Steel Work Bench with Pegboard including 20 Piece Hook Set
L = 1 200mm W = 660mm H = 1 440mm

R1995 GBENCH-004 (shown)

ALSO AVAILABLE

Steel Work Bench with Pegboard incl. Drawer Hooks and Plastic Holders

R2595 GBENCH-005

L = 1 220mm W = 560mm H = 1 510mm



SPACE SAVER

Tools for illustrative purposes only

Wall Mounted Tool Cabinet

R2495 TT00LB-001

- L = 1 200mm W = 200mm
- H = 600mm • 3 Doors with Adjustable Shelves
- Packed in easy to assemble kit form

COLOUR MAY VARY



5 Tray Cantilever Tool Boxes

425mm **R375** TT00LB-005

535mm **R495** TT00LB-007

650mm **R595** TT00LB-008



Industrial Quality MAC AFRIC Steel Work Bench with 3 Smooth Rolling Lockable Drawers

COLOUR MAY VARY

R7950 GBENCH-001 (shown)

Vices can be fixed to Bench

L = 2 000mm W = 640mm H = 860mm
Weight: 110kg

ALSO AVAILABLE

Industrial Work Bench with 2 Smooth Rolling Lockable Drawers L = 1 500mm W = 640mm H = 860mm

R6495

GBENCH-000



See website for hints and tips www.adendorff.co.za

NATIONAL CALL CENTRE: 011 434 7000

62 Piece Tool Set in Cantilever Tool Box, 12.5mm (1/2") Drive

MAC AFRIC

R2995 TT00LB-062

- 18 Sockets: 10 - 32mm
- 18 Spanners: 6 - 24mm
- Allen Keys, 6 Piece
- Screwdriver, 3 Piece Plier Set, Ratchet, Extension and Power Bars, etc.



Chrome Vanadium Tool Set

132 Piece in ABS Trolley
R3995
TT00LK-132

139 Piece in Plastic Case
R1195
TT00LB-139



165 Piece Tool Set in Cantilever Tool Box

R2995 TT00LB-165

- 1/4" - 3/8" - 1/2" Drive
- Chrome Vanadium



10 Drawer Tool Cabinet

Dimensions: **R11995** TCABIN-008
L = 1 065mm W = 485mm H = 1 007mm

EXCLUDING TOOLS



Tool Cabinets

7 Drawer with Castors
• 680 x 460 x 950mm
R5995
TCABIN-007



EXCLUDING TOOLS

6 Drawer (Top)
• 600 x 310 x 330mm
R2095
TCABIN-005



7 Drawer Tool Cabinet

R16995 TCABIN-003

Includes Tools 193+ Pieces • Height: 1 040mm

- Benefits and Features:**
- The MAC AFRIC professional heavy duty 7 drawer tool cabinet with tools is the ideal solution for use in garage, automotive and home workshops
 - The cabinet features quick release double ball bearing slides for the drawers
 - Swivel action castor wheels with brake function (2 Fixed / + 2 Swivel)
 - Patented locking system
 - Durable EVA (foam inserts) for the tools with clear identification markings
 - Full steel construction with a tough powder coated protective finish
 - Comprehensive range of Top Quality chrome vanadium hand tools.

Examples of Tool Modules *DISCLAIMER: Combinations may vary*



ALSO AVAILABLE


7 Drawer Cabinet (Blue) Excluding Tools
• Dimensions: L = 470mm W = 475mm H = 1 040mm

R8995
TCABIN-004



TOOL BOXES & CABINETS

85 Piece Tool Set in Cantilever Tool Box



TRADESMAN'S CHOICE

R1795
TT00LB-085

- 1/4" & 1/2" Drive
- Chrome Vanadium

Features a 12 Point Design to grip on Worn Nuts



86 Piece Tool Set in Cantilever Tool Box

R1395 TT00LB-086

- 3/8" Drive • Chrome Vanadium



63 Piece Quality Pink Tool Kit in Aluminium Case

R895 TT00LK-063



207 Piece Tool Cabinet

R12950 TCABIN-207

The MAC AFRIC Professional Heavy Duty 7 Drawer Tool Cabinet with 207 Piece Tools is the ideal solution for use in Garage, Automotive and Home Workshops

HEAVY DUTY

Examples of Tool Modules
DISCLAIMER: Combinations may vary



Complete Garage Cabinet Storage Solution



R29950
TCABIN-010

VISIT OUR WEBSITE www.adendorff.co.za FOR DETAILED SPECIFICATIONS