

# Adendorff machinery mart

Buy Online  

[www.adendorff.co.za](http://www.adendorff.co.za)

1<sup>ST</sup> EDITION 2025

## Buyers Guide for **QUALITY TOOLS**




**HAND TOOLS & TOOL STORAGE**



**CONSTRUCTION**

Follow us on:   



**WELDING MACHINES**

SEE PAGE iii FOR OUTLET DETAILS

Scan here for  
outlet details



**29 OUTLETS COUNTRYWIDE**

# TOOLS



Prices listed are valid as of 1 March 2025. All prices include 15% VAT. Prices will be updated and subject to change without prior notification. For the most up-to-date pricing and stock availability, please visit our website at [www.adendorff.co.za](http://www.adendorff.co.za). Errors and Omissions Excepted.



# INDEX

PAGE		FEATURING
iii	CONTACT LIST	
2	TOOL BOXES & CABINETS	TOOL CABINETS, GARAGE WORKBENCHES AND GARAGE CABINET TOOL STORAGE SOLUTIONS
3	HAND TOOLS & TOOL BOX SETS	COMBINATION SPANNER SETS, MECHANIC TOOLBOXES, AND TOOL BAGS
4	HAND TOOLS	SCREWDRIVERS, ALLEN KEYS, RIVETERS, SPIRIT LEVELS, LASER LEVELS, SPEED SQUARES, CAULKING GUNS AND TAPE MEASURES
5	TOOL BOX SETS, SOCKET SETS & TORQUE WRENCHES	SOCKET SETS, TORQUE WRENCHES, POWER BARS AND TORX & HEX BIT SETS
6	HAND TOOLS & TEST EQUIPMENT	DIGITAL MULTIMETERS, HAND CRIMPERS, VDE HAND TOOLS, HYDRAULIC HOLE DIGGERS AND CRIMPERS
7	WATER PUMPS, HIGH PRESSURE CLEANERS & VACUUMS	HIGH-PRESSURE CLEANERS, VACUUM CLEANERS AND SUBMERSIBLE PUMPS
8	LIGHTING & POWER TOOLS	LIGHTING, ROTARY TOOL KITS AND POWER TOOLS
9	POWER TOOLS	DEMOLITION BREAKERS, SANDERS, HAMMER DRILLS, ANGLE GRINDERS AND ROUTERS
10	WELDING	INVERTER WELDERS, SPOT WELDERS, WELDING MAGNETS AND TIG WELDERS
11	WELDING	PLASMA CUTTERS, MIG WELDERS AND AUTO-DARKENING WELDING HELMETS
12	ENGINEERING	METALWORKING LATHES AND MILLING MACHINES
13	ENGINEERING	METALWORKING LATHES, MILLING MACHINES, BRAKE DISC AND DRUM LATHES
14	ENGINEERING ACCESSORIES	SLIDE TABLES, DIAL GAUGES, MAGNETIC BASES, VERNIERS, MACHINE VICES, LATHE CHUCKS, BENCH VICES, MICROMETERS AND CALIPERS
15	ENGINEERING ACCESSORIES	CLAMPING KITS, COOLANT HOSE KITS, ARBOR COLLET CHUCKS, HSS END MILLS, BORING BAR SETS, LIVE CENTERS, CUTTING TOOL SETS, PARTING TOOLS AND QUICK-CHANGE POSTS
16	METALWORK	BENDERS, SHEARING MACHINES, PIPE BENDERS, ARBOR PRESSES AND RING ROLLERS
17	METALWORK	BOX AND PAN BENDERS, ROLLERS, GUILLOTINES AND ROTARY (JENNY) MACHINES
18	ENGINEERING	CUT-OFF MACHINES, MAGNETIC BASE DRILLS, BENCH/PEDESTAL DRILLS, HORIZONTAL BAND SAWS AND BENCH GRINDERS
19	WOODWORKING	BAND SAWS, TABLE SAWS, PANEL SAWS, CATERING EQUIPMENT AND BONE SAWS
20	CONSTRUCTION	CONSTRUCTION EQUIPMENT, RAMMERS, MEASURING WHEELS, DUMPY LEVELS, SCAFFOLDING, PLATE COMPACTORS AND CONCRETE MIXERS
21	GENERATORS & WATER PUMPS	PETROL AND DIESEL STANDBY GENERATORS
22	PLUMBING, GARDENING & AIR COOLERS	DRAIN CLEANERS/RODS, PIPE THREADING MACHINES, LOG SAWS, CHAIN VICES/WRENCHES, LOG SPLITTERS, AIR COOLERS, TILLERS AND PRESSURE SPRAYERS
23	GARDEN EQUIPMENT	CHAINSAWS, EARTH AUGERS, BLOWERS, BRUSH CUTTERS, MAIZE CRUSHING MACHINES AND WOOD CHIPPERS
24	WOODWORKING	PLANERS, DUST COLLECTORS, SANDERS AND CLAMPS
25	BATTERY CHARGERS & AUTOMOTIVE EQUIPMENT	CAR DIAGNOSTIC EQUIPMENT, BATTERY CHARGERS AND JUMP STARTERS
26	LIFTING & MATERIAL HANDLING EQUIPMENT	ELECTRIC HOISTS, CRAWLS, SLINGS, CHAIN HOISTS, PALLET TRUCKS AND CHAIN BLOCKS
27	WINCHES, OUTDOOR & 4X4 EQUIPMENT	12V AIR COMPRESSORS, TARPAULINS, TRAILER JACKS/JOCKEYS, TIE-DOWN STRAPS, FARM JACKS, 12V WINCHES, HAND WINCHES AND HYDRAULIC WINCHES
28	GARAGE EQUIPMENT	HYDRAULIC PRESSES, PART WASHERS AND BEARING/GEAR PULLERS
29	PANEL BEATING EQUIPMENT	BODY REPAIR TOOLS AND ELECTRIC POLISHERS
30	GARAGE EQUIPMENT: AUTOMOTIVE	AUTOMOTIVE EQUIPMENT AND TIMING TOOLKITS
31	GARAGE EQUIPMENT: AUTOMOTIVE	AUTOMOTIVE EQUIPMENT AND GARAGE CREEPERS
32	GARAGE EQUIPMENT	TRANSMISSION JACKS, COIL SPRING COMPRESSORS, 12V JACKS, TROLLEY JACKS AND BOTTLE JACKS
33	GARAGE EQUIPMENT	TYRE CHANGERS/BALANCERS, HYDRAULIC LIFTS, ENGINE STANDS/CRANES, JACK STANDS AND WHEEL CHOCKS
34	GARAGE EQUIPMENT	12 VOLT ELECTRICAL AND MANUAL PUMPS FOR DIESEL/OIL/GREASE, GREASE GUNS, PNEUMATIC GREASE DRUMS AND AUTO-RETRACTABLE HOSE REELS
35	SANDBLASTING EQUIPMENT	SANDBLASTING POTS/CABINETS, AIR GUNS, AUTO-RETRACTABLE HOSE REELS AND AIR HOSES
36	PNEUMATIC EQUIPMENT	AIR DIE GRINDERS, SCREWDRIVERS, ANGLE GRINDERS, SANDERS, DESCALERS AND SHEARS
37	PNEUMATIC EQUIPMENT	PNEUMATIC STAPLERS, NAILERS, DRILLS, RIVETERS, AIR BRUSHES AND SILENT MINI OIL-FREE COMPRESSORS
38	PNEUMATIC/GARAGE EQUIPMENT	AIR INFLATORS/DEFLATORS, WHEEL NUT REMOVERS, IMPACT SOCKET SETS AND AIR WRENCHES
39	TOP QUALITY SPRAY GUNS	SPRAY GUNS, AIRLESS SPRAYERS, SPRAY POTS AND DIY ELECTRIC AIRLESS SPRAY GUNS
40	COMPRESSORS	SILENT OIL-FREE, DIRECT DRIVE, BELT DRIVE, ELECTRICAL, PETROL AND DIESEL-DRIVEN COMPRESSORS

Follow us on:



Please enquire at your nearest store for stock availability

# OUTLETS NATIONWIDE

## GAUTENG

### AEROTON SALES (HEAD OFFICE) ☎ (011) 434-7100

98 Sailor Malan Avenue, off Rand Show Road, Aeroton,  
✉ aeroton@adendorff.co.za

### AEROTON SERVICE CENTRE ☎ (011) 434-7111

98 Sailor Malan Avenue, off Rand Show Road, Aeroton,  
✉ aeroton@adendorff.co.za

### TURFFONTEIN ☎ (011) 434-7152

152 Rosettenville Road, Springfield, Johannesburg,  
✉ jhbsouth@adendorff.co.za

### ALBERTON ☎ (011) 869-1110

Unit No. 60, **Lemon Tree Shopping Centre**, Cnr. Swartkoppies & Heidelberg Road, New Market, ✉ alberton@adendorff.co.za

### EDENVALE (MEADOWDALE) ☎ (011) 454-1407

Unit No. 8, Route 24 Complex, Herman Road, Between Edenvale & Barbara Road Offramps, ✉ edenvale@adendorff.co.za

### BOKSBURG ☎ (011) 914-1550

518 Commissioner Street, Boksburg East Industrial,  
✉ boksburg@adendorff.co.za

### RANDBURG (STRYDOM PARK) ☎ (011) 793-3380

2013 Malibongwe Drive, Randburg, ✉ randburg@adendorff.co.za

### ROODEPOORT/KRUGERSDORP ☎ (011) 664-8336

17 Carol Road, (Service Road to Ontdekkers) Opp. Witpoortjie Station, Breananda, ✉ roodepoort@adendorff.co.za

### SPRINGS ☎ (010) 442-6969

13 Bell Street, New Era, ✉ springs@adendorff.co.za

### PRETORIA ☎ (012) 329-9576

300 Steve Biko Road (Voortrekkers Road), Cnr. Adcock Street, Gezina,  
✉ pretoria@adendorff.co.za

### CENTURION ☎ (012) 653-0586

33 Miracle Park, Cnr. Old Johannesburg Road R101 & Lenchen Extension, Rooihuiskraal, ✉ centurion@adendorff.co.za

### SILVER LAKES (PRETORIA EAST) ☎ (012) 054-5969

Silver Oaks Crossing (Shop 41), Cnr. Solomon Mahlangu & Von Backstrom Boulevard, Pretoria East, ✉ silverlakes@adendorff.co.za

### VEREENIGING ☎ (016) 422-6057

26 De Villiers Avenue, ✉ vereeniging@adendorff.co.za

## FREE STATE

### BLOEMFONTEIN ☎ (051) 448-1689

Oliver Tambo Road (Church Street), Cnr. Harvey Road, Blackwood Crossing, Oranjesig, ✉ bloemfontein@adendorff.co.za

### WELKOM ☎ (057) 355-6600

137 Constantia Street, Dagbreek, ✉ welkom@adendorff.co.za

## NORTH WEST

### RUSTENBURG ☎ (014) 594-1545

Oliver Tambo Drive R104, Cnr. Beyers Naude Drive,  
✉ rustenburg@adendorff.co.za

### KLERKSDORP ☎ (018) 462-1116

99 O.R. Tambo Street (Church Street), Cnr. President Kruger Street,  
✉ klerksdorp@adendorff.co.za

# Adendorff machinery mart

## WESTERN CAPE

### CAPE TOWN ☎ (021) 552-7389

Unit 1, 21 Montague Drive, Montague Gardens,  
✉ capetown@adendorff.co.za

### STRAND ☎ (021) 205-7878

30 Mynhardt Street, ✉ loc30@adendorff.co.za

### BRACKENFELL ☎ (021) 205-7888

Unit 1, 3 Tee-jay Road (Corner Taurus Road), Everite Industrial Park, ✉ loc27@adendorff.co.za

### GEORGE ☎ (044) 050-3610

6 Ring Road, George Industrial, ✉ loc29@adendorff.co.za

## EASTERN CAPE

### EAST LONDON ☎ (043) 422-0596

11 Dunn Street, Arcadia, ✉ el@adendorff.co.za

### PORT ELIZABETH (QOEBERHA) ☎ (041) 484-3995

27 Grahamstown Road, North End, ✉ pe@adendorff.co.za

## NORTHERN CAPE

### KIMBERLEY ☎ (053) 831-1882

12 Fabricia Road, Fabricia, ✉ kimberley@adendorff.co.za

## LIMPOPO

### POLOKWANE ☎ (015) 292-0243

31 Nikkel Street, Superbia, ✉ polokwane@adendorff.co.za

## MPUMALANGA

### WITBANK ☎ (013) 690-2305

40 Watermeyer Street, Klipfontein, Ext. 8, ✉ witbank@adendorff.co.za

### NELSPRUIT ☎ (013) 753-3580

15 Old Pretoria Road, Entrance at 4 Stinkhout Crescent,  
✉ nelspruit@adendorff.co.za

## KWAZULU-NATAL

### DURBAN NORTH ☎ (031) 263-0007

99 Intersite Avenue (near Bluff Meat Supply and National Security and Fire), Springfield Park, ✉ durban@adendorff.co.za

### DURBAN ☎ (031) 202-4355

192 Umbilo Road, Dalbridge, ✉ umbilo@adendorff.co.za

### PIETERMARITZBURG ☎ (033) 345-1996

300 Boom Street, ✉ pmb@adendorff.co.za



**PLEASE NOTE:** Overflow calls to branches may be diverted to our National Call Centre @ Aeroton Head Office 011 434 7000

National call centre ☎ (011) 434-7000

Follow us on:





# TOOL BOXES & CABINETS

## Steel Work Benches

Folding Steel Work Bench with Pegboard including 20 Piece Hook Set (shown)

**R1995**  
GBENCH-004

L = 1 200mm  
W = 660mm  
H = 1 440mm



Tools for illustrative purposes only

SPACE SAVER

ALSO AVAILABLE

Steel Work Bench with Pegboard incl. Drawer Hooks and Plastic Holders

L = 1 220mm W = 560mm H = 1 510mm

**R2595**  
GBENCH-005

Industrial Quality MAC AFRIC Steel Work Bench with 3 Smooth Rolling Lockable Drawers

(shown) **R7950**  
GBENCH-001

COLOUR MAY VARY

Vices can be fixed to Bench

L = 2 000mm W = 640mm H = 860mm  
Weight: 110kg

ALSO AVAILABLE

**R6495**  
GBENCH-000

Industrial Work Bench with 2 Smooth Rolling Lockable Drawers  
L = 1 500mm  
W = 640mm  
H = 860mm

## Wall Mounted Tool Cabinet



**R2495**  
TTOOLB-001

COLOUR MAY VARY

- L = 1 200mm W = 200mm H = 600mm
- 3 Lockable Doors with Adjustable Shelves
- Packed in easy to assemble kit form

## 10 Drawer Tool Cabinet

PROFESSIONAL

**R11995**  
TCABIN-008

EXCLUDING TOOLS

- Dimensions:  
L = 1 065mm  
W = 485mm  
H = 1 007mm



## 7 Drawer Tool Cabinets with Tools

207 Piece

HEAVY DUTY

**R12950**  
TCABIN-207

The MAC AFRIC Professional Heavy Duty 7 Drawer Tool Cabinet with 207 Piece Tools is the ideal solution for use in Garage, Automotive and Home Workshops.



VISIT OUR WEBSITE TO VIEW DETAILED CONTENTS  
[www.adendorff.co.za](http://www.adendorff.co.za)

204 Piece

PROFESSIONAL

**R16995**  
TCABIN-003

BENEFITS AND FEATURES:

- The MAC AFRIC professional heavy duty 7 drawer tool cabinet with tools is the ideal solution for use in garage, automotive and home workshops.
- The cabinet features quick release double ball bearing slides for the drawers.
- Swivel action castor wheels with brake function (2 Fixed / + 2 Swivel).
- Patented locking system.
- Durable EVA (foam inserts) for the tools with clear identification markings.
- Full steel construction with a tough powder coated protective finish.
- Comprehensive range of Top Quality chrome vanadium hand tools.



VISIT OUR WEBSITE TO VIEW DETAILED CONTENTS  
[www.adendorff.co.za](http://www.adendorff.co.za)

## Tool Cabinets

6 Drawers (Top)

- 600 x 310 x 330mm

**R2095**  
TCABIN-005



EXCLUDING TOOLS

7 Drawers with Castors

- 680 x 460 x 950mm

**R5995**  
TCABIN-007



## Complete Garage Cabinet Storage Solution



**R31950**  
TCABIN-010

Tools for illustrative purposes only

OPTIONAL EXTRAS AVAILABLE | VISIT OUR WEBSITE [www.adendorff.co.za](http://www.adendorff.co.za)



To use our Click-&-collect service please visit our website [www.adendorff.co.za](http://www.adendorff.co.za) and select your products for purchase. Check your shopping cart and complete the checkout process to pay. Certain items may not be available in all stores. Please enquire directly with your nearest branch. You will receive confirmation of your order via email and will be notified when goods are ready for collection in store. For full instructions, terms & conditions, please visit [www.adendorff.co.za](http://www.adendorff.co.za), or mail our website support on [tooltime@adendorff.co.za](mailto:tooltime@adendorff.co.za).

Unless a specific limitation is stated, Adendorff Machinery Mart will endeavour to have sufficient advertised stock available to meet anticipated demands. Prices are reviewed on a regular basis and is subject to change without prior notification. Please contact your nearest branch or consult our website. We take great care to ensure that all advertisements are correct. If a mistake occurs or incomplete information is printed, a notice will be displayed in-store with the correct details. Actual products may vary from pictures. Please note that certain products may not be available in all stores. Enquire directly with your nearest branch. Large generators and certain items are only available at our Aeroton Johannesburg South Warehouse. Accessories are used for illustrative purposes only. Please refer to the safety tips on our website and take protective and preventative measures when using these items. For more information, visit our website at [www.adendorff.co.za](http://www.adendorff.co.za). Cross border customers, please note that our warranty applies only to items purchased and used within the Republic of South Africa. Any items exported which are found to be faulty must be returned to Adendorff Machinery Mart at your own cost.

PLEASE CALL YOUR NEAREST BRANCH FOR ASSISTANCE. Trading hours: Mon. to Fri. 08:00 - 17:00 | Sat. 08:00 - 13:00 | See website for Public Holidays

Adendorff Machinery Mart has taken all relevant steps to ensure customer data is protected in line with the protection of Personal Information Act 4 of 2013 (POPIA).

Should you wish to update your communication preferences please send an email to [customer@adendorff.co.za](mailto:customer@adendorff.co.za) For a copy of our privacy policy please refer to our website [www.adendorff.co.za](http://www.adendorff.co.za)





# HAND TOOLS & TOOL BOX SETS



Metric Combination Spanner Sets		HEAVY DUTY
8 Piece • 8, 10, 11, 12, 13, 14, 17, 19mm • Carbon Steel	<b>R95</b>	TSPANN-008
11 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19mm • <b>CRV</b>	<b>R185</b>	TSPANN-011
12 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19mm • <b>CRV</b>	<b>R225</b>	TSPANN-012
16 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22mm • <b>CRV</b>	<b>R395</b>	TSPANN-016
① 17 Piece • 6 - 20, 22, 24mm • <b>CRV (shown)</b>	<b>R445</b>	TSPANN-017
19 Piece • 6 - 20, 22, 24, 27, 32mm • <b>CRV</b>	<b>R595</b>	TSPANN-019
Imperial/SAE/AF Spanner Sets		
9 Piece • 1/4" - 3/4" on Hanger	<b>R195</b>	TSPANN-909
② 14 Piece • 1/4" - 1 1/4" in Canvas Pouch (shown)	<b>R695</b>	TSPANN-914
22 Piece Combo Set IMPERIAL/METRIC • 1/4" - 7/8" and 6 - 19mm in Canvas Pouch	<b>R595</b>	TSPANN-922
Combination Chrome Vanadium Spanner Sets in Canvas Pouch (Metric)		
17 Piece Satin Finish • 6 - 24mm	<b>R575</b>	TSPANN-018
③ 26 Piece Satin Finish • 6 - 32mm (shown)	<b>R1595</b>	TSPANN-027
25 Piece Matt Finish • 6 - 30, 32mm	<b>R1095</b>	TSPANN-026

**6 Piece Combination Jumbo Spanner Set**

- 35, 38, 41, 45, 48, 50mm
- Black Oxide Finish

**R1245** TSPANN-600

**5 Tray Cantilever Tool Boxes**

425mm **R375** TT00LB-005

535mm **R495** TT00LB-007

650mm **R595** TT00LB-008

**Chrome Vanadium Tool Sets**

**R3995** TT00LK-132

132 Piece in ABS Trolley

**R1195** TT00LB-139

139 Piece in Plastic Case

**63 Piece Quality Pink Tool Kit in Aluminium Case**

**R895** TT00LK-063

**Nylon Tool Backpack** **NEW**

- Durable • Convenient
- Multiple Compartments
- 370 x 450mm

**R1395** TT00LB-017

HEAVY DUTY

**62 Piece Tool Set in Cantilever Tool Box, 12.5mm (1/2") Drive**

**R2995** TT00LB-062

- 18 Sockets: 10 - 32mm
- 18 Spanners: 6 - 24mm
- Allen Keys, 6 Piece Screwdriver, 3 Piece Plier Set, Ratchet, Extension and Power Bars, etc.

GUARANTEE LIFETIME GUARANTEE

**165 Piece Tool Set in Cantilever Tool Box**

**PROFESSIONAL**

**R2995** TT00LB-165

- 1/4" - 3/8" - 1/2" Drive
- Chrome Vanadium

**MAC AFRIC Gear Wrenches**

72 Tooth for Smooth Action

**R795** TSPANR-008

8 Piece (shown) • 8, 10, 11, 12, 13, 14, 17, 19mm

**R1495** TSPANR-012

12 Piece • 6, 8, 10, 11, 13, 14, 17, 19, 22, 24, 27, 30mm

**R995** TSPANR-009

8 Piece with Forward & Reverse Ratchet Function • 8, 10, 11, 12, 13, 14, 17, 19mm

**R1895** TSPANR-014

12 Piece with Flexible Head • 6, 8, 10, 11, 13, 14, 17, 19, 22, 24, 27, 30mm

**3 Piece Durable Stackable Tool Bag Set with Integrated Trolley**

- Multiple Compartments
- High Quality Polyester and Nylon Fabric

**R1695** TT00LB-016

**NEW**

**Tool Stool with Cooler Storage**

**R285** TT00LB-018

**NEW**

**86 Piece Tool Set in Cantilever Tool Box**

**R1395** TT00LB-086

- 3/8" Drive
- Chrome Vanadium

**85 Piece Tool Set in Cantilever Tool Box**

**PROFESSIONAL**

**TRADESMAN'S CHOICE**

- 1/4" - & 1/2" Drive
- Chrome Vanadium

**R1795** TT00LB-085

Features a 12 Point Design to grip on Worn Nuts

**AEROTON SALES**  
 ☎ (011) 434-7100  
 98 Sailor Malan Avenue, off Rand Show Road, Aeron  
 ✉ aeroton@adendorff.co.za

**AEROTON SERVICE CENTRE**  
 ☎ (011) 434-7111  
 98 Sailor Malan Avenue, off Rand Show Road, Aeron  
 ✉ aeroton@adendorff.co.za

**TURFFONTEIN**  
 ☎ (011) 434-7152  
 152 Rosettenville Road, Springfield, JHB  
 ✉ jhbsouth@adendorff.co.za



# HAND TOOLS

## Screwdrivers

**Why S<sup>2</sup> Steel?** It is the hardest, most ductile, and longest wearing steel that exists in the "Hex" Tool Industry.

**EXCELLENT QUALITY**

### S<sup>2</sup> STEEL SCREWDRIVER SETS

**R295** 8 Piece  
TSCREW-008



**R295** 12 Piece Bolster  
TSCREW-012



**R425** 12 Piece Go-Thru  
TSCREW-014



### HIGH QUALITY CHROME VANADIUM SETS

**R285** 10 Piece All Purpose Set with Bolsters  
TSCREW-011



**R100** 6 Piece Set with Hardened Tips  
TSCREW-006

**R545** 26 Piece Wall Mounted or Standing Screwdriver Set  
TSCREW-026



**R275** 53 Piece Ratchet Screwdriver Set  
TSCREW-053

### Tape Measures

**R40** 3m  
TTAPEM-003

**R80** 8m  
TTAPEM-008

**R50** 5m  
TTAPEM-005

**R95** 10m  
TTAPEM-010



**PROFESSIONAL**

**R110** 8m  
TTAPEM-800

**R90** 5m  
TTAPEM-500

This MAC AFRIC tape measure is purposely designed and engineered for the contractor in mind. The tape measure features an auto-lock button, chrome case design, durable rubber grip, magnetic hook and nylon coated tape surface making this tape measure, more durable, wear and corrosion resistant.

### Precision Tool Kits


126 Piece  
**R545**  
TT00LK-126



ALSO AVAILABLE  
170 Piece **R795** TT00LK-170

### 7 Piece Electric Screwdriver Set

**R175**  
TSCREE-007



### Aluminium Speed Squares

**R125** 7" (175mm)  
TSQUAR-007



**R245** 12" (300mm)  
TSQUAR-012



### Caulking Guns

MAC AFRIC.

**R245**  
TGUNCA-003



**SILIGUN**  
Compact 4

**R395** TGUNCA-004



5-in-1 Multifunctional Plier Tool Kit with Interchangeable Heads

**R395** TPLIER-050



### Allen Keys

10 Piece Chrome Vanadium Hex Key with Ball Joint for hard to reach places (shown)

**R85** TKEYSA-010



25 Piece, Metric & Imperial, in Plastic Pouch

**R85** TKEYSA-025

18 Piece Hex & Torx Star Key Set

**R145** TKEYSA-018

### PROFESSIONAL

9 Piece Metric Ball Point Key Set

**R195**  
TKEYSA-109



### Riveters



① **R245** Double Handle (Straight Type) TRIVET-001  
• 3.2 - 4.8mm

② **R295** Hand Riveter TRIVET-015  
• 2.4 - 4.8mm

③ **R895** Lazy Tong TRIVET-017  
• 2.4 - 4.8mm

④ **R265** Rotating 360° (Aluminium Alloy) Hand Riveter TRIVET-002  
• 2.4 - 4.8mm

⑤ **R285** Double Action Labour Saving Hand Riveter TRIVET-003  
• 3.2 - 6.4mm

### Aluminium Levels PROFESSIONAL



600mm **R245**  
TLEVEL-602

1m **R345**  
TLEVEL-101

• Equipped with shockproof end caps and exceptionally clear vials resistant to fogging, leakage, or breakage • Magnetic

### Laser Levels PROFESSIONAL

① (shown) **R2595** 3-line Professional Laser Level (excl. Tripod) TLASER-300

② **R3495** 5-line Professional Laser Level (excl. Tripod) TLASER-500

OPTIONAL EXTRA  
③ **R345** Tripod Stand (shown) TLASER-100



ALBERTON ☎ (011) 869-1100  
Unit No. 60, Lemon Tree Shopping Centre, Cnr. Swartkoppies & Heidelberg Road, New Market ✉ alberton@adendorff.co.za

EDENVALE (MEADOWDALE) ☎ (011) 545-1407  
Unit No. 8, Route 24 Complex, Herman Road, Between Edenvale & Barbara Road Offramps ✉ edenvale@adendorff.co.za



# TOOL BOX SETS, SOCKET SETS & TORQUE WRENCHES

## Hexa Tool Box Sets

Hexa Socket Sets are crafted using top-grade chrome vanadium steel, ensuring the highest quality. These sets feature a Hexagonal Superlock\* Pattern that applies force on the socket face rather than the corners. This design allows the socket to turn metric or imperial sizes, and can even manage worn nuts with ease.



**82 Piece Superlock Chrome Vanadium 6mm (1/4") & 12.5mm (1/2") Drive Socket, Bit & Spanner Set**

**R2495 TSOCKE-082**



**45 Piece Superlock 10mm (3/8") & 12.5mm (1/2") Drive Socket Wrench Set**

- 14 Piece 10mm (3/8") Superlock Sockets: 6 - 19mm
- 20 Piece 12.5mm (1/2") Superlock Sockets: 10 - 32mm

**R2195 TSOCKE-045**



**24 Piece Hardened Chrome Vanadium Superlock Hexagonal Socket Set**

- 12.5mm (1/2") Drive
- 18 Metric Sockets: 10 - 32mm

**R1295 TSOCKE-024**



**48 Piece 6mm (1/4") & 10mm (3/8") Drive Socket/Bit Set**

- 6mm (1/4") Drive: 9 Sockets
- 10mm (3/8") Drive: 9 Sockets

**R1195 TSOCKE-048**



**26 Piece 6mm (1/4") Drive Socket Wrench Set**

**R695 TSOCKE-026**

### 19mm (3/4) Drive Chrome Alloy Mechanics Socket Sets



**R4295 TSOCKE-126**



**26 Piece (shown)**  
• 20 Chrome Alloy Metric Sockets: 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 34, 36, 38, 41, 46, 50, 55, 60, 65mm

**27 Piece • 12 SAE Sockets: 7/8", 15/16", 1", 1 1/8", 1 3/16", 1 5/16", 1 3/8", 1 7/16", 1 5/8", 1 3/4", 1 7/8", 2"** • 10 Metric Sockets: 22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm

**R3695 TSOCKE-127**

**1/2 Drive Ratchet Handles**

**Extendable R295 TRATCH-012**

**Rotatable R245 TRATCH-002**

**Socket Sets**

**20 Piece 3/8 Drive • 1/4", 5/16", 3/8", 7/16", 1/2", 3/16", 1/16", 3/4", 13/16", 7/8", 15/16"**

**Imperial/SAE/AF**

**R895 TSOCKE-020**

**19 Piece Socket Set on Hanger**

- 1/2 Drive • CRV
- Sizes: 8 - 20, 23, 24, 27, 30, 32mm

**R775 TSOCKE-019**

**25 Piece 1/4 Drive**

- Sizes: 4, 4.5, 5, 5.5, 6, 6.5, 7 - 14mm
- Sizes (5 Tube Sockets): 8, 10 - 13mm

**R395 TSOCKE-000** **DIY**

**PROFESSIONAL**

**108 Piece • 1/4" & 1/2" Drive**

**CHROME VANADIUM**

**R1695 TSOCKE-180**

VISIT WEBSITE FOR DETAILED CONTENTS [www.adendorff.co.za](http://www.adendorff.co.za)

### Torx & Hex Bit Sets



**R1095 TTORXB-041**



**R545 TTORXB-042**

**41 Piece • 13-Star L Key**

- 12-Star Socket • 13-Star Bit
- 3-Bit Holder in Metal Case
- Quality Chrome Molybdenum

**41 Piece Torx Bit Set**

- 14-Star Power Bits • 14 Hex Power Bits • 11 Spline Power Bits
- 2 Drive Adaptors

**R485 TKEYSA-007**

**8 Piece 1/2 Drive Hex Bit Set (S<sup>2</sup> Steel)**

- Sizes: 6, 7, 8, 10, 12, 14, 17, 19mm

**R395 TTORXB-009**

**9 Piece • T20 - T60**

- 1/2 Drive Torx Bit, 100mm "Long"

**Power Bars**

**12.5mm (1/2) Drive • Length: 450mm R195 TPOWEB-450**

**19mm (3/4) Drive • Length: 600mm R575 TPOWEB-600**

**25mm (1") Drive • Length: 600mm R595 TPOWEB-025**

**Torque Wrenches** **PROFESSIONAL**

**6mm (1/4) Drive 2 - 24Nm (L = 150mm) R795 TWRENT-005**

**10mm (3/8) Drive 6 - 30Nm (L = 285mm) R995 TWRENT-002**

**10mm (3/8) Drive 6 - 30Nm (L = 320mm) R1445 TWRENT-008**

**12.5mm (1/2) Drive 40 - 210Nm (L = 530mm) R1195 TWRENT-003**

**12.5mm (1/2) Drive 65 - 335Nm (L = 520mm) R1895 TWRENT-006**

**19mm (3/4) Drive 100 - 500Nm (L = 860mm) R2695 TWRENT-004**

**19mm (3/4) Drive 200 - 1 000Nm (L = 1 150mm) R9950 TWRENT-007**

**Click Torque Wrench 12.5mm (1/2) Drive 28Nm - 210Nm (L = 470mm) R575 TWRENT-001** **DIY**

**In-house Calibration Offered (at Aeroton Head Office) on MAC AFRIC Torque Wrenches**

**ENQUIRE IN STORE**

**BOKSBURG**  
(011) 914-1550  
518 Commissioner Street, Boksburg East  
Industrial [boksburg@adendorff.co.za](mailto:boksburg@adendorff.co.za)

**RANDBURG (STRYDOM PARK)**  
(011) 793-3380  
2013 Malibongwe Drive, Randburg  
[randburg@adendorff.co.za](mailto:randburg@adendorff.co.za)

**ROODEPOORT/KRUGERSDORP**  
(011) 664-8336  
17 Carol Road, Opp. Witpoortjie Station, Breaunanda  
[roodepoort@adendorff.co.za](mailto:roodepoort@adendorff.co.za)



# HAND TOOLS & TEST EQUIPMENT

## Digital Multimeters



①	Model DT830D <b>DIY</b>	<b>R85</b> TTESDM-830
②	Model MAS850	<b>R150</b> TTESDM-850
③	Model 266 with Clamp Meter	<b>R195</b> TTESDM-266
④	Model DT920	<b>R235</b> TTESDM-920
⑤	Model EM6187	<b>R945</b> TTESDM-618

## FLUKE Multimeters

SEE RANGE IN STORE

FOR ILLUSTRATION PURPOSES ONLY

Fluke 107	<b>R2695</b> TTESDM-107	Fluke 302 Clamp	<b>R3145</b> TTESDM-302
-----------	-------------------------	-----------------	-------------------------

## 2-in-1 Digital Moisture Meter

- Detecting moisture levels in wood, firewood, drywall, paper, floors and other building materials

**R495** TTESDM-002 **NEW**

## 250 Piece Waterproof Solder Wire Connectors

**R445** TSOLDE-251

## Adjustable Circle Cutter Sets

**R995** TSAHWL-200 (40 - 200mm)

**R1095** TSAHWL-300 (40 - 300mm) **NEW**

## 6 Ton Hydraulic Hole Digger

**R1795** EHOLED-001

- Hole Ø: 22, 27, 34, 43, 49 & 60mm
- Stroke: 16mm
- Capacity: 1.6mm Stainless Steel; 3.2mm Mild Steel

## 42 Piece VDE Electrical Tool Set in Bag

**R1495** TTOOLS-042

## 10 Piece Electrical Tool Kit in Zipper Bag

Contents: • Side Cutting Plier: 150mm  
• VDE Long Nose Plier: 150mm  
• VDE Stripper Plier: 150mm  
• VDE 5 x Screwdrivers (Slotted 4 x 100, 5.5 x 125mm) (Phillips PH0 X 60, PH1 X 80, PH2 X 100mm)  
• Tester: 140mm • 200 - 250V  
• Insulation Tape: 10m

**R695** TTOOLS-210

## Testers

### Metal-Wood Wall Detector

- Wood: 20mm
- Copper Conductors (live) 50mm
- Ferrous Metals: 100mm
- Non-ferrous Metals: 80mm

**R1095** TTESDM-015

### Non-contact Voltage Tester

- Voltage Detecting Range: 5V AC - 1 000V AC
- Frequency Range: 50Hz - 400Hz
- Safety Category: CAT IV 1 000V

**R195** TTESTT-001

### Multifunction Voltage Tester

- Voltage Range: 10 - 690V AC/DC
- Single Pole Voltage: 100 - 690V
- Frequency Range: 45 - 65Hz
- Rotary Field Indication Voltage: 100 - 690V

**R895** TTESTT-002

## 2-in-1 Soldering Station with Digital Display

**R1295** TSOLDE-750

## Ratchet Cable Cutter

**R2495** TCUTTR-001

- Cutting Range: Ø75mm • Suitable for Cu-Al Cable & Armored Cable

## VDE Pliers

### 180mm Side Cutter

**R175** TPLIER-014

### 200mm Combination

**R195** TPLIER-013

### 160mm Wire Stripper

**R160** TSTRIP-002

### 200mm Long Nose

**R185** TPLIER-015

## Crimpers

### Non-insulated Terminal

**R225** TCRIMP-002

Wire Ferrule • Used for electricians & cabling, ideal for insulated terminals

**R225** TCRIMP-003

Model LS-9 • Ideal for non-insulated terminals 1.25 - 8mm<sup>2</sup>

**R225** TCRIMP-004

Model LS-05H • Coaxial Crimper

**R225** TCRIMP-005

Model LS-03C • Insulated Terminal Crimper 0.5 - 6mm<sup>2</sup>

**R225** TCRIMP-006

## Crimping Tool Sets

MAC AFRIC

MC4 for solar installations

**R845** TCRIMP-009

## Hydraulic Type 8 Ton (shown) 11 Ton

	12mm	18mm
Max. Stroke	6, 10, 16, 25, 35, 50, 70mm <sup>2</sup>	16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300mm <sup>2</sup>
Dies	6 - 70mm <sup>2</sup>	16 - 300mm <sup>2</sup>
Crimping Range	9.5mm	19.5mm
Diameter	<b>R895</b> ECRIMP-001	<b>R995</b> ECRIMP-002

**SPRINGS**  
☎ (010) 442-6969  
13 Bell Street, New Era, Springs  
✉ springs@adendorff.co.za

**PRETORIA**  
☎ (012) 329-9579  
300 Steve Biko Road (Voortrekkers Road), Cnr. Adcock Street, Gezina  
✉ pretoria@adendorff.co.za

**CENTURION**  
☎ (012) 653-0586 33 Miracle Park, Cnr. Old Johannesburg Road R101 & Lenchen Extension, Rooihuiskraal  
✉ centurion@adendorff.co.za



# WATER PUMPS, HIGH PRESSURE CLEANERS & VACUUMS

## Pressure Pumps



**R1595**  
HPUMPP-008  
0.37kW End Suction Peripheral Vane Pump



**R2145**  
HPUMPP-010  
0.75kW End Suction Peripheral Vane Pump

**R2295**  
HPUMPP-009  
0.75kW End Suction Single Stage Centrifugal Pump

	① 0.75kW	② 0.37kW	③ 0.75kW
Max. Flow	7.2 (m³/h)	2.4 (m³/h)	3.6 (m³/h)
Head Range	14 - 32 (m)	1 - 27 (m)	2.5 - 53 (m)
Max. Suction	7 (m)	8 (m)	8 (m)
Including Pressure Flow Control Switch	<b>R2295</b> HPUMPP-009	<b>R1595</b> HPUMPP-008	<b>R2145</b> HPUMPP-010

## Stainless Steel Pressure Pumps



0.75kW 85l/min 40m Head  
1.1kW 100l/min 48m Head

**R2495**  
HPUMPP-004

**R2995**  
HPUMPP-005

OPTIONAL EXTRA  
230V Pressure Flow Control Switch  
• 10 Amp



**R595** HPUMPP-006

## Submersible Pumps



SP400 with Float Switch (Clean Water), 5m Head	<b>R995</b>	HPUMPS-001
SP550 with Float Switch, 7m Head	<b>R1195</b>	HPUMPS-002
SP750 with Float Switch, 8m Head	<b>R1295</b>	HPUMPS-004

## Sewage Pumps



	① 0.55kW, 230V	② 1.1kW, 230V
Head	7m	9m
Max. Flow	7m³/h	15m³/h
Pump Body	Stainless Steel & Cast Iron	Cast Iron
	<b>R2995</b> HPUMPD-101	<b>R4895</b> HPUMPD-202

COLOUR MAY VARY

## 30 Liter Water Filter Vacuum Cleaner

**R3495** HVACUM-001

Equipped with a robust 1600W motor, this vacuum cleaner features an advanced 3-stage air filtration system, making it the perfect cleaning solution for your home, car, or workshop. The first stage utilizes a standard dust cloth filter to capture larger particles. The second stage incorporates a water filtration system with a reservoir located at the bottom of the vacuum, effectively trapping finer dust and debris. Finally, the air passes through a high-efficiency HEPA filter, ensuring a much cleaner and dust-free environment compared to traditional vacuum cleaners.



## 12V DIY DC Water Pump

**R225**  
HPUMPW-012



**R545** HPUMPW-013

DIY

## Vacuum Cleaners

30ℓ Wet & Dry  
• 1 200W

**R2295**  
HVACUM-030

70ℓ Wet & Dry (shown)  
• 2 000W • Dual Motor

**R4695** HVACUM-070



## Foam Machine

Ideal for Car Wash  
Compressor Required

**R1995**  
HFOAMS-070

- Capacity: 70ℓ
- Low Pressure
- Operating Pressure: 1 - 2.5 bar • Pneumatic



SILVER LAKES (PRETORIA EAST) ☎ (012) 054-5969  
Silver Oaks Crossing (Shop 41), Cnr. Solomon Mahlangu & Von Backstrom Boulevard, Pretoria East ✉ silverlakes@adendorff.co.za

VEREENIGING ☎ (016) 422-6057  
26 De Villiers Avenue  
✉ vereeniging@adendorff.co.za



# LIGHTING & POWER TOOLS

## LED 3-Way Portable Tripod Working Light with Stand



ADJUSTABLE:  
Vertical: 180°  
Horizontal: 270°

**R1495** HLIGHTS-300

- 3 settings: 1 500, 4 000, 7 000 Lumens.
- Provides adjustable brightness settings of up to 7000 lumens and features an adjustable light angle to ensure comprehensive illumination.
- Powered by a rechargeable 7.3V (4000mAh) battery, it offers between 1.5 to 7 hours of runtime, making it the perfect companion for projects on the go.

## Magnifying LED Lamps



**R595** HLIGHT-001

- Lens Material: Glass
- 3.5W • 100 - 240V
- Free Standing
- With on/off Switch



**R995** HLIGHT-002

60 Piece LED  
125mm (5")

- Lens Material: Glass
- 3.5W • 100 - 240V
- With Table Clamp
- With on/off Switch

## Combination Rotary Tool Kits with Accessories



125W • 230V

**R395**

HENGDR-004

130W • 230V

**R695**

HENGDR-210

170W • 230V

**R795**

HENGDR-190

Versatile Tool Kits for Drilling, Engraving, Polishing, Cleaning, Cutting and Grinding. Ideal for D.I.Y. Hobby and Model Enthusiasts for Intricate Detailed Work.

## MACAFRIC Portable Lighting



1	Rechargeable Portable LED Lantern	<b>R195</b> HLIGHT-002
2	Rechargeable LED Lantern • 3 Settings (high = 1 500 lumens)	<b>R375</b> HLIGHT-001
3	Aluminium LED Rechargeable Spotlight • 800 lumens	<b>R445</b> HLIGHTS-036
4	Rechargeable Lithium Ion Spotlight with Side Light	<b>R395</b> HLIGHT-010
5	Rechargeable LED Flashlight • 1 000 lumens	<b>R275</b> HLIGHT-009
6	Search Glare Rechargeable Flashlight • 800 lumens	<b>R495</b> HLIGHT-012
7	Rechargeable LED (90 PCS) Emergency Light	<b>R285</b> HLIGHT-007
8	Multifunction Rechargeable Search Light with FM & MP3 Media System & Bluetooth	<b>R795</b> HLIGHTS-100

# POWERPLUS®



2 300W,  
230mm  
Angle Grinder  
(POWP1030)

**R2295** YGRINH-230



1 600W  
Rotary  
Hammer Drill  
(POWX1175)

**R2295** YDRILR-155



650W  
Impact Drill  
(POWX026)

**R845** YDRILI-002



900W, 115mm  
Angle Grinder  
(POWX0611)

**R895** YGRIND-900



1 200W  
Variable  
Speed Router  
(POWX0910)

**R2195** YROUTR-001



950W Belt  
Sander  
(POWX0460)

**R2095** YSANDB-001



1 400W  
Circular  
Saw  
(POWX0520)

**R2295** YSAWCL-001



450W  
Random  
Orbital  
Sander  
(POWX0471)

**R1395** YSANDR-001



900W  
Biscuit Jointer  
(POWX131)

**R1795** YBISCT-001



900W Reciprocating  
Saw (POWX0397)

**R1445** YSAWRP-005



220W  
Mouse Sander  
(POWX0480)

**R795** YSANDM-001



600W Variable  
Speed Jigsaw  
(POWX0330)

**R1045** YSAWJG-001


**BLOEMFONTEIN** ☎ (051) 448-1689  
Oliver Tambo Road (Church Street), Cnr. Harvey Road, Blackwood  
Crossing, Oranjesig ✉ [bloemfontein@adendorff.co.za](mailto:bloemfontein@adendorff.co.za)

**WELKOM** ☎ (057) 355-6600  
137 Constantia Street, Dagbreek  
✉ [welkom@adendorff.co.za](mailto:welkom@adendorff.co.za)





# MAC AFRIC® POWER TOOLS



Scan here to view our extensive power tool range and detailed specifications



840W Planer  
**R1395** SPLANE-001



**R1595** SSAWCL-001

1 400W Circular Saw

Disc not included



550W Router Trimmer  
**R795** SROUTR-002



710W Electric Drywall Screwdriver  
**R795** SSCREW-001



700W Impact Drill  
**R695** SDRILI-001



720W, 26mm Rotary Hammer Drill  
**R1495** SDRILI-002



680W Blower/Vacuum  
**R595** SBLOWR-001



800W, Electric Mixer  
**R895** SMIXER-001



590W Reciprocating Saw  
**R1395** SSAWRP-001



**NEW**  
1 500W Rotary Hammer Drill  
• SDS Plus  
**R1695** SDRILR-036

## PROFESSIONAL

960W Rotary Hammer Drill



• SDS Plus  
**R1695** SDRILR-030

## 20V Cordless Range



Driver/Hammer Drill (Tool Only)  
**R1295** SDRILC-008



Brushless Impact Driver (Tool Only)  
**R1195** SDRILC-010



Brushless Angle Grinder (Tool Only)  
**R1495** SGRINC-002



Brushless Rotary Hammer Drill (Tool Only)  
**R1995** SDRILC-025



Brushless Impact Wrench (Tool Only)  
**R995** SWRENC-002

Batteries are for illustrative purposes only. Not included



185mm Circular Saw  
**R1795** SSAWCL-002



Cordless Blower  
**R895** SBLOWC-002



4.0AH Battery  
**R995** SBATTR-005



Battery Charger  
**R495** SCHARG-002

## Demolition Breakers



• 1 750W • 48J • 24.2kg  
**R5995** TBREAK-175



• 1 500W • 45J • 20kg  
**R5950** TBREAK-110



• 2 050W • 50J • 45kg  
**R11950** TBREAK-205

1 650W Router

**R1695** SROUTR-001



550W Die Grinder  
**R795** SGRIND-006

2 000W Heat Gun

**R445** THEATG-001



## Angle Grinders



710W DIY, 115mm  
**R495** SGRIND-112



2 200W, 230mm  
**R1495** SGRIND-230



840W, 115mm  
**R595** SGRIND-115

RUSTENBURG (014) 594-1545  
Oliver Tambo Drive R104, Cnr. Beyers Naude Drive  
✉ rustenburg@adendorff.co.za

KLERKSDORP (018) 462-1116  
99 O.R., Tambo Street (Church Street), Cnr. President Kruger Street  
✉ klerksdorp@adendorff.co.za



# WELDING



MMA

**EXCELLENT QUALITY**

## MAC AFRIC DC Inverter Welders

**PLEASE NOTE:** Use minimum 2.5mm<sup>2</sup> Core Extension Cord

**ACCESSORIES INCLUDED** | Electrode Holder and Earth Clamp

	Model	Voltage	Duty Cycle	Price
ICBT	Model 140 Mini D.I.Y.	230V	35%	<b>R1295</b> EWELDS-140
	Model 161 D.I.Y.	230V	60%	<b>R1695</b> EWELDS-161
	Model 201 D.I.Y.	230V	60%	<b>R1995</b> EWELDS-201
	Model 315	380V	40%	<b>R7495</b> EWELDS-315
MOSFET	Model 160	230V	60%	<b>R2595</b> EWELDS-160
	Model 200	230V	60%	<b>R2895</b> EWELDS-200
	<b>PREMIUM QUALITY</b>			
	Model 200 with V.R.D.	230V	60%	<b>R3995</b> EWELDS-202
	Model 250	230V	60%	<b>R4995</b> EWELDS-251
	Model 250	380V	60%	<b>R4995</b> EWELDS-250

**NEW**

## MAC AFRIC 200A TIG AC/DC Inverter Welder

- Input Voltage: Single phase 230 V @ 50 Hz
- Welding Modes: TIG / MMA
- Input Current: 24 A (TIG), 26 A (MMA)
- Input Power: 5.6 kVA (TIG), 6.0 kVA (MMA)
- Welding Current: 10-200 A (TIG), 30-160 A (MMA)
- Welding Voltage: 10.4-18 V (TIG), 21.2-26.4 V (MMA)
- Rated Duty Cycle: 40% (TIG) • Pre-flow Time: 0-2 seconds
- AC Balance: 10%-50% • Pulsed Frequency: 1-100 Hz
- AC Frequency: 40-100 Hz • Pulsed Duty Cycle: 10%-90%
- Post-flow Time: 1-10 seconds
- Electrode Diameter (MMA): 1.6-4.0 mm
- Efficiency: 85% • Power Factor: 0.7



**R8995** EWELDT-204

## MAC AFRIC MIG/CUT/MMA/LIFT TIG 4-in-1 Inverter Welder

- Max. Output Current: 200A
- Rated Max. Input Power: 7.9kVA • Power Input: 230V
- Current Range: MIG: 20 - 200A / CUT: 20 - 40A / MMA: 20 - 180A / LIFT TIG: 20 - 180A
- Electrode Ø: MIG: 0.6 - 1.0mm / MMA: 1.6 - 5.1mm
- Max. Cutting Thickness - CUT: 12mm • Duty Cycle: 25%



**R7995** EWELDM-240

## TIG/DC 230V Inverter Welders with High Frequency Start

- Model TIG 160**
  - 3.3kW
  - 60% Duty Cycle
- Model TIG 200 with MMA Function (shown)**
  - 4.8kW • 60% Duty Cycle

**R3995** EWELDT-160

**R4695** EWELDT-200



Suitable for Mild Steel & Stainless Steel (Ferrous Metals Only)

## Spot Welding

**R13950** EWELSP-026 230V  
EWELSP-025 380V

- Rated Power: 25kVA
- Rated Current: 60A • Arm Length: 250mm
- Max. Welding Thickness: 3 + 3mm
- Duty Cycle: 20% • Weight: 120kg



## Hand Held (HS3000) 230 Volt

**R13995** EWELSP-001

- Max. Spot Weld Thickness: 2 + 2mm
- Max. Clamping Force: 120kg
- Min. Rest Period between Welds: 20 sec.
- Weight: 10.5kg



## Welding Magnets

Large: 190mm across	<b>R75</b> EAMAGW-001 (shown)
Medium: 155mm across	<b>R55</b> EAMAGW-002
Small: 120mm across	<b>R35</b> EAMAGW-003



## Oxygen Acetylene Kit

**R2695** EOXYAC-001

Oxygen & Acetylene Regulators, Torch Cutting & Welding Nozzle, Goggles, Spark Lighter, Hoses, with Flashback Arrestor  
N.B. This Kit fits on Large Bottles Only (Large Bottles not supplied with Kit)



GAS

## AC/DC 185A TIG Inverter Welder with MMA Function

**R11950** EWELDT-185

Suitable for Ferrous & Non Ferrous Metals, Mild Steel, Stainless Steel & Aluminium

- 150A • 230V • 35% Duty Cycle



POPULAR CHOICE

OPTIONAL EXTRA Foot Pedal for 185A TIG Welder

**R895** EWELDT-181



## AC/DC TIG Inverter Welder

**PROFESSIONAL'S CHOICE**

**R19995** EWELDT-315

- 300A • 380V
- Output Current (A) 12 - 300 (TIG), 15 - 240 (MMA)
- HF Arc • 60% Duty Cycle



**R14495** EWELDT-201

Suitable for Ferrous & Non Ferrous Metals, Mild Steel, Stainless Steel & Aluminium



**MONTAGUE GARDENS (CAPE TOWN)** ☎ (021) 552-7389  
Unit 1, 21 Montague Drive, Montague Gardens ✉ capetown@adendorff.co.za

**STRAND** ☎ (021) 205-7878  
30 Mynhardt Street ✉ loc30@adendorff.co.za



# WELDING

Adendorff

## Plasma Cutters (DC Inverter) COMPRESSOR REQUIRED



**Cut 40 (shown)**  
**R4295**  
EWELDP-040

- 230V
- HF Arc Max. Cutting: 8mm Mild Steel, 3mm Stainless Steel

**Cut 60**  
230V

**R7495**  
EWELDP-059

380V

**R7695**  
EWELDP-060

- Max. Cutting: 1 - 15mm Mild Steel; 1 - 8mm Stainless Steel
- HF Arc



**Cut 100 (shown)**  
**R15950**  
EWELDP-100

- 380V
- Max Cutting: 1 - 25mm
- 60% Duty Cycle
- HF Arc • 20 - 100A

PLASMA CUT

## Auto Darkening Welding Helmets

- Viewing Area: 96 x 39mm
- Shade Control: Adjustable
- Sensitivity Control: Adjustable
- Switching Time: 1/25 000s • Colour: Black

**R395** EWELDH-006

WELDERS CHOICE



## Panoramic View Auto Darkening Welding Helmet

NEW

- A wide, 180° viewing Angle
- Advanced Auto-darkening Features • Perfect for Welding, Cutting and Grinding Applications
- With TrueView+ Technology and Multiple Modes
- Optimal Visibility and Protection



- Non-adjustable**
- View Area: 91 x 39mm
  - Colour: Matt Black



**R275** EWELDH-002

**R1295** EWELDH-007

## PROFESSIONAL

Fast Reaction Time & Fine Adjustment, Fully Automatic

- Welding & Grinding Function
- Viewing Area: 100 x 60mm
- Switching Time: 1/25 000s
- Colour: Carbon Fibre

- Large Viewing Area: 98 x 87mm
- Shade Range: Internal Selection (9-13/5-8)
- Grinding Function: DIN4 (Internal)
- Delay Time: 0.1 - 1.0s Stepless Variable (Internal)



**R795** EWELDH-005

**R895** EWELDH-004

## MIG135 D.I.Y. Flux Cored Welder

MIG



**R1995** EWELDM-135



The all-new MAC AFRIC 100A IGBT MIG Welder is our smallest MIG welder! Absolutely no gas is required – making this the ultimate welder for portability, convenience, and simplicity. With Improved welding performance on a lower current to enhance welds on thinner materials.

- Input voltage: 230V 50Hz • Output Current: 40 - 100A • Duty Cycle: 20% @ 90A, 60% @ 45A • Wire Diameter: 0.8mm (Flux-cored Wire)

## MAC AFRIC D.I.Y. MIG-MAG Welders

MIG-MAG

ENQUIRE IN STORE → Flux Core Welding Wire

Light Duty for the D.I.Y. Enthusiast  
• 230V • 10% Duty Cycle



Model	Output Current	Price
MIG 150 Gas/No Gas	40A - 140A	<b>R3295</b> EWELDM-150
MIG 195 Gas/No Gas	30A - 190A	<b>R3495</b> EWELDM-195 (shown)

## MAC AFRIC Combination DC MIG Inverter Welders

MIG

New Improved Professional Quality with IGBT Technology & Flux Core Option (Gas/No Gas)

Compact, powerful & easy to use for MIG and ARC welding. With adjustable constant wire feed for smoother, more even welds. This will suit general metal fabrication, which makes it ideal for the general workshop. With the flip of a switch it can change from MIG to ARC.



Model	Voltage	Amp	Duty Cycle	Duty Cycle	Price
Model 200 (shown)	230V	200A	60% @ 200A	100% @ 130A	<b>R8995</b> EWELDM-202
Model 250	380V	250A	60% @ 250A	100% @ 180A	<b>R14995</b> EWELDM-205
Model 350	380V	350A	60% @ 350A	100% @ 270A	<b>R24950</b> EWELDM-351

## MAC AFRIC MIG Welder

EXCELLENT QUALITY

MIG

**R6495** EWELDM-180

PRO-MIG 180, 230V • Gas/No Gas  
• 30 - 180A • MIG/MMA-function

ACCESSORIES INCLUDED | MIG Torch & Earth Clamp



OPTIONAL EXTRA

MIG Spool Gun for Aluminium Welding. Includes roll of 0.8mm - 500g aluminium welding wire

**R2795** EWELDM-181



## MAC AFRIC Model 250 MIG Welder

MIG

- Model 250 • 230V • 60% @ 160A
- Output Current: 40A - 210A

**R9950** EWELDM-203

ACCESSORIES INCLUDED | MIG Torch & Earth Clamp



## MAC AFRIC MIG 500 Inverter MIG/MAG Welding Machine Kit

MIG-MAG

**R34950** EWELDM-500

Experience unparalleled efficiency in industrial welding tasks with our high performing MIG 500 inverter MIG-MAG welding machine. Designed to tackle heavy duty assignments, this robust welding solution stands as the optimal choice for heavy duty applications.

- Input Voltage/Phase/Frequency: 380V/3P/50Hz
- Output Current/Voltage/Duty Cycle @ 40°C: MIG: 500A/39V/60%
- MIG: 387A/34V/100%
- Amps Input at Rated Output: MIG: 38.4A@500A
- Output Range: MIG: 50-500A/72V, MMA: 50-500A/72V • Weight: 42kg



**BRACKENFELL** ☎ (021) 205-7888  
Unit 1, 3 Tee-jay Road (Corner Taurus Road), Everite Industrial Park  
✉ loc27@adendorff.co.za

**GEORGE** ☎ (044) 050-3610  
6 Ring Road, George Industrial ✉ loc29@adendorff.co.za



# ENGINEERING

## Geared Head Metal Lathes

ENQUIRE IN STORE

ONLY AVAILABLE AT CERTAIN STORES

PROFESSIONAL'S CHOICE

GEAR DRIVEN

	(shown) 632C	636A	Turner 3610	Industrial Tool Room D420
Powerful Motor	1.5kW, 230V	1.5kW, 230V	1.5kW, 230V	3kW, 380V
Swing Over Bed	320mm	356mm	356mm	410mm
Swing Over Cross Slide	178mm	220mm	220mm	255mm
Distance Between Centres	1 000mm	1 000mm	1 000mm	1 000mm
Swing over Gap	450mm	506mm	506mm	540mm
Spindle Bore	38mm	38mm	52mm	52mm
Spindle Taper/Tail Stock	MT5/3	MT5/3	MT5/3	MT6/4
Gross Weight	550kg	650kg	650kg	1 500kg
<b>ALSO AVAILABLE</b>	<b>R76950</b>	<b>R89950</b>	<b>R99950</b>	<b>R164950</b>
<b>LARGER MODELS</b>	ELATHE-100	ELATHE-107	ELATHE-106	ELATHE-104
1.5m and 2m from Aeroton Johannesburg South Warehouse Only	<b>ACCESSORIES INCLUDED</b>			
	Pedestal & Splash Cover	Footbrake, Pedestal & Splash Cover	3-axis D.R.O. Footbrake, Pedestal & Splash Cover	Footbrake, Stand & Splash Cover



VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

PLEASE ENQUIRE AT YOUR NEAREST STORE FOR STOCK AVAILABILITY

## 550mm Multi Purpose Geared Head Bench Lathe

WITH MINI MILLING AND DRILLING FUNCTION

- Lathe**
- Motor: 550W, 230V
  - Distance Between Centres: 550mm
  - Max. Swing Over Bed: 250mm
  - Range of Thread: 0.25 - 3.5mm
- Milling**
- Motor: 350W, 230V
  - Max. Drilling Capacity: 13mm
  - Max. Milling Capacity: 16mm
  - Max. Face Milling: 30mm

**R37950**  
ELATHE-251



GEAR DRIVEN

## 500mm Geared Head Bench Lathe

- Motor: 750W, 230V
- Including 3 Jaw Chuck
- Distance Between Centres: 500mm
- Max. Swing Over Bed: 250mm
- Range of Thread: 0.25 - 2.5mm
- Spindle Bore: MT3
- Spindle Speeds: 12 Steps 80 - 1 600rpm
- Weight: 180kg

**R28995**  
ELATHE-250



GEAR DRIVEN

## Bench Type Milling Machines

REVERSABLE MOTOR ALLOWS FOR MILLING AND TAPPING



	(shown) 40mm	32mm
Motor	1.5kW, 230V	0.75kW, 230V
Max. Drilling Ø	45mm	32mm
Face Mill Capacity	80mm	63mm
End Mill Capacity	28mm	28mm
Headstock Swivel	±90°	±90°
Max. Distance Nose to Table	450mm	450mm
Spindle Taper	MT4	MT3
Forward and Backward Travel	175mm	175mm
Working Area of Table	800 x 240mm	700 x 240mm

**OPTIONAL EXTRA**

Stand **R2695** EMILST-001

Horizontal x-axis Auto Feed **R5995** EMILAF-000

**R37950** EMILGH-045

**R32950** EMILGH-032

MAC AFRIC

## Mini Drilling/Milling Machines

WITH AUTO FEED

**R15950** EMILGH-130

**R19950** EMILGH-131



- Drilling Capacity: 13mm
- End Mill Capacity: 16mm
- Face Mill Capacity: 30mm
- Longitudinal Axis (X): 220mm
- Cross Axis (Y): 100mm
- Head Stock Travel (Z): 180mm
- Spindle Taper: MT3
- Throat: 167mm
- Table Size: 390 x 92mm
- T-slot Size: 12mm
- Column Swivel Angle: ±45°
- Main Motor Output Power: 350KW

## Milling Machines

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

ONLY AVAILABLE AT EX JHB SOUTH DEPOT


GEAR DRIVEN

**Turret Head 380V**

Max. Drilling Ø	50mm
Max. Boring Ø	152.4mm
Distance Spindle to Table Surfaces	0 - 405mm
Spindle Speeds	60 - 3 600rpm
Table Size	1 370 x 254mm
Table Travel	400 x 800mm
Motor	2.2kW
Weight	1 320kg

**R149950** EMILGH-632

**ACCESSORIES INCLUDED** Water Pump, Light, D.R.O. 3-axis & Auto Feed



Gear Driven 380V

Max. Drilling Ø	50mm
Max. Boring Ø	120mm
Distance Spindle to Table Surfaces	100 - 480mm
Spindle Speeds	115 - 1 750rpm
Max. Tapping Ø	M16
Table Size	1 120 x 230mm
Table Travel	630 x 350mm
Motor: 1.5kW horizontal, 2.2kW vertical	
Weight	1 450kg

**R134950** EMILGH-635

**ACCESSORIES INCLUDED** Water Pump, Light, D.R.O. 3-axis & Auto Feed



EAST LONDON (043) 422-0596  
11 Dunn Street, Arcadia [el@adendorff.co.za](mailto:el@adendorff.co.za)

PORT ELIZABETH (QOBERHA) (042) 484-3995  
27 Grahamstown Road, North End [pe@adendorff.co.za](mailto:pe@adendorff.co.za)



## 180mm Variable Speed Mini Bench Lathe

**R11450** ELATHE-181

- Motor: 0.4kW, 230V
- Swing Over Bed: 180mm
- Spindle Bore: 20mm
- Spindle Speed Range: (L) 200 - 1 150rpm (H) 460 - 2 500rpm
- Distance Between Centres: 310mm • Tail Stock Taper: MT2



## 520mm Belt Driven Screwcutting Bench Lathe

**R19995** ELATHE-520

- Motor: 0.55kW, 230V
- Swing Over Bed: 210mm
- Spindle Bore: 20mm
- Spindle Taper: MT3
- Spindle Speed: 140 - 1 800rpm
- Distance Between Centres: 520mm
- Includes 3 Jaw Chuck (100mm)



OPTIONAL EXTRA Stand  
**R3495**  
ELATHE-521

## Combination Bench Lathe, Milling & Drilling Machines

WITH AUTO FEED & ADJUSTABLE HEAD

MAC AFRIC



	HQ500	HQ800
<b>Turning</b>		
Swing Over Bed	420mm	420mm
Distance Between Centres	500mm	800mm
Spindle Bore	28mm	28mm
Spindle Taper	MT4	MT4
<b>Drilling and Milling</b>		
Drilling Capacity Ø	22mm	22mm
Powerful Motors	① Lathe 0.55kW, 230V	② Drill 0.55kW, 230V

EXCELLENT QUALITY

PLEASE ENQUIRE AT YOUR NEAREST STORE FOR STOCK AVAILABILITY

**R39995** **R45950**  
EMILHQ-500 EMILHQ-800

## Brake Disc and Drum Lathe

- Motor: 1.1kW, 230V
- The MAC AFRIC disc and drum lathe is a great edition of our garage range. This machine revolutionizes the concept of lathing and offers a complete solution for brake disc and drum reconditioning. The lathe features solid construction, dual functionality with a 3-speed spindle operation for a quality finish in less time. Ideal for disc size(s) 180 - 400mm not exceeding 40mm thickness and for the brake drum's - outer diameter 180 - 450mm. The user-friendly features an infinitely adjustable spindle-feed gearbox that allows the operator to precisely pin point the right settings for precision turning. This machine is a great all-rounder offering reliability and durability to complete the garage workshop.

**R49950** ELATHE-001




ONLY AVAILABLE AT CERTAIN STORES

## 750mm Geared Head Bench Lathe

PROFESSIONAL

GEAR DRIVEN

**R59950** ELATHE-750



OPTIONAL EXTRA Stand  
**R5995** ELATHE-751

The MAC AFRIC ELATHE-750 showcases exceptional engineering, boasting solid construction, remarkable precision, and seamless operation with an array of features. This model stands out as a remarkable value for money and the preferred choice for professional enthusiasts and engineers. It comes equipped with a quick change tool post, significantly reducing set up time for effortless operation. Furthermore, this lathe includes steady and follow rests, an LED worklight, a coolant system and features a 3-axis D.R.O. system for heightened accuracy and repetitive turning.

- Max. Swing Over Bed: 330mm • Max. Length of Workpiece: 750mm
- Max. Swing Carriage: 220mm • Bed Width: 160mm
- Power Output: 1 100W • Spindle Bore: 38mm
- Spindle Taper: MT#5 • Spindle Speeds: 12 steps
- Spindle Speeds Range: 60, 90, 120, 160, 220, 300, 380, 500, 640, 850, 1 110, 1 650rpm

ONLY AVAILABLE AT CERTAIN STORES

## 500mm Geared Head Metal Screwcutting Bench Lathe

GEAR DRIVEN

**R22950** ELATHE-500

- Motor: 370W, 230V
- Swing Over Bed: 205mm
- Spindle Bore: 20mm
- Thread Pitches: 0.4 to 3mm • Auto Feed
- Distance Between Centres: 550mm
- Includes 3 Jaw Chuck (125mm)
- Weight: 125kg



OPTIONAL EXTRA Stand  
**R3695** ELATHE-501

## 550mm Geared Head Bench Lathe

PROFESSIONAL'S CHOICE

GEAR DRIVEN

**R41950** ELATHE-613

- Motor: 1.1kW, 230V
- Max. Swing Over Bed: 330mm
- Spindle Bore: 38mm
- Spindle Taper: MT5
- Tail Stock Sleeve Taper: MT3
- Swing Over Carriage: 210mm
- Distance between centres: 550mm



OPTIONAL EXTRA Stand  
**R4895** ELATHE-614



## Compound Cross Slide Tables




Table Size	①	②
330 x 220mm	425 x 240mm	
Height	115mm	125mm
x-travel	190mm	225mm
y-travel	100mm	150mm
	<b>R3695</b> EATABL-001	<b>R6495</b> EATABL-002

## Dial Gauges & Magnetic Bases

① **Dial Test Indicator Gauge Plunger Type** **R325** EAGAUD-001  
• 0.01mm (shown)

② **Magnetic Base** **R295** EAMAGB-001 (shown)

**Magnetic Base with Micro Adjusting Arm** **R545** EAMAGB-002

② **Dial Test Indicator Gauge with Toggle Switch** **R645** EAGAUG-002  
• Range: 0.8mm  
• Reading: 0.01mm

**Electronic Digital Dial Indicator Gauge Plunger Type** **R985** EAGAUD-002  
• Range: 0 - 12.7mm

## Verniers

**Digital**  
• Power on/off Switch • Metric/Imperial Switch

**150mm Caliper (shown)** **R375** EAVERD-151  
• High Accuracy: Scale: 0.02mm (0.01mm)

**200mm Caliper** **R545** EAVERD-200  
• High Accuracy: Scale: 0.02mm (0.01mm)

**300mm Caliper** **R895** EAVERD-300  
• High Accuracy: Scale: 0.02mm (0.01mm)

**Standard Type** • Stainless Steel

**150mm Caliper** **R275** EAVERN-150  
• Accuracy: 0.02mm

**200mm Caliper** **R295** EAVERN-201  
• Accuracy: 0.02mm

**300mm Caliper** **R595** EAVERN-301  
• Accuracy: 0.02mm

**150mm Dial Gauge (shown)**  
• Stainless Steel  
• High Accuracy, Scale: 0.01mm

**R495** EAVERN-155

## Vices

### Machine Tool Vices

(shown) 80mm **R1295** EVICEM-001

125mm **R1995** EVICEM-125

200mm **R4495** EVICEM-200

**HEAVY DUTY**  
**Offset Vice** **R3195** EVICES-605

### Drill Press Vices

75mm **R255** EVICDP-001

100mm **R285** EVICDP-004

150mm **R425** EVICDP-006

### PROFESSIONAL

100mm **R795** EVICDP-002

150mm **R995** EVICDP-003

### Cross Slide Vices

100mm **R1195** EVICEC-101

150mm **R1595** EVICEC-151

## Semi Universal Dividing Head

Including 130mm 3 Jaw Chuck **R9950** EADIVH-100

ONLY AVAILABLE AT CERTAIN STORES

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

## 160mm Rotary Table

**R8995** EATABL-160

## Lathe Chucks

**3 Jaw (self centering)**  
• 100 - 200mm

**4 Jaw (independent)**  
• 100 - 250mm

PLEASE NOTE:  
To fit these Chucks, Back Plate modifications are required

ENQUIRE IN STORE

## Bench Vices

① **DUCTILE STEEL** **R1950** EVICES-601

② **CAST IRON** **R1595** EVICES-010

ALSO AVAILABLE Large range of Bench Vices from 4" - 8" and Anvils, 20, 30 & 50kg

### WHY DUCTILE STEEL?

It is more flexible and elastic due to its modular graphite inclusions

① **6" 150mm Industrial Bench Ductile Iron, Swivel Base, 16.5kg (shown)** **R1950** EVICES-601

### CAST IRON

4" 100mm Swivel Base, 6kg **R595** EVICES-404

② **6" 150mm Fixed Base, 15.5kg (shown)** **R1595** EVICES-010

**6" 150mm Fixed Base, 28kg** **R1995** EVICES-603 **HEAVY DUTY**

**8" 200mm Fixed Base with Anvil, 45kg** **R3295** EVICES-803

## Micrometers

**OUTSIDE** **R995** EAMICR-004

Set of 4  
• 0 - 100mm • Accuracy, Scale: 0.01mm

**DIGITAL OUTSIDE** **R945** EAMICR-025  
0 - 25mm

**INSIDE (shown) 5 - 100mm** **R2895** EAMICR-100

5 - 30mm **R695** EAMICR-030

ALSO AVAILABLE INDIVIDUALLY

0 - 25mm **R195** EAMICR-125

100 - 200mm **R1495** EAMICR-200

150 - 300mm **R1995** EAMICR-300

## 150mm Measuring Calipers


**OUTSIDE** **R145** EAVERO-150

**INSIDE** **R130** EAVERI-150



# ENGINEERING ACCESSORIES

### 58 Piece Clamping Kits



Stud Size	Table Slot	Price	
M10	T12mm	<b>R995</b>	EACLAM-010
M12	T14mm	<b>R1095</b>	EACLAM-012
M14	T16mm	<b>R1295</b>	EACLAM-014

### 4 Piece Measuring Set



**R695**  
EAMICM-004

- 150mm Vernier • 150mm Steel Rule
- 0 - 25mm Outside Micrometers
- 100 x 70mm Square • In Case

### Coolant Hose Kits



①	1/2" Hose Set & Magnetic Base	<b>R265</b>	EHOSEC-003
①	1/2" Hose Set	<b>R195</b>	EHOSEC-002
②	1/4" Hose Kit	<b>R195</b>	EHOSEC-001

### Machinest 1-2-3 Set Up Blocks



**R595**  
EABLOC-123

### 300mm Surface Gauge



**R695**  
EAGAU-300

### 5 Piece Wiggler & Centre Finder Set



**R245**  
EAFIND-002

### Edge Finder



**R135**  
EAFIND-001

### Arbor Collet Chuck Sets

8 Piece MT2 (2 - 10mm)

**R1295** EACOLT-002

8 Piece R8 (2 - 10mm)

Collet Ø: 2-1.5, 3-2, 4-3, 6-5, 7-6, 8-7, 10-9mm

**R1895** EACOLT-008

9 Piece MT3 (4 - 16mm)

**R1495** EACOLT-016

12 Piece MT3 (M12) ER32 (shown)

**R2495** EACOLT-032

12 Piece R8 (M12) ER32

**R2495** EACOLT-031

### H.S.S. End Mill Sets

Range of loose End Mills available

	Round Shank	Price	
13 Piece	4 - 16mm	<b>R975</b>	EAMILS-016
23 Piece	3 - 25mm	<b>R2595</b>	EAMILS-023

### Boring Bar Sets

9 Piece • Round Shank: 12mm (shown)

**R445** EABORI-009

13 Piece • Round Shank: 18mm

**R745** EABORI-012

F1 - 50 Boring Head • MT3

**R1695** EABORI-050

### "Live" Centres

MT1	<b>R365</b>	<b>R395</b>
	EACENT-002	EACENT-000
MT3	<b>R445</b>	<b>R595</b>
	EACENT-001	EACENT-004
MT5	<b>R895</b>	
	EACENT-005	

### Cutting Tool Sets PROFESSIONAL

Indexable 7 Piece

10mm **R1395** EACUTT-001

12mm (shown) **R1495** EACUTT-000

16mm **R1795** EACUTT-016

Indexable 9 Piece

20mm **R1995** EACUTT-020

25mm **R2595** EACUTT-025

ALSO AVAILABLE ENQUIRE IN STORE

Large range of assorted replacement Cutting Tips for above Sets

www.adendorff.co.za

### Parting Tools

• Square Shank Size: 12 & 16mm

12mm **R85** EACUTP-012

16mm **R125** EACUTP-016

### Assorted D.I.Y. Metal Lathe Cutter Set



Shank Size Price

5 Piece 8mm x 8mm **R265** EACUTB-004

5 Piece 10mm x 10mm **R295** EACUTB-005

8 Piece 6mm x 6mm **R365** EACUTB-008

### Quick Change Tool Posts

4 (Standard) Holders Included

FEATURES:

- Ease of Operation Cuts Set-up Time by 90%
- Handy Lathe Accessory for Tool Rooms & General Engineering Shops
- No Shims are required to Adjust Tools to Correct Centre Height
- Accuracy: 0.0003mm

10mm	<b>R3495</b>	<b>R2495</b>
	EAPOST-010	EAPOST-012
16mm	<b>R2895</b>	<b>R5295</b>
	EAPOST-016	EAPOST-025

PLEASE NOTE: Machining is necessary to install a Quick Change Tool Post on your Lathe

WITBANK ☎ (013) 690-2305  
40 Watermeyer Street, Klipfontein, Ext. 8  
✉ witbank@adendorff.co.za

NELSPRUIT ☎ 753-3580  
Riverside Park, 3 Emnotweni Avenue, (behind Engen Garage), R40  
✉ nelspruit@adendorff.co.za



# METALWORK

Hydraulic Exhaust-Tube Bender

PROFESSIONAL

**R149950**  
GPIPEB-007

HEAVY DUTY



- Motor: 5.5kW, 7.5hp, 380V
- Bending Capacity: 1/2" - 2 1/2" OD
- Max. Bending Capacity: 1/2" - 3" OD
- Swaging Capacity: 1" - 3"
- Hydraulic Pump Output: 4 200psi
- Max. Bending Force: 27 215kg

Hand Pipe Bender



- Max. Bending Angle: 270°
- Wall Thickness (mm): 0.8 - 1.2mm
- Standard Dies: 1/2", 9/16", 5/8", 3/4", 7/8", 1"

**R8495**  
GPIPHB-025

Rated Mild Steel Material Dependant

4 Ton Hand Notcher

**R7995** ENOTCH-000

- Mild Steel • Stroke: 19mm
- Max. Notching: 150 x 150mm
- Cutting Capacity: 16# 1.6mm



Steel Cropper for Round, Angle and Flat Steel



**R5495**  
ESHEAR-002

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Multi Function Shearing Machines

**R49950**

230V

ESHEAR-001

380V

ESHEAR-000



VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Pipe Benders

The Hydraulic Pipe Benders in our collection are specifically crafted for precise cold bending of schedule 40/80 (thick wall) piles, perfectly suited for a diverse range of pipe installations and general engineering purposes (not recommended for thin-wall piping). They are particularly useful for crafting items like gates and more.  
Pipe Wall Thickness requirement: minimum 4mm

12 Ton (shown)

- Bending Capacity: 1/2" - 2" (12.5, 20, 32, 40, 50mm)

**R2595** GPIPEB-012

16 Ton

- Bending Capacity: 1/2" - 3" (12.5, 20, 32, 40, 50, 65, 75mm)

**R3895** GPIPEB-016



16 Ton Hydraulic Horizontal with Stand

- 2 Stage Jack
- Bending Capacity: 1/2" - 3" (12.5 - 75mm)

**R6195** GPIPEB-003

HEAVY DUTY

18 Ton Hydraulic Horizontal with Stand

- 2 Stage Jack
- Bending Capacity: 1/2" - 3" (1.5 - 75mm)

**R7950** GPIPEB-004



Shrinker/Stretcher Combo Set

Ideal for Sheet Metal Forming. Makes it easy to add strength & rigidity to your sheet metal projects.



**R3795**  
EBENSS-001

ACCESSORIES INCLUDED

Complete with Shrinking/Stretching Die Set

Guillotine/Shears



Rated Mild Steel Material Dependant

- Capacity: 1 000 x 1.5mm
- Mild Steel: 1.5mm

**R6950**  
ESHEAR-101

MAC AFRIC

280mm Metal Shear, Bench Type

- Mild Steel: 1mm

**R1095** ESHEAR-003

Multi Function Rolling Type Pipe Bending Machine

**R22995**  
GPIPEB-005

Rated Mild Steel Material Dependant

- Motor: 1.5kW, 230V
- Includes 9 Round Pipe Moulds: 16, 19, 22, 25, 51, 32, 38, 63, 76mm
- 8 Square Pipe Moulds: 16, 19, 22, 25, 30, 38, 40, 50mm
- Bending Wall Thickness: 0.5 - 2mm



Hand Pipe Bending Set

**R3495** GPIPHB-001



- Max. Bending Angle: 180°
- Round Pipe: 10, 12.5, 16, 19, 22mm
- Pipe Wall Thickness: 0.8mm - 1.2mm (Material Dependant)
- 2 Set Square Pipe Dies and Rollers: 19, 25mm

ALSO AVAILABLE

25mm Round Pipe Die  
**R475** GPIPHB-000

Arbor Presses

	Throat Depth	Price
1 Ton	110mm	<b>R1195</b> EPRESA-001
2 Ton	190mm	<b>R2895</b> EPRESA-002
3 Ton	300mm	<b>R4495</b> EPRESA-003
5 Ton	450mm	<b>R9950</b> EPRESA-005

Ring Rollers

Supplied with Standard Set of Forming Dies

MANUALLY OPERATED

For Solids **R24950**  
EBENDR-004

- Solid Flat Bar Mild Steel: 20mm x 5mm min. Ø 160mm 50mm x 10mm min. Ø 400mm
- Solid Square Bar Mild Steel: 10mm x 10mm min. Ø 160mm 20mm x 20mm min. Ø 500mm



**R1995** EBENRR-001

- Ring Size Range: 25 - 75mm
- Round Steel Capacity: 6mm
- Flat Steel Capacity: 5 - 25mm



DURBAN NORTH (SPRINGFIELD PARK) ☎ (031) 263-0007

99 Intersite Avenue (near Bluff Meat Supply and National Security and Fire), Springfield Park ✉ [durban@adendorff.co.za](mailto:durban@adendorff.co.za)



# METALWORK

## Benders

### Compact Bender Set

- 1" - 3" • Mild Steel
- Right Angle Bending
- Capacity: 0 - 200mm
- Suitable for Flat, Square, and Solid Bar

**R2695**  
EBENDR-002

### Universal Type for hot or cold bending (various shapes)

**R3995**

EBENDR-001

- Cold Bending:**
- Square Steel: 16 x 16mm
  - Round Steel Ø: 18mm
  - Angle: 60 x 8mm
  - Flat Steel: 70 x 6mm; 60 x 8mm; 30 x 12mm
- Hot Bending:**
- Square Steel: 30 x 30mm
  - Round Steel Ø: 30mm
  - Angle: 70 x 15mm
  - Flat Steel: 70 x 15mm; 60 x 20mm

### Universal Scroll Bender

**R4950**

EBENDR-000

- Capacity:
- Round Bar Ø: 10mm
  - Flat Bar: 30 x 10mm
  - Square Bar: 10 x 10mm



## Tube Notcher

Attachment for Pedestal Drill

**R1395**

ETUBEN-001

- Spindle: 1/2"
- Tube Capacity: 2" (50mm)
- Angle Capacity: 0 - 60°



## Square Tube Roller

**R4495**

EBENDR-006

Complete with a Set of Rollers

Max. Capacity Mild Steel	Min. Ø	Min Radius
20 x 20 x 1.2mm	450mm	180mm
25 x 25 x 1.2mm	500mm	170mm
30 x 30 x 1.5mm	550mm	200mm
40 x 40 x 1.5mm	600mm	220mm



## Rotary (Jenny) Machine

Supplied with Standard Set of Forming Dies

- Model RM08**
- Capacity: 0.8mm
  - Throat Depth: 177mm (shown)

**R6995**

EBENDR-008

- Model RM18**
- Capacity: 1.2mm
  - Throat Depth: 457mm

**R6395**

EBENDR-012



## Slip Rollers

- High Strength Steel Rollers
- Quick Release Top Roller
- Hardened Steel Gearing

Capacity Roll (Ø size) Price

Mini 305mm x 0.8mm	32mm	<b>R3595</b> ESLIPR-002
900mm x 1.5mm	50mm	<b>R14950</b> ESLIPR-001
1 300mm x 1.5mm	75mm	<b>R26950</b> ESLIPR-003

## Mini Guillotine, Bender & Roller

**R6995**

ESHEET-305

- Capacity: 1mm x 305mm
- Roller Ø: 38mm



## Guillotine, Bender & Roller

MILD STEEL ONLY

Rated Mild Steel Material Dependant

Roller  
Bender  
Guillotine

Width Capacity Price

1 000mm	1 000mm x 1mm	<b>R17995</b> ESHEET-100
1 320mm	1 320mm x 1mm	<b>R32950</b> ESHEET-132
1 320mm	1 320mm x 1.5mm	<b>R42950</b> ESHEET-133



1 200mm

**R9950**

ESHEEB-048

- Capacity: 1mm x 1 200mm

Rated Mild Steel Material Dependant

MAC AFRIC.

900mm

**R6950**

ESHEET-001

- Width: 900mm
- Capacity: 2mm x 900mm



## Foot Shearer/Guillotine

EXCELLENT QUALITY

**R39950**

ESHEAR-132

- Capacity: 1.5mm x 1 320mm
- With Foot Control For Easy Operation

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



## Multi-Purpose Metal Craft Bending Set

Functions: Riveting, Rolling, Bending, Twisting, Scrolling and Shearing

**R7995**

EBENDR-003

### Shearing

- Flat Bar: 30 x 5mm
  - Square Bar: 6 x 6mm
  - Round Bar: Ø 6mm
- Punching** • 4mm Diameter
- Screwing** • Flat Bar: 30 x 5mm
- Square Bar: 10 x 10mm
- Curving** • Flat Bar: 30 x 5mm
- Square Bar: 8 x 8mm
  - Round Bar: Ø 10mm



## Box and Pan Sheet Metal Folders

**R35950**

EBENDB-127

- Capacity: 2.0mm x 1 270mm
- Folding Angle: 135°
- Max. Clamping Bar Lift: 47mm
- Weight: 385kg
- With Foot Control for Easy Operation

Rated Mild Steel Material Dependant

(shown)  
1.0mm x 610mm

**R5995**

EBENDB-160

1.2mm x 1 220mm

**R14950**

EBENDB-122



DURBAN (UMBILO) (031) 202-4355  
192 Umbilo Road, Dalbridge [umbilo@adendorff.co.za](mailto:umbilo@adendorff.co.za)

PIETERMARITZBURG (033) 345-1996  
300 Boom Street [pmb@adendorff.co.za](mailto:pmb@adendorff.co.za)



# ENGINEERING

## Cut-off Machines

### COLD CUT

(shown) 180mm

**R2995**

ECUTLD-180

355mm

**R6995**

ECUTLD-002



2 000W,  
230V, 355mm

**R2495**

ECUTLD-001



**DIRECT DRIVE**

ABRASIVE CUT

**R8795**

ECUTHD-220 230V

ECUTHD-383 380V

**BELT DRIVE**

ABRASIVE CUT

**HEAVY DUTY**

- Motor: 2.2kW • 230V (2 600rpm)
- 380V (2 800rpm)
- Capacity: (Mild Steel) Pipe: 100 Ø x 6mm Wall Thickness
- Angle Iron: 100 x 100 x 10mm • Solid: 40mm

**R9450**

ECUTHD-400

- 400mm • Motor: 4kW, 380V
- Capacity: (Mild Steel) Pipe: 130 Ø x 6mm Wall Thickness
- Angle Iron: 100 x 100 x 10mm
- Solid: 50mm



## Horizontal Metal or Wood Cutting Band Saw

**R7995**

ESAWHV-115



- With Vice on Stand • Motor: 0.55kW, 230V
- Blade Size: 1 640 x 13 x 14TPI
- Suitable for Metal, Wood, Plastic and Steel
- Capacity: Round: 110mm  
Rectangular: 100 x 130mm

## Hydraulic Horizontal Metal Cutting Band Saw

**R50950**

230V  
ESAWHB-916

**R51950**

380V  
ESAWHB-917

- Motor: 1.5kW, available 230V or 380V
- Blade Size: 25 x 0.9 x 3 035mm
- Cutting Capacity: 225 x 335mm
- Blade Speeds: 25/40/51/71rpm



## 200mm Metal Cutting Bandsaw with Swivel Bow

**R29950**

ESAWHV-200

- Power Output: 1.1 KW
- Power Input: 230 V @ 50 HZ
- Cutting Capacity Round: 205mm
- Cutting Capacity Square: 215 x 205mm
- Blade Size: 2.36m



MAC AFRIC

## Magnetic Base Drills with Coolant Feature

PROFESSIONAL'S CHOICE

The MAC AFRIC portable Magnetic Base Drill showcases a high-performance motor within a robust, sturdy design, enhancing overall productivity. Ideal for on-site hole cutting in steel plates, including H-beams, framework, ship building, bridge construction, steel reinforcements, and various other metal working and construction tasks.

Motor	1 200W, 230V	1 850W, 230V
Capacity	35mm	75mm

MAC AFRIC

**R8450**

EDRILM-001

**R18995**

EDRILM-002



ALSO AVAILABLE Large Range Annular Core Bits

ENQUIRE IN STORE

## Bench & Pedestal Drills



**13mm Bench Drill, D.I.Y.**

- Motor: 0.35kW, 230V
- 5 Speed

**R1945**

EDRILB-002

Motor: 0.55kW,  
230V, 12 Speed

**16mm Pedestal Type**

(shown)

**R5695**

EDRILP-002

**16mm Bench Type**

**R4895**

EDRILB-001



ALSO AVAILABLE Pedestal Drills

- Motor: 1.1kW, 230V • 12 Speed
- 25mm
- 32mm

HEAVY DUTY

**R11450**

EDRILP-003

**R12950**

EDRILP-004

## Bench Grinders

TOP QUALITY



- Multi-purpose Bench Grinder with Flexible Shaft **R945** EGRINB-075
- 150mm, 230V, 2 950rpm, 0.25kW **R795** EGRINB-151
- 200mm, 230V, 2 950rpm, 0.35kW **R1195** EGRINB-200
- Combination Grindstone / Wire Polisher, 150mm, 230V, 2 950rpm, 0.52kW **R2695** EGRINB-300
- 150mm, 230V, 2 950rpm, 0.52kW **R2595** EGRINB-152
- 250mm, 230V, 2 950rpm, 0.9kW **R3495** EGRINB-255
- 200mm, 380V (Three Phase), 2 950rpm, 0.9kW **R3295** EGRINB-250
- Combination Grindstone / Belt, 150mm, 230V, 2 950rpm, 0.52kW **R2895** EGRINB-305
- Wet & Dry Bench Grinder, 150mm, 230V, 2 950rpm, 0.52kW **R2895** EGRINB-310
- 200mm Bench Buffer & Polisher, 230V, 2 950rpm, 0.75kW **R2495** EGRINB-201

Follow us on:



Please enquire at your nearest store for stock availability



# WOODWORKING

## Band Saws

**EXCELLENT  
QUALITY**

### 230mm (9"), Bench Model

**R3795** WSAWBS-009

- Motor: 350W, 230V, 50Hz
- Max. Cutting Depth: 80mm
- Max. Cutting Width: 230mm
- Table Size: 305 x 305mm
- Blade Length: 1 575mm, Width: 6.35mm, Teeth: 6 TPI Thickness: 0.3mm



(shown)  
350mm (14") 400mm (16")

Motor	0.75kW, 230V	1.55kW, 230V
Capacity	335 x 160mm	370 x 200mm
Table Pivot Capacity	0 - 45°	0 - 45°
Blade Size	2 480mm	3 050mm

**R12450** WSAWBS-014 **R18995** WSAWBS-016



## 250mm Sliding Compound Mitre Saw

**PROFESSIONAL'S  
CHOICE**

**R4495** WSAWMT-200

- 230V • 50Hz • 2 000W • 4 500rpm
- Cuts 0 - 45° • 45° Tilting Motor
- Blade Size: 254 x 15.9 x 2.8mm



## MAC AFRIC

# CATERING EQUIPMENT

## 5l Sausage Filler

**R2695** HFILER-005



With our MAC AFRIC Sausage Filler, you can make your own sausages/boerewors. With its manual crank, it is an easy process of stuffing and rolling out your own sausages. This kit also comes with a wide variety of filler sizes to suit your needs. Ideal for farmers, hunters, game lodges and home industries.

- Kit includes: 16, 22, 32, 38mm Stainless Steel Tubes.

## Meat Mincer

**R7995** HMIKER-012




When it comes to kitchen appliances, you can rely on our MAC AFRIC Meat Mincer. Perfectly suitable to process and mince fresh meat. Ideal for farmers, hunters, game lodges and home industries. Motor: 850W • Voltage: 230V

## Multi Purpose Band Saw

**R7495** WSAWMF-001

- 550W • 230V
- Table Size: 600 x 465mm
- Cutting Depth: 240mm
- Blade Size: 2 085 x M13 x 6TPI



**NEW IMPROVED MODEL**

## Meat Process Bone Saws

(shown)

- 750W • 230V
- Cutting Depth: 250mm
- Table Size: 375 x 380mm
- Blade Size: 1 650 x 16 x 0.5mm

- **Stainless Steel**
- 750W • 230V
- Table Size: 495 x 440mm
- Cutting Depth: 240mm
- Blade Size: 1 650 x 16 x 0.5mm



**R7995** WSAWMF-004

**R9950** WSAWMF-006

## 250mm D.I.Y. Table Saws

- Motor Output: 1 800W
- Voltage: 230V • Frequency: 50Hz
- No Load Speed: 5 000rpm
- Blade Bore: 16mm
- Blade Diameter: 250mm • Blade Tilt: 0 - 45°
- Table Size Without Extensions: 642 x 532mm
- Max. Cutting Depth: 80mm

**R2995** WSAWLD-004



Super Sturdy Stand

**DIY**

- Motor: 230V, 50Hz, 1 800W
- Blade Size: Ø250mm x Ø16mm
- Table Size: 642 x 532mm
- Cutting Height Max: 55mm/45°
- Maximum Cutting Depth: 0 - 80mm
- Blade Tilt: 0 - 45°

**R4995** WSAWLD-003



**DIY**

Aluminium Table with Extension and Folding Stand

## 250mm Tilting Arbor Table Saw

**R17495** WSAWHD-250

- Motor Output: 2.2kW(3HP) • Voltage: 230V
- Frequency: 60-50Hz • No Load Speed: 3 400rpm
- Blade Bore: 16mm • Blade Diameter: 250mm
- Blade Tilt: 0-45°
- Table Size Without Extensions: 508 x 686mm
- Table Size With Extensions: 1 117 x 686mm
- Mitre Angle Cut: 0-45° • Max. Cutting Depth: 85mm



## 300mm Panel Saw with Saw Scoring Function

**PROFESSIONAL**

**R49950** WSAWPN-302 230V  
WSAWPN-303 380V

- Motor: 2.2kW
- Sliding Action: 2 800mm
- Saw Blade Ø: 300mm

- Major Table Size: 385 x 800mm
- Length of Sliding Table: 3 200mm
- Suitable for Standard Full Sheet Size



**ALSO AVAILABLE** | Range of Adjustable Roller Stands

See website for hints and tips [www.adendorff.co.za](http://www.adendorff.co.za)

Follow us on:





# CONSTRUCTION

### Tamping Rammers

**CONTRACTORS CHOICE**

Petrol engine	① 4 Stroke, 4hp	② 4 Stroke, 4.0hp
Fuel Tank Capacity	3ℓ	3ℓ
Impact Force	<b>16kn</b>	<b>14kn</b>
Shoe Size	L = 350mm W = 280mm	L = 350mm W = 280mm
Weight	<b>82kg</b>	<b>70kg</b>

**R29950** MRAMMR-004    **R24950** MRAMMR-003

MAC AFRIC

### Backhoe Digger

**R58950** MDIGBH-001

PETROL

- 15hp LIFAN Engine
- 250mm Bucket

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

### Drive Unit with Female Coupling for Vibrating Poker

**R5995** MVIBRA-001

PETROL

OPTIONAL EXTRA

Vibrating Pokers Length: 6m

50mm    38mm

**R1895** MVIBRA-002    **R1795** MVIBRA-003

### DFS400 Concrete Cutter

**R18950** MCUTTR-001

PETROL

- Cutting Speed: 5 - 50m/s
- Max. Cutting Depth: 120mm
- Width: 3-5mm
- Max. Power Output: 9hp / 3 600rpm
- Cooling Water Tank Capacity: 28ℓ
- Cooling Form: Spray • Weight: 110kg
- Dimensions: 1 580 x 500 x 900mm
- Blade not included

### ROTSURE Measuring Wheels

PROFESSIONAL

① Model 32 Deluxe    ② Model 16 Deluxe    ③ Model 24 (Large)

**R1095** HWHEEL-001    **R795** HWHEEL-002    **R495** HWHEEL-000

### Power Trowel Float

**R15995** MPOWER-001

PETROL

CONTRACTORS CHOICE

- Ø = 915mm
- 5.5hp Petrol Engine

### Dumpy Level

With Automatic Leveling Function incl. Tripod and 5m Staff

**R4950** TLEVEL-320

ALSO AVAILABLE

Staff **R845** TLEVEL-322

Tripod **R845** TLEVEL-321

### Plate Compactors

	HS090	HS120
Petrol Engine	5.5hp	5.5hp
Plate Size	540 x 440mm	680 x 480mm
Weight	90kg	120kg

**R15450** MCOMPT-090    **R16495** MCOMPT-120 (shown)

CONTRACTORS CHOICE

### Scaffolding

① Tubular Frame 1.5m x 1m Panel	<b>R550</b> TSCAFO-001
② Castor Wheel	<b>R395</b> TSCAFO-002
③ Cross Brace	<b>R235</b> TSCAFO-003
④ Board	<b>R545</b> TSCAFO-004
⑤ Tiebar	<b>R220</b> TSCAFO-005
⑥ Leveling Jack	<b>R295</b> TSCAFO-007

### Concrete Mixers

MAC AFRIC

COLOUR MAY VARY

① 135ℓ (shown) • Motor: 0.55kW	<b>R3995</b> MMIXER-130	ELECTRIC
180ℓ • Motor: 0.65kW	<b>R4950</b> MMIXER-180	
210ℓ • Motor: 1kW	<b>R8695</b> MMIXER-210	
160ℓ • 3hp	<b>R6995</b> MMIXER-161	PETROL
② 350ℓ • 6.5hp • 4 Stroke	<b>R21950</b> MMIXER-350	
• Working Capacity: 254ℓ Volume	<b>R29950</b> MMIXER-500	
500ℓ • 8hp	<b>R29950</b> MMIXER-500	DIESEL
500ℓ • 8hp	<b>R31950</b> MMIXER-501	





# MAC AFRIC GENERATORS & WATER PUMPS

## PETROL STANDBY GENERATORS

**R10950** ①  
MGENER-006

kVA	Nominal Output	Rated Current Output (A)	Voltage (V)	Estimated average fuel consumption (Load dependant)	AVR	Electric Start	Recoil Start	Price
1.25kVA	1kW	4.5 Amp	220V	0.43ℓ/h	✓	✗	✓	<b>R3595</b> MGENER-201
2.8kVA	2kW	9.1 Amp	220V	0.8ℓ/h	✓	✗	✓	<b>R4595</b> MGENER-220
2.8kVA	2kW	9.1 Amp	220V	0.82ℓ/h	✓	✓	✓	<b>R4995</b> MGENER-221
5.6kVA	4kW	18.2 Amp	220V	2.2 - 3.15ℓ/h	✓	✗	✓	<b>R8895</b> MGENER-450
6.5kVA	5kW	22.7 Amp	220V	2.2 - 3.15ℓ/h	✓	✓	✓	<b>R8995</b> MGENER-553
① 7.5kVA	6.2kW	25 Amp	220V	2.5 - 3.15ℓ/h	✓	✓	✓	<b>R10950</b> MGENER-006
② 8.75kVA	7kW	31.8 Amp	220V	2.84 - 3.15ℓ/h	✓	✓	✓	<b>R12450</b> MGENER-008
12.5kVA	10kW	45.5 Amp	220V	4.06ℓ/h	✓	✓	✗	<b>R35995</b> MGENER-010
12.5kVA	10kW	18.6 Amp (380V)/ 15 Amp (220V)	380V/220V	4.06ℓ/h	✓	✓	✗	<b>R36995</b> MGENER-011

7.5kVA



PETROL

② 8.75kVA

**R12450** MGENER-008

Warranties on Generators will be null and void if not installed by a qualified electrician that is registered with the Department of Labour and has the required certification in accordance with the law to issue a COC (Certificate of Compliance) after completion of the installation. All batteries are excluded from the warranty. See website for full T&Cs.



**DIESEL** ③ **R159950** MGENER-050

## INVERTER GENERATORS

- Pure Sine Wave Output • Lower Noise Level • Power Factor P/F = 1



MAC AFRIC

1.8kW

**R6495**  
MGENER-001



3.2kW

**R11450**  
MGENER-003



3.2kW Open Type

**R6750**  
MGENER-004

## Water Pumps



	2" (50mm)	3" (75mm)	4" (100mm)
Motor	5.5hp	6.7hp	9hp
Head	26m	22m	20m
Suction Height	7m	7m	7m
Capacity	22 000ℓ/h	50 000ℓ/h	75 000ℓ/h
<b>Recoil Start</b>	<b>R2995</b> MPUMPS-552	<b>R3695</b> MPUMPS-553	<b>R7295</b> MPUMPS-804
<b>PETROL</b>	For Dirty Water 3" (75mm)	High Pressure	Chemical Pump 2" (50mm)
Motor	5.5hp	5.5hp	5.5hp
Head	25m	55m	25m
Suction Height	6m	6m	8m
Max. Capacity	45 000ℓ/h	10 000ℓ/h	49 000ℓ/h
<b>Recoil Start</b>	<b>R5995</b> MPUMPS-006	<b>R4495</b> MPUMPS-005	<b>R4995</b> MPUMPS-550
<b>DIESEL</b>	2" (50mm)	3" (75mm)	4" (100mm)
Motor	2.8kW	4kW	6.3kW
Head	25m	25m	31m
Suction Height	8m	8m	7m
Rated Speed	3 600rpm	3 600rpm	3 600rpm
Capacity	25 000ℓ/h	50 000ℓ/h	75 000ℓ/h
<b>Electric and Recoil Start</b>	<b>R9950</b> MPUMPS-007	<b>R10950</b> MPUMPS-008	<b>R13995</b> MPUMPS-009

## DIESEL STANDBY GENERATORS

kVA	Nominal Output	Rated Current Output (A)	Voltage (V)	Model Description	Estimated average fuel consumption (Load dependant)	AVR	Price
6.5kVA	5kW	22.7 Amp	220V	Open Type	1.67ℓ/h	✓	<b>R17995</b> MGENER-656
6.5kVA	5kW	22.7 Amp	220V	Enclosed Type 73 db(A) @ 7m	1.67ℓ/h	✓	<b>R21950</b> MGENER-604
Powered by <b>FAWDE</b>							
20kVA P/F = 0.8	16kW	69.6 Amp (220V)	220V	Silent Type with ATS 70 db(A) @ 7m	6ℓ/h	✓	<b>R94950</b> MGENER-017
20kVA P/F = 0.8	16kW	24.3 Amp	380V	Silent Type with ATS 72 db(A) @ 6.7m	6ℓ/h	✓	<b>R94950</b> MGENER-022
30kVA	24kW	43.2 Amp	380V	Silent Type with ATS 72 ~ 75 db(A) @ 7m	7.85ℓ/h	✓	<b>R132950</b> MGENER-030
40kVA	32kW	57.6 Amp	380V	Silent Type with ATS 72 ~ 75 db(A) @ 7m	9.04ℓ/h	✓	<b>R144950</b> MGENER-040
③ 50kVA	40kW	72 Amp	380V	Silent Type with ATS 72 ~ 75 db(A) @ 7m	14.6ℓ/h	✓	<b>R159950</b> MGENER-050

Visit our website for detailed specifications [www.adendorff.co.za](http://www.adendorff.co.za)

Follow us on:





# PLUMBING, GARDENING & AIR COOLERS

## Plumbers Drain Cleaners **PROFESSIONAL**

**Model 200 (Manual Feed/Push)**  
(shown)

**R14995** TDRAIN-201

**ALSO AVAILABLE**  
**Model 75**  
Ideal for Kitchen/Sink  
Drains, Hotel Industry

**R7995**  
TDRAIN-075



VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

## Plumbers Drain Cleaning Rod Sets

**14 Piece**  
• 10 x 1m x 6mm **R1695**  
XRODRN-001

**14 Piece**  
• 10 x 2m x 6mm **R2195**  
XRODRN-003

**HEAVY DUTY**

**14 Piece**  
• 10 x 2m x 8mm **R3295**  
XRODRN-002

## Pipe Chain Vices

**Bench Type**

**R1595**  
EVICES-004

Capacity: 1/8" (3.2mm) - 4" (100mm)

**Tri Stand Type**

**R4495**  
EVICES-003

Capacity: 1/8" (3.2mm) - 6" (150mm)

## Electric Multi Function Pipe Threading Machine with Dies

(shown)

**R11950** GPIPTH-003  
1/2" - 2"

**R17995** GPIPTH-007  
1/2" - 4"



## Hand Pipe Threader

**R1095**  
GPIPTH-001

• Capacity: 1/2" - 2"



## Chain Pipe Wrench

**100mm (4")**

**R995** TPIPCW-004

**R1595** TPIPCW-008  
**200mm (8")**



**MAC AFRIC.**

## Air Coolers



**60SQM**

**R3895**  
XPCFAN-006

**80SQM**

**R8495**  
XPCFAN-001

**100SQM**

**R10950**  
XPCFAN-002

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

## MAC AFRIC 6.5hp Pressure Sprayers



**R5950**  
MSPRAY-006

**R8450**  
MSPRAY-007

• Fitted with hose reel and wheels

Spraying Pressure	15 - 50kg/cm <sup>2</sup>	15 - 50kg/cm <sup>2</sup>
Flow Rate	14 - 22l/min	19.5 - 34l/min
No Load Speed	800 - 1 200rpm	520 - 900rpm

**R5950**  
MSPRAY-006

**R8450**  
MSPRAY-007

## Log Saws

	<b>MAC AFRIC</b>	
	<b>PETROL</b>	<b>DIESEL</b>
	<b>LS 710</b>	<b>LS 700</b>
Motor	13hp	13hp
Blade	700 x 30 x 3.0mm	700 x 30 x 3.0mm
Max. Cutting Ø	240mm	240mm
Max. Cutting Length	2m	2m
	<b>R17495</b> WLOGSW-701	<b>R22950</b> WLOGSW-703

## 36 Ton Log Splitter on Wheels

- Motor: 10hp
- Max. Log Splitting Length: 350 x 600mm

**R29950**  
WLOGSP-032



**PETROL**

See our Log Splitter Range [www.adendorff.co.za](http://www.adendorff.co.za)

## 8 Ton Electronic Kinetic Log Splitter



**EFFICIENT & FASTER**

**R8950** WLOGSP-008

- Model no: HLS8T
- Motor: 230V, 50Hz, 1 800W, IP54
- Log Capacity: Ø: 50 - 300mm
- Length: 520mm • Weight: 84kg

## Tillers

	<b>1</b>	<b>2</b>
	<b>MAC AFRIC</b>	
Engine	52cc (3hp)	212cc (8hp)
Working Width	300mm	700mm
Working Depth	100 - 150mm	150mm
G.W./N.W	15.5/14.5kg	62/59.7kg
	<b>R3595</b> MTILER-001	<b>R9950</b> MTILER-002

**PETROL**

## 7hp Trench Digger



**PETROL**

**R34950**  
MTREND-001

- 7hp • 4 Stroke
- Trench Width: 100mm
- Trench Depth: 150/250/340/450mm
- Average Speed of Trench Digger: 60m/h

Follow us on:

Please enquire at your nearest store for stock availability



# GARDEN EQUIPMENT

## Chainsaws



**R1795** 45cc  
MSAWCH-040

- Powerful MAC AFRIC 45cc engine
- Delivers power to cut through the toughest jobs
- Inertia activated chain brake system
- Easy start
- Primer bulb
- Anti-vibration system

### PROFESSIONAL'S CHOICE



- MAC AFRIC • Oregon Chain • Walbro Carburetor
- Easy start with Decompression Valve
- Long Life Air Filter System
- Controlled Delivery Oil Pump
- Anti-vibration System
- Automatic Choke System
- Primer Bulb

(shown) 45cc 62cc  
**R2950** **R4995**  
MSAWCH-045 MSAWCH-062



**R1295**  
MSAWCH-020

2 000W Electric Chainsaw



**R895**  
MSAWCS-001

Electrical Chainsaw Sharpener

## Earth Auger

① 68cc 2 Stroke Earth Auger Drive Unit Only (shown)

**R2950** MAUGER-002

150mm Auger Bit

**R385** MAUGER-150

② 200mm Auger Bit (shown)

**R435** MAUGER-200



## Vacuum Blowers

### PETROL

Handheld Type, 25.4cc

**R1995** MBLOWR-026

- Powerful 25.4cc, 2 stroke fuel efficient low emissions engine
- Easy-start electronic ignition system
- Two-part blower tube for easy storage
- Light weight design ensuring comfort and easy manoeuvring

Backpack Type, 52.8cc

**R3695** MBLOWR-053

### PETROL

- Powerful 52.8cc, 2 stroke fuel efficient low emissions engine
- Remove debris, dead leaves, and other miscellaneous material from the ground with ease

## Brush Cutters

43cc 68cc  
**R1995** **R2795**  
MBRUSH-043 MBRUSH-068



### PROFESSIONAL

ALSO AVAILABLE

① MAC AFRIC Commercial Brush Cutter (shown)

- Displacement: 52.8 / 53cc

**R4995**  
MBRUSH-052

MAC AFRIC 2-Stroke Hedge Cutter

### PROFESSIONAL

**R3295** MHEDGE-022

- Engine Displacement: 22.5cc
- Trimming Length: 560mm



MAC AFRIC 25L Knapsack Mister Duster

**R2950** MMISTR-050

- Model GX50 • 50cc
- Range: Max. ±12m

# MAIZE POWDER CRUSHING MACHINES



**R6995**  
MCRUSH-003

2.6kW Electrical High Capacity Self Priming Maize Powder Grinding Machine



**R7895**  
MCRUSH-004

2.6kW Electrical High Capacity Self Priming Maize Powder Grinding Machine



### PETROL

**R6295**  
MCRUSH-002

Petrol Powered Maize Powder Crushing Machine



### DIESEL

**R11950**  
MCRUSH-001

Diesel Powered Maize Powder Crushing Machine

1.1kW Electric Corn Thresher Machine



**R3995**  
MCRUSH-005

1.1kW Electric Corn Thresher Machine

150mm, 15hp Wood Chipper



### PETROL

**R25950**  
WCHIPR-003

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

100mm, 6.5hp Wood Chipper



### PETROL

**R12950**  
WCHIPR-002

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

50mm, 6.5hp Wood Chipper



**R8450**  
WCHIPR-001

### PETROL

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

See website for hints and tips [www.adendorff.co.za](http://www.adendorff.co.za)

Follow us on:





# WOODWORKING

## 305mm Planer

**R7995**

**WPLANE-300**

- Input Voltage: 230V / 50Hz
- Power: 1.8kW
- Feed Rate No. 1 (Slow): 4m/min
- Feed Rate No. 2 (Fast): 6m/min
- Maximum Work-piece Width: 330mm
- Minimum Work-piece Length: 140mm
- Work-piece Height: 4.2mm - 150mm
- Maximum Cut Depth Per Pass: 3mm



## Belt & Disc Sanders

- ① **Bench Type** • Motor: 0.30kW, 230V  
• Belt Width: 25mm • Disc: 125mm (shown)

**R1895** **WSANDS-015**



- ② **Bench Type 4" x 6" Belt & Disc Sander**

- Belt Size: 100 x 915mm

**R3295** **WSANDS-016**



- ③ **On Stand (shown)**

- Motor: 0.55hp, 230V
- Disc: 230mm
- Belt Size: 1 220 x 150mm

**R6495** **WSANDS-069**



- ④ **300mm Disc Sander with Stand**

- Motor: 0.75kW, 230V (shown)


**R3950** **WSANDS-012**



## 150mm Surface Planer/Jointer

- Motor: 0.75kW, 230V

**R10950** **WPLANE-150**



## 700mm Bench Morticer

- Motor: 0.37kW, 230V
- Chuck: 13mm
- Spindle Speed: 1 400rpm
- Bushing Size: 19.05mm
- Chisel Capacity: 6 - 12mm

**R4895**

**WMORTI-007**



## Industrial Automatic Planers

ALSO AVAILABLE  
Combination Planer  
& Thicknesser

**R39950**

230V **WPLANE-402**

380V **WPLANE-400**

ENQUIRE IN STORE

(shown)

381mm (15") 508mm (20")

Motor	2.2kW, 230V	2.2kW, 230V
Cutter Head	76mm	80mm
Thickness of Stock	152mm	204mm
Width of Stock	305mm	508mm
Depth of Cut	3mm	3mm
Table Size	381 x 508mm	630 x 510mm
Weight	210kg	375kg

**R24950**  
**WPLANE-375**

**R34950**  
**WPLANE-020**

## MAC AFRIC Work Table with Adjustable Footpads and Large Solid Wood Tabletop

- Adjustable foot pads for stability
- Solid rubberwood top supporting up to 490kg
- Perfect for everything from light DIY to heavy duty tasks
- Dimensions: 113cm x 60cm
- Ample workspace and legroom
- A must-have for craftsmen and hobbyists alike.



**R2795**

**GBENCH-006**

## Horizontal Belt Sander

- Motor: 1.1hp, 230V
- Belt Size: 2 000 x 152mm

**R12995** **WSANDH-001**



## Mortice Lock Fitting Jig

**R1495** **WMORTI-012**

Drill & Bit for illustrative purposes only

MAC AFRIC



## Wood Moisture Tester

**R395** **TTESDM-001**



## Clamps

75mm	<b>R85</b>	<b>G-Clamps</b>
100mm	<b>R110</b>	
150mm	<b>R175</b>	
200mm	<b>R245</b>	
250mm	<b>R295</b>	
300mm	<b>R310</b>	



## Dust Collectors

MAC AFRIC

	0.75kW 230V Motor	1.5kW 230V Motor	2.2kW 380V Motor, Double Head (shown)
	Single Bag	Single Bag	Double Bag
Fan Ø	230mm	300mm	305mm
Inlet Ø	100mm	125mm	150mm
Bag Ø	370mm	500mm	500mm
Bag Height	640mm	850mm	850mm
Air Speed	600cfm (14.15m³/mm)	1 490cfm (42.15m³/mm)	2 300cfm (65.09m³/mm)
	<b>R4495</b> <b>WDUSTC-001</b>	<b>R5695</b> <b>WDUSTC-002</b>	<b>R7895</b> <b>WDUSTC-003</b>



## T-bar Clamps

770mm	<b>R395</b>	1 370mm	<b>R595</b>
1 070mm	<b>R445</b>	1 710mm	<b>R675</b>

## F-Clamps

120 x 250mm	<b>R185</b>	120 x 600mm	<b>R245</b>
120 x 400mm	<b>R225</b>	120 x 1 000mm	<b>R295</b>



## Ratchet Style F-Clamps

120 x 250mm	<b>R375</b>	120 x 600mm	<b>R425</b>
120 x 400mm	<b>R395</b>	120 x 1 000mm	<b>R545</b>



## Heavy Duty Ratcheting Bar Clamps

150mm	<b>R225</b>	<b>WCLAMP-014</b>
300mm	<b>R215</b>	<b>WCLAMP-015</b>
450mm	<b>R225</b>	<b>WCLAMP-016</b>
600mm	<b>R265</b>	<b>WCLAMP-017</b>



**HEAVY DUTY**

## Wood Lathes

**WOODCRAFTERS CHOICE**

### 450mm Between Centres Bench Type

- Motor: 0.55kW, 230V

**R4995** **WLATHE-001**



ENQUIRE IN STORE

ALSO AVAILABLE | Range of Wood Lathe Chucks

### 1 000mm Bench Type

- Motor: 0.37kW, 230V

**R3295** **WLATHE-100**



### 900mm Between Centres with Swivel Head

- Motor: 0.55kW, 230V
- 10 Variable Speeds • 500 - 2 000rpm
- Swivel Head for various turning functions

**R8995**

**WLATHE-900**





# BATTERY CHARGERS & AUTOMOTIVE EQUIPMENT

## iCarsoft Diagnostic Testers



i800 Plus

**R895**  
GTESTC-001



CR Elite

**R4295**  
GTESTC-002



CR Pro

**R5995**  
GTESTC-003

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

## Portable Inspection Camera/Bore Scopes



Visual Inspecting Cleaning Bore Scope

**R2495**  
GSCOPE-006



2-Way Articulating Bore Scope

**R3950**  
GSCOPE-005



Inspection Camera-Bore Scope

**R1895**  
GSCOPE-000

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

## Vehicle Current Tester

**R295** TTESMF-001

- Measurement range: 0.1A ~ 19.9A
- Max. Load: 20A/32Vdc for max. 10 secs.
- Accuracy: ± (2% of reading + 2 digits)



## Mini Coating Thickness Gauge

- Portable coating thickness gauge, which can quickly, nondestructively, and accurately measure non-metallic coating thickness (such as paint, film, etc.) of metal substrate. • Measurement range: 0~1.8mm/0~71.0mil
- Car mode resolution: 0.05mm/2mil
- User mode resolution: 0.01mm/1mil
- Measurement error: ±0.1mm



**R395** GGAUGP-001

## MAC AFRIC 12V Combination Jump Starter (with Inflator)

- Peak Start Current: 400 A • USB Output: 5 V / 3 A
- Output Voltage: 9 V / 2 A, 12 V / 1.5 A
- Battery Capacity: 10 000 MAH (37 WH)



**R1695**  
GSTART-008



1

MAC AFRIC

PROFESSIONAL

12V/24V Lithium Ion Jump Starters

2

	1	2
Start Current	400A (12V); 500A (24V)	600A (12V); 600A (24V)
Peak Current	800A (12V); 1 000A (24V)	1 500A (12V); 1 500A (24V)
Battery Type	Lithium Ion Polymer	Lithium Ion Polymer
Battery Capacity	27 000mAh	45 000mAh

**R3495** GSTART-007

**R6495** GSTART-005

## Battery Chargers/Boosters

Model	Charging Current	Price
320	35A (12V & 24V)	<b>R2195</b> GCHARG-321
400	40A (12V & 24V)	<b>R2495</b> GCHARG-400
600	52A on 12V & 55A on 24V	<b>R2995</b> GCHARG-600

Battery for illustrative purposes only



## Battery Tester & Analyser

PROFESSIONAL



**R2395**  
TTESTB-003

- Testing Range: 100 - 2 000 CCA (12V) • 12V & 24V Starting & Charging System

## 630L 12/24V Charger/Booster

PROFESSIONAL



**R3995**  
GCHARG-630

- Charging & Current: 12V - 60A / 24 - 30A

NEW

Ideal for Standard LiFePO4 Batteries

## Brake Fluid Tester

**R895**

GBRAKT-001



## Analogue Battery Load Tester

- Testing Range: 6 - 12V
- Rated Capacity: 32A to 500A

**R445**

TTESTB-001




## Intelligent/Digital Battery Chargers

EXCELLENT QUALITY



	Charging Current	Charging Stages	Input Voltage	Price
1	1.5 Amp (12V)	3-step	12V	<b>R345</b> GCHARG-001
2	4 Amp (12V) / 2 Amp (6V)	9-step	6V & 12V	<b>R495</b> GCHARG-103
3	8 Amp (12V) / 2 Amp (6V)	9-step	6V & 12V	<b>R695</b> GCHARG-107
4	10 Amp (12V) / 2 Amp (6V)	9-step	6V & 12V	<b>R895</b> GCHARG-110



	Charging Current	Charging Stages	Input Voltage	Price
5	4 Amp	9-step	6V & 12V	<b>R745</b> GCHARG-104
6	8 Amp	9-step	12V	<b>R995</b> GCHARG-108
7	25 Amp (12V)	9-step	12V & 24V	<b>R2595</b> GCHARG-125
8	15 Amp	9-step	12V	<b>R1995</b> GCHARG-126

Visit our website for detailed specifications [www.adendorff.co.za](http://www.adendorff.co.za)



# LIFTING & MATERIAL HANDLING EQUIPMENT

## 230V Electric Hoists

*I-beam for illustrative purposes only*

① 1 Ton Manual Crawl for Electric Hoist For Models: PA250, PA400 & PA1000	<b>R1795</b> GCRAWL-000
Universal Crawl Mounting Bracket	<b>R225</b> GHOIST-001



	PA250, 250kg	PA400, 400kg	PA600, 600kg	PA1000, 500kg
② Capacity Double Line	250kg/5.5m	400kg/5.5m	600kg/5.5m	1 000kg/5.5m
Capacity Single Line	125kg/11m	200kg/11m	300kg/11m	500kg/11m

**MAC AFRIC.** **R2195** GHOIST-250 **R2995** GHOIST-400 **R3295** GHOIST-601 **R7995** GHOIST-500

## 1.5 Ton Gantry Crane



- Adjustable
- Mobile
- Height Adjustment: 2.4 - 3.6m

**R12950**  
GCRANE-000



## 2 Ton Crawls

*I-beam for illustrative purposes only*



COLOUR MAY VARY

(shown)  
Geared  
with Chain

Manual  
Type

I-Beam Size:  
100 - 150mm

I-Beam Size:  
80 - 150mm

**R1895**  
GCRAWL-001

**R1395**  
GCRAWL-002

**MAC AFRIC.**

## Beam Clamp

Model 2000 (shown)  
74 - 230mm


**R795**  
GCLAMB-002



Model 5000  
89 - 320mm

**R1495**  
GCLAMB-005

## Duplex Flat Webbing Slings



	Rated	Length	Width	Price
①	2 Ton	1.5m	30mm	<b>R100</b> GSLING-002
②	3 Ton	2.5m	90mm	<b>R195</b> GSLING-003
③	5 Ton	4m	150mm	<b>R495</b> GSLING-005

## Chain Blocks

### ① Triangle VC Type with 3m Lift

€ Model	Safe Working Capacity	Price
1000	0.75 Ton	<b>R1495</b> GCHAIN-101
2000	1.5 Ton	<b>R1995</b> GCHAIN-102
5000	4 Ton	<b>R3795</b> GCHAIN-105

### ② With 3m Lift

€ Model	Safe Working Capacity	Price
1000	0.75 Ton	<b>R995</b> GCHAIN-001
2000	1.5 Ton	<b>R1395</b> GCHAIN-002
5000	4 Ton	<b>R2895</b> GCHAIN-005

## Electric Chain Hoists (Double Chain)

**HEAVY DUTY**



€ Model	① 1000	② 1000	③ 2000
Safe Working Capacity	0.75 Ton x 6m	0.75 Ton x 6m	1.5 Ton x 6m
Voltage/Motor	230V - 0.8kW	380V - 1.1kW	380V - 1.5kW
Lifting Speed	1.8m/min	3.6m/min	3.4m/min

**MAC AFRIC.** **R14750** GHOIST-100 **R13950** GHOIST-101 **R14950** GHOIST-102

## Lever Blocks with 1.5m Lift

€ Model	Safe Working Capacity	Price
1000	0.75 Ton	<b>R1595</b> GCHALB-001
2000	1.5 Ton	<b>R1995</b> GCHALB-002
3000	2.25 Ton	<b>R2795</b> GCHALB-003
5000	3.75 Ton	<b>R3895</b> GCHALB-005

## Hand Pallet Trucks

**HEAVY DUTY**



	<b>HYDRAULIC</b> (shown) 2.5 Ton	2 Ton	2 Ton (Narrow Fork)	1.5 Ton (Low Level)
Outer Width of Fork	685mm	685mm	520mm	665mm
Inner Width of Fork	360mm	375mm	200.5mm	340mm
Fork Length	1 220mm	1 200mm	1 100mm	1 220mm
Height	85 - 200mm	80 - 200mm	85 - 200mm	52 - 140mm

**R4995** GPALLT-002 **R4695** GPALLT-000 **R4495** GPALLT-005 **R5995** GPALLT-001

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

## Hand Pallet Stacker

- Capacity: 1 000kg
- Lift (Stroke/Travel): 1.6m
- Heavy Duty Construction

**R12950** GPALLT-003

**HYDRAULIC**

**MAC AFRIC.**



Follow us on:



Please enquire at your nearest store for stock availability



# WINCHES, OUTDOOR & 4X4 EQUIPMENT

## 12 Volt Air Compressors



**R1995**

GCOMPR-004

**R2495**

GCOMPR-005

Get plenty of air when you need it with this high volume portable automotive air compressor. The lightweight, portable design makes it easy to store.

- Amperage: 90A • Working Pressure: 8.7 Bar (125PSI)
- Outlet Air Flow: 300ℓ/m

## Tarpaulins

180GSM (Medium Weight)

± 2 x 4m **R175**  
TTARPL-204

± 3 x 5m **R345**  
TTARPL-305

± 5 x 6m **R595**  
TTARPL-506

60GSM (Light Weight)

± 5 x 6m **R245**  
TTARPL-507

**HEAVY DUTY**

PVC 550GSM  
(Heavy Weight)

5 x 6m **R1645**  
TTARPL-156

3 x 5m **R895**  
TTARPL-135



## 12V Winches



Including Fairlead	Motor	Weight	Capacity Rolling Weight	Price
EWK 8 000U 12 Volt (shown)	1.6kW p/m	31kg	3 620kg @ 6m / 2 170kg @ 29m	<b>R4995</b> GWINCH-800
EWG 8 000U 12 Volt	2.7kW s/w	36kg	3 620kg @ 6m / 2 170kg @ 29m	<b>R6495</b> GWINCH-802
EWX 10 000U 12 Volt	4.3kW s/w	38kg	4 536kg @ 5.3m / 2 571kg @ 26m	<b>R7495</b> GWINCH-901
EWX 12 000U 12 Volt	4.5kW s/w	42kg	5 440kg @ 4.8m / 3 125kg @ 25m	<b>R8495</b> GWINCH-912
EWP 12 000U 12 Volt 2 Speed with High & Low Gear	5.4kW s/w	44kg	5 443kg @ 4.9m / 3 084kg @ 25.5m	<b>R9950</b> GWINCH-914

p/m = permanent magnet s/w = series wound

## 12 Volt



Including Fairlead	Motor	Capacity	Price
EWK 2 000D 12 Volt (shown) • 2 Way Control	1.7kW p/m	907kg @ 2.1m	<b>R1495</b> GWINCH-200
EWP 2 500D 12 Volt • 2 Way Control	1.9kW p/m	1 134kg @ 2.1m	<b>R1995</b> GWINCH-250
EWP 2 500A 12 Volt • With ATV Control	1.9kW p/m	1 134kg @ 2.1m	<b>R1995</b> GWINCH-201
EWP 3 500D 12 Volt • 2 Way Control	2.4kW p/m	1 588kg @ 2.1m	<b>R2095</b> GWINCH-350

p/m = permanent magnet

## Trailer Jacks/Jockey



Base Type  
900kg

**R495**

GJACKX-452

(no wheel)

300kg

**R495**


GJACKX-453

450kg

**R895**

GJACKX-451

## Auto Retractable Ratchet Tie Down Straps



Length Price

① 25mm x 4m **R135**  
TTIEDN-010

② 25mm x 3.5m **R175**  
TTIEDN-009

Length Price

③ 38mm x 4m **R265**  
TTIEDN-011

④ 50mm x 5m **R295**  
TTIEDN-012

## High Lift Jacks

	1.21m (48")	1.52m (60")
Capacity	3 000kg	3 000kg
Max. Height	48"	60"
Min. Height	6"	6"
Can Lift	2 Ton at 50% Height 1.75 Ton at Max. Height	2 Ton at 50% Height 1.75 Ton at Max. Height

**R1195** GJACKF-048

**R1295** GJACKF-060

Nylon Base for High Lift Jack

**R465**

GJACKF-001

## Hand Gear Winches

①	<b>1 360kg (shown)</b> • With Nylon Strap Belt • Length of Strap: 7m	<b>R795</b> GWINCH-502
②	<b>1 360kg • With Steel Cable</b> • Length of Cable: 10m	<b>R785</b> GWINCH-501
②	<b>450kg (shown)</b> • With Steel Cable • Length of Cable: 10m	<b>R465</b> GWINCH-050

## Hydraulic Winches



	Oil Flow	Pressure	Capacity	Price
HWN 15 000YD Ideal for Roll Back	20~60 ℓ/min	13MPA	6 804kg @ 1 885.5psi	<b>R13895</b> GWINCH-916
HWD 12 000A 2 Speed ideal for 4x4's	5~45 ℓ/min	11MPA	5 443kg @ 1 595.4psi	<b>R13950</b> GWINCH-915



20ℓ Jerry Can for Fuel, 0.8mm

AVAILABLE IN

**R395**

GCANJR-020



See website for hints and tips [www.adendorff.co.za](http://www.adendorff.co.za)

Follow us on:





# GARAGE EQUIPMENT

## Workshop Presses



**BOTTLE JACK TYPE**



- ① D.I.Y. 12 Ton Bottle Jack Type (shown) **R2695** GPRESS-009
- D.I.Y. 20 Ton Bottle Jack Type **R3695** GPRESS-010
- ② 12 Ton Press with Gauge (shown) **R5495** GPRESS-012
- 20 Ton Press with Gauge **R6795** GPRESS-020
- 20 Ton Pneumatic Press with Gauge (Dual Function) **R7295** GPRESS-021

## Hydraulic Workshop Presses

	(shown) 40 Ton Hydraulic-Pneumatic	100 Ton Hydraulic
Stroke	300mm	500mm
Distance between H-frame	680mm	710mm
Height of Press	1.6m	1.95m
Width of Work Table	325mm	370mm

**R16995** GPRESS-041

**R42950** GPRESS-001



**DIY** 6 Ton Bench Type Hydraulic Press (Bottle Jack Type – no Gauge)

**R1995** GPRESS-006

## Combination 2/3 Jaw Pullers

75mm **R120** TPULLG-075



100mm **R185** TPULLG-100

250mm **R895** TPULLG-250

150mm **R295** TPULLG-150

300mm **R1295** TPULLG-300



## Bearing Separator Kit



**MAC AFRIC** **R995** TBEARS-001


- Range: 30 - 50mm; 50 - 75mm
- Length of Jaws: 110mm (2 Jaw Puller)
- Max. Shaft Length: 210mm

## Professional 6L Ultrasonic Cleaner with Heating and Digital Timer

Equipped with a potent 180W ultrasonic power and a 300W heater, this device is designed to deliver a deep and efficient cleaning for a variety of items.



**R3895** GCLEAN-006



VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

## Parts Washers

USE WATER-BASED SOLVENTS ONLY



90% Compact on Trolley (shown)

- Includes Pump
- 750 x 530 x 900mm

**R3995** GWASHP-091



90% Compact (shown) • Stationary

- Includes Pump • 760 x 520 x 890mm

**R2495** GWASHP-090

180% • Stationary • Includes Pump

- 1 100 x 550 x 900mm
- Suitable for cleaning larger parts

**R3995** GWASHP-180




## 10 Piece Bearing Race & Seal Driver Kit



**R595** TBEARS-006

- Easily replace bearing races without damaging race or axle housing
- Collars fit most wheel bearing sizes
- Machined aluminium construction



## Gear Pullers



	10 Ton (Crank Type)	10 Ton (shown)	20 Ton
Rated Output	10T	① 10T	20T
Reach	160mm	135mm	350mm
Max. Stroke	60mm	170mm	100mm
Spread	250mm	250mm	560mm
	<b>R1995</b> GPULLE-011	<b>R3295</b> GPULLE-010	<b>R5950</b> GPULLE-020

HYDRAULIC

Follow us on:

Buy Online

[www.adendorff.co.za](http://www.adendorff.co.za)



# PANELBEATING EQUIPMENT

**MAC AFRIC** Panelbeating Kits **PROFESSIONAL**

COLOUR MAY VARY

**R695** 7 Piece **GPANEL-001**

**R1795** 6 Piece **GPANEL-009**

Trim Removal Tool Sets

11 Piece (shown) **R225** **GPANEL-011**

27 Piece **R395** **GPANEL-027**

Super Sturdy Portable Foldable Work Paint Stand

- With rubber protection

**R745** **GSTAND-020**

Slide Hammer & Dent Puller Kits **PROFESSIONAL**

**HEAVY DUTY** (shown) 12 Piece **R995** **GHAMSL-013**

14 Piece **R1495** **GHAMSL-014**

Easy Park Hydraulic Vehicle Positioning Jack

PER PAIR **R3695** **GJACKT-150**

Wheel for illustrative purposes only

Wheel Arch Fender Roller **PROFESSIONAL**

- Flares Arches
- Repair Arch Damage
- Bolts directly to Hub Flange
- Adjustable

**R1695** **GPANFR-001**

10 Ton Frame Straightener

With Anchor Post for added Flexibility, includes Accessories as shown

**R17995** **GSTRGT-001**

Dent Lifter Kit with Attachments & Glue Gun

**R845** **GBODYR-001**

OPTIONAL EXTRA **R395** **GHAMSL-002**

Sliding Hammer for Dent Lifter Kit

Paintless Hail Rod Dent Removal Kit

The MAC AFRIC Paintless Hail Rod Dent Removal Kit, abbreviated as PDR, is a comprehensive set of tools designed for efficient dent removal without the need for repainting. It includes a variety of rod tips in different sizes and shapes, along with essential accessories like pump wedges, plastic chisels, chains, and a small hammer. The kit also features an air pump bag, which aids in enlarging narrow gaps without surface damage, making it suitable for car dent repair and other expansion needs such as window gaps.

**R3695** **GBODYR-002**

Hydraulic Body Repair Kits with Attachments

**EXCELLENT QUALITY**

WITH NEW IMPROVED SEALS

**HEAVY DUTY**

(shown) 10 Ton **R2995** **GBODYR-010**

15 Ton **R4995** **GBODYR-015**

20 Ton **R8950** **GBODYR-020**

Model Contents Vary

Polishers **EXCELLENT QUALITY**

① Vertical Polisher • 570W • 180mm **R1195** **TPOLIS-182**

② Angle Polisher • 1400W • 180mm **R1495** **TPOLIS-180**

③ Random Orbital Polisher • 900W • 150mm **R1495** **TPOLIS-151**



# GARAGE EQUIPMENT: AUTOMOTIVE

## 23 Piece Oil Filter Wrench Kit



**R895** GOILFR-002

## Ball Joint Installer/ Remover Kit



**R895** GJOINT-003

## Auxiliary Stretch Belt Removal & Installation Tool Kit



**R695** GBELTS-001

## Cambelt Tension Gauge



**R295**  
GCAMBT-001

## Universal Ball Joint Separator

- Open Range: 50 - 120mm

**R465**  
GJOINT-001



## Universal Bush Remover/ Installer Sleeve Set



**R2295** GBUSHK-001



## Adjustable Fuel Tank Remover

**R225** GFUELR-001



## 6 Piece Telescopic Gauge Set



**R385**  
GGAUGE-001

## Diesel Injector Seat Cutter Set



**R495** GINJEC-007

- Used to clean/decarbonise injector seats. Suitable for a wide range of vehicles • Set of 5 Cutters

## Valve Spring Compressor Set with Pipe Frame



**R295** GVALVC-001

## Wheel Bearing Removal Tool Kit



**R1395** TBARS-005

## 114 Piece Oil Sump Thread Repair Set



**R745** GOILTR-114

## Universal Valve Spring Remover and Installer Compressor Kit



**R1095** GVALVC-002

## Diesel Injector Puller Kit



**R945** GPULLE-004

- With Slide Hammer • Ideal for the removal of stuck and seized common Rail Injectors without dismantling the Cylinder Head

## Timing Tool Kits

LARGE RANGE AVAILABLE: See in store or visit our website @ [www.adendorff.co.za](http://www.adendorff.co.za)



- Suitable for BMW 2.0 (N20/N26)

**R1645**  
GTIMEK-015

PETROL



- Suitable for BMW 2.5, 3.0 (N51-52-52-53-54)

**R1695** GTIMEK-009

PETROL



**R395** GTIMEK-003

- Car Engine Timing Tool Set for VAG 1.2, 1.4 TFSi, 1.4, 1.6 FSi - Chain Drive
- Timing Kit suitable for 1.2/1.4 TFSi and 1.4/1.6 FSi engines
- Kit contains essential tools for crank TDC positioning, camshaft setting and tensioner locking



**R1195** GTIMEK-002

- Suitable for VAG 1.2, 1.4 TFSi, 1.4, 1.6 FSi, Chain Drive
- Suitable for 1.2/1.4 TFSi and 1.4/1.6 FSi Engines
- Contains Essential Tools for Crank, TDC Positioning, Camshaft Setting and Tensioner Locking
- VW and Audi Engine Timing Tool Set for use on Petrol and Diesel Engines. To set the correct timing when replacing the Timing Belt.

Follow us on:



Please enquire at your nearest store for stock availability



# GARAGE EQUIPMENT: AUTOMOTIVE

## Radiator/Water Tank Leak/ Pressure Detector Sets

- Test Cooling Systems for Leaks
- Includes Hand Pump and Test Head

33 Piece

**R1895**

GTSTR-002



15 Piece

**R1595**

GTSTR-001



## Single Stage Vacuum Pump



**R2495**

GVACUM-004

## Hand Held Vacuum Pump

- Suitable for wide range of vehicles



**R345**

GVACUM-001

## Compression Tester Kits



PETROL

**R345**

GCOMPT-003



DIESEL

**R1595**

GCOMPT-002

## 22 Piece Fuel And Aircon Disconnect Set

This Kit is used for fast and easy separation of quick disconnect style fittings.



**R595**

GFUELT-022

## AC Manifold Set for 134A Ref. Gas

**R1095**

GAIRCN-001



- Test, evaluate, fill Air Conditioning Systems
- Highly accurate Gauge Set
- Lets you quickly compare high side and low side pressure readings to manufacturer specifications
- 1/2" ACME Fittings

## Fuel Injector Cleaning System

**R1995**

GFUELT-003



## High Pressure Diesel Pump Test Kit

**R3995**

GTESTD-001



- Accurately measuring the high-pressure fuel circuit of diesel common rail system
- 2,000 bar gauge, pressure relief valve and high-pressure flexible hoses
- Includes a set of dummy pump regulators and injector pipe blanks.

# GARAGE EQUIPMENT: AUTOMOTIVE

## Brake Caliper Wind Back Tool Sets



**R365**

18 Piece

GBRAKE-018

- Winds Back Brake Piston for replacing Brake Pads
- Prevents damage to the Piston & Boot



22 Piece

**R395**

GBRAKE-022

## One Man Brake Bleeder Kit

**R75**

GBRAKB-002



## Pneumatic Brake Bleeder

**R295**

GBRAKB-001



## Fuel Pressure Tester Set

**R325**

GFUELT-001



## Universal Fuel Suction Retriever Pump (1.5 litre)

With Connectors

**R595**

GFUELT-004



## Diesel Injector Tester

**R1695**

GTESTD-001



## 2m Self Priming Hose with Brass Head

**R95**

GPIEPS-001



## Garage Creepers

### Roller Seat with Bottom Tool Tray

**R395**

GCREEP-002



Tools for illustrative purposes only



**R945**

GSTOOL-001

### Swivel Bar / Garage Stool

- The all-new garage stool is perfect for the everyday use by mechanics or DIY enthusiasts

### Padded Mechanics Creeper

**R595**

GCREEP-001



### 48" Plastic Creeper

**R1095**

GCREEP-005



HEAVY DUTY

### 36" Plastic Creeper

**R695**

GCREEP-003



### 44" Heavy Duty Creeper

- Heavy Duty Frame Designs
- 150kg rating

**R1495**

GCREEP-044



HEAVY DUTY

See website for hints and tips [www.adendorff.co.za](http://www.adendorff.co.za)

Follow us on:





# GARAGE EQUIPMENT

## Hydraulic Transmission Jacks

**€ Model-500 Telescopic**

- Height Range: 870 - 1 847mm
- Safe Working Capacity: 0.4 Ton

**R6995** GJACKT-102

COLOUR MAY VARY

## € Model-1000 Low Level

- Length: 760mm
- Width: 430mm • Height: 220mm
- Extended: 625mm • Lifting Height: 760mm
- Safe Working Capacity: 0.8 Ton

**HEAVY DUTY** R4950 GJACKT-100



## 500kg Transmission Jack


- Used in vehicle pits or underneath lifted vehicles to easily remove and transport heavy transmissions.
- Get underweight very quickly if pumped up without load, around 26 - 30 strokes.

**R3995** GJACKT-104

## 1 Ton Hydraulic Coil Spring Compressor

- Capacity: Max. Compression Tension, 1 Ton (hand-pump included)
- Max. Extension: 260mm
- Retracted Dimension: 100mm
- Rod Travel: 100mm

**R2995** GCOILS-010



## Interchangeable Fork Strut Coil Spring Compressor Kit

**R2295** GCOILS-005



## Manual Coil Spring Strut Compressor

- Max. Diameter: 300mm
- Max. Height: 630mm
- Travel/Stroke: 330mm
- Max Shock Absorber Length: 580mm

**R6295** GCOILS-006



## 12V Car Scissor Jacks

- Model 2000
- Lifting Height Capacity: 14 - 43cm

**R1595** GJACKC-004

COLOUR MAY VARY



## NEW 4-in-1 Car Jack Impact Wrench & Tyre Inflator



- With an Electric Impact Wrench, Built-in Light, Versatile Safety Hammer, Gloves, and Built-in Tyre Inflator • Connects to 12V DC supply
- Fits into a portable carry case • Features an 11" 450mm lifting range for anything up to 1.5 tons.

**R2495** GJACKC-001

## 12V Hydraulic Jack

**R3495** GJACKC-002

- Safe Working Capacity: 2.25 Ton
- Lifting Height: 20 - 56cm • Stroke: 350mm



## Mini Trolley Jacks

	2250-LD	2250-HD
Weight	8.3kg	12.5kg
Lifting Height	135 - 330mm	135 - 385mm
Safe Working Capacity	1.1 Ton	1.5 Ton

**R695** GJACKT-000

**R895** GJACKT-001



## Digital Tyre Pressure Tester Gauge

- Accurately measuring tyre pressure, with both metric and imperial output units.
- Digital display with LED backlight allows easy use even in low-light environments.
- The gauge is equipped with a bleed valve for precise pressure adjustment.
- Heavy duty rubber cover ensures durability.
- The 360-degree rotatable chuck makes it user-friendly from any angle.



**R225** GTYREG-006

## Garage Trolley Jacks

**HEAVY DUTY**

### Model-2500 Short Wheel Base

- Lifting Height: 120 - 500mm
- Safe Working Capacity: 2.0 Ton • 32kg

**R2495** GJACKT-002

### Model-3000 Short Wheel Base

- Lifting Height: 100 - 530mm
- Safe Working Capacity: 2.25 Ton • 42kg

**R3695** GJACKT-300



## Bottle Jacks

**EXCELLENT QUALITY**



€ Model	Safe Working Capacity	Min. Height	Max. Height	Price
2	2 Ton	158mm	308mm	<b>R245</b> GJACKB-002
5	5 Ton	200mm	405mm	<b>R375</b> GJACKB-005
10	10 Ton	240mm	480mm	<b>R495</b> GJACKB-010
20	15 Ton	250mm	490mm	<b>R895</b> GJACKB-020
30	20 Ton	285mm	475mm	<b>R1245</b> GJACKB-030
50	30 Ton	285mm	480mm	<b>R1945</b> GJACKB-050

## Long Reach Trolley Jacks

**HEAVY DUTY**

€ Model	Safe Working Capacity	Lifting Capacity	Length of Jack	Weight of Jack	Price
3000	2.25 Ton	600mm	1 290mm	54kg	<b>R6495</b> GJACKT-003
5000	4.0 Ton	685mm	1 410mm	89kg	<b>R9950</b> GJACKT-005
10000	8 Ton	700mm	1 560mm	133kg	<b>R15950</b> GJACKT-010
20000	11 Ton	640mm	1 420mm	230kg	<b>R21950</b> GJACKT-020



# GARAGE EQUIPMENT

## Pneumatic Tyre Changers and Balancers

Wheel for illustrative purposes only

	Compressor Required	(shown) CB530	② CB800
Motor Power		230V	230V
Rim Width		40 - 310mm	40 - 510mm
Rim Ø		254 - 508mm	265 - 615mm
Balancing Speed		210rpm	200rpm
Rim Accuracy		1G	1G
		<b>R17995</b> GTYREB-001	<b>R21995</b> GTYREB-002

Wheel for illustrative purposes only

Compressor Required

	(shown) Model F 112	Model LT 910	Model LT 950A With Helping Arm
Motor	1.1kW, 230V	1.1kW, 230V	1.1kW, 230V
Internal Clamp	12" - 22"	14" - 26"	14" - 26"
Max. Wheel Ø	1 000mm	1 100mm	1 100mm
Max. Wheel Width	270mm	381mm	381mm
	<b>R17995</b> GTYREC-002	<b>R24995</b> GTYREC-005	<b>R34950</b> GTYREC-006

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

## LT-690 Truck Tyre Changer

Wheel for illustrative purposes only

**R109950**  
GTYREC-004

- Power Output: 2.2kW • Voltage Input: 230V @ 50HZ • Max. Wheel Weight: 1 600kg
- Rim External Clamping: 355 - 1 422mm
- Max. Wheel Diameter: 2 300mm
- Max. Wheel Width: 1 065mm • Bead Loosening Force: 2 500kg • Clamping Force: 4 000kg

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

## Motorcycle Lift Jack

**R2495**  
GJACKM-001

- Base: 290 x 290
- Min. Height: 130mm
- Max. Height: 420mm

## Combination Hydraulic Bead Breaker only

**R3695**  
GBEADB-001

## Pneumatic Hydraulic Pump for GBEADB-001

**R3495**  
GPUMPS-001

## MAC AFRIC

### Wheel Chocks

<p><b>Mighty 5T</b></p> <p><b>R75</b> EACH GSTAND-203</p>	<p><b>Mighty 20T</b></p> <p><b>R140</b> EACH GSTAND-202</p>
---	---

## MAC AFRIC Engine Stands

Adjustable Arms to fit all Popular Car & LDV Engines

① Model 450 Universal (4 & 6 Cylinder Engines)	<b>R1195</b> GSTAND-450
② Model 550 Universal with Oil Pan & Parts Tray (4 & 6 Cylinder Engines)	<b>R2295</b> GSTAND-550
③ Model 900 (4, 6 & 8 Cylinder Engines)	<b>R2495</b> GSTAND-900
④ Model 900 with Geared Rotator (4, 6 & 8 Cylinder Engines) (shown)	<b>R4495</b> GSTAND-100

## Model 2000 Engine Cranes

Fixed Frame • Nett Weight: 85kg  
• Gross Weight: 88kg

(shown) **R4495**  
GCRANE-002

OPTIONAL EXTRA  
**R595** (shown)  
750kg Load Leveller

**HYDRAULIC**

ALSO AVAILABLE | Extra Heavy Duty Type Model 2 000 for Trucks

- Nett Weight: 168kg
- Gross Weight: 191kg

**R9450**  
GCRANE-005

Foldable with 6 Wheels (shown)

- Nett Weight: 85kg
- Gross Weight: 89kg

**R4695** GCRANE-004

With Pneumatic Function

- Nett Weight: 83kg
- Gross Weight: 86kg

**R4995** GCRANE-003

## 4 Ton 2 Post Electric/Hydraulic Lift

Vehicle for illustrative purposes only

COLOUR MAY VARY

**AUTO RELEASE**

**R35950** \*  
GLIFTS-003

**MANUAL RELEASE**

**R34950** \*  
GLIFTS-002

Warranty nul and void if not installed by a certified accredited installer. Please contact your nearest Adendorff branch for contact details of certified installers.

\* AVAILABLE FROM AEROTON JOHANNESBURG SOUTH WAREHOUSE ONLY

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

## Ratchet Type Jack Stands

**MAC AFRIC**

3 Ton Capacity for Cars (shown)	<b>R395</b> PER PAIR GSTAND-003
6 Ton Capacity for LDV's & Trucks	<b>R675</b> PER PAIR GSTAND-006
12 Ton Capacity for LDV's & Trucks	<b>R1595</b> PER PAIR GSTAND-012



# GARAGE EQUIPMENT

## 12V Diesel Pump

### Complete Kit (shown)

- 40l/min
- Includes Pump, Gun, Hose, Meter and Bracket

**R2895**  
HPUMPO-008



ALSO AVAILABLE | 230V Models (single phase)  
ENQUIRE IN STORE

### ALSO AVAILABLE

- |              |             |            |
|--------------|-------------|------------|
| ① Pump Only  | <b>R895</b> | HPUMPO-011 |
| ② Hose Only  | <b>R845</b> | HPUMPH-005 |
| ③ Gun Only   | <b>R345</b> | HPUMPO-009 |
| ④ Meter Only | <b>R845</b> | HPUMPO-010 |

① + ② + ③

**Pump + Gun + Hose (Kit)**  
**R1895** HPUMPO-007  
(Excluding Bracket)

## Rotary Hand Drum Pumps

### Fits into a 210l Drum

Ideal for Oil, Paraffin & Diesel (shown)

**R395** TPUMPD-001

### Aluminium Hand Pump

Ideal for Oil, Paraffin & Diesel

**R695** TPUMPH-001

### P.P. (Polyphenylene)

Ideal for: AdBlue/DEF, water, alcohol, kerosene, lubricant, water-based chemical acid and alkali solutions

### PROFESSIONAL

**R795** TPUMPD-003

## Auto Retractable Hose Reels

SUITABLE FOR OIL

15m

**R4495**  
GHOSEO-001

HEAVY DUTY

SUITABLE FOR GREASE

10m

**R2895**  
GHOSEG-010

(10mm) 3/8" Air Couplers Male or Female **R60** each

## Pneumatic Oil Pump

### Pneumatic Mobile Oil Dispensing Kit

(without drum) (complete unit shown)

- Ratio 5:1
- Trolley, Pump, Hose Reel & Digital Oil Gun

**R13950**  
HPUMPO-004

### Pneumatic Oil Dispensing Pump (only)

- Ratio 5:1

**R6295**  
HPUMPO-003

### Digital Oil Gun (only)

- Flow Rate: 0 - 60l/min

**R2195**  
HPUMPO-005

Drum for illustrative purposes only

## Grease Pump

### G.Gun 10l High Pressure Foot Operated Grease Drum

- Two Stage Pump
- Canisters can use 5 - 8kg Grease

**R2495** GGREAS-009



## 8kg Foot Operated Grease Drum

Featuring a foot-operated treadle. Allows for hands-free operation. Includes a lock-on grease coupler for precise delivery. Ideal for heavy-duty use. Minimizes wastage and mess while ensuring optimal performance.

**NEW**

**R2195** GGREAS-010



## 9l Fluid/Oil Extractors

Capacity: 9 litres. Utilised for extracting various fluids, particularly favoured in automotive maintenance for removing oil substances from engines and confined areas.

### ① Manual

**R1195**  
HPUMPO-013

### ② Pneumatic

**R1195**  
HPUMPO-012



**NEW**

## 12l Oil Lube Dispenser & Drum

Designed for easy and efficient dispensing of all types of lubricants. Featuring a handle with three pivot points to handle different viscosities. Ensures smooth and effortless pumping action. Large capacity and robust design.

**R1195**  
GOILCN-004



## 12V Mini Oil Extractor Pump



PVC Clear Pipe included

**R375**  
HPUMPO-002

## Grease Guns



400cc

**R240**  
GGREAS-400

500cc

**R250**  
GGREAS-501

600cc

**R275**  
GGREAS-600

## Pneumatic Grease Drums

Includes Hose, Gun & Trolley

Grease Pump

Inlet Pressure

Price

**HEAVY DUTY**

12l (shown)

6 - 8 bar

**R2950** GGREAS-012

30l

6 - 8 bar

**R4495** GGREAS-005

40l

4 - 8 bar

**R4995** GGREAS-017



Follow us on:



Please enquire at your nearest store for stock availability



# SANDBLASTING EQUIPMENT

## Sand Blast Guns



**Sand Blast Pot Gun with 4 Nozzles**

**R245** AGUNSB-000

**Gun with 4 Ceramic Nozzles**



**R245** AGUNSB-003

**Gravity Feed (Top Load Type)**



**R495**  
AGUNSB-118

**Sandblasting Hood**



**R395**  
GCABSB-008

**Sandblasting Sand (Fine Grit)**

- 25kg Bag • 47 - 58 Microns

**R75** GCABSG-030



**90L "Dust Free" Sandblasting Unit complete with 1 200W, 230V, Vacuum, Hose and Gun**

**R6495** Compressor Required  
GPOTSB-001



**Sand Blast Pots**

Features:

- Range of Blasting Pressure: 420kPa - 900kPa (4.2 - 9 bar)
- Nozzle Sizes: Ø 2.4, 2.7, 3.2, 3.6mm

**45L**

**R2195**  
GPOTSB-045

**90L**

**R2995**  
GPOTSB-090

## Sandblasting Cabinets



**Bench Type**

- Complete with High Efficiency Gun, Light, Pickup Hose, Gloves, Spare Glass Shields and Nozzles
- 580 x 490 x 490mm

**R2495** GCABSB-001



**Vertical Type**

- Heavy Duty Steel Construction
- Complete with High Efficiency Gun, Hose, Light, Gloves, etc.
- 890 x 570 x 1 390mm

**R6950** GCABSB-002



**Industrial Sand Blast Cabinet with Foot Pedal & Extractor**

- 1 220 x 600 x 1 710mm

**R19450** GCABSB-003

## Pneumatic Equipment



**5 Piece DIY Air Tool Kit**

**R395**  
ASPRAK-006



**Pneumatic Undercoating Gun**

- Suction Feed Type
- Max. Pressure: 9 bar
- 4cfm

**R275** AGUNUC-002



**Air Duster Gun**

**R80** ADUSTR-001



**Rubberizing/Stone Chipping Gun**

- 4cfm

**R395**  
AGUNUC-001



**Engine Cleaning Gun**

- 2 - 4 bar

**R145**  
ACLEAN-001



**Pneumatic Watering Gun**

- 6cfm

**R195**  
AGUNWT-001

**Air Recoil Hose with 1/4" Male BSP-Adaptor**

Hose Length: 15m

**R215** AHOSES-015

8mm

Hose Length: 7m

**R145** AHOSES-007

## Auto Retractable Hose Reels



DISCLAIMER: Image provided for illustrative purposes only; actual product appearance may differ

① **20m (10mm fittings)**  
• Steel design with enhanced durability  
**R2495**  
GHOSER-020

② **15m (10mm fittings)**  
• Steel design with enhanced durability  
**R2295**  
GHOSER-016

③ **15m (8mm fittings)**  
**R1395**  
GHOSER-015

④ **8m (10mm fittings)**  
• Steel design with enhanced durability  
**R1195**  
GHOSER-008

⑤ **10m (10mm fittings)**  
**R1195**  
GHOSER-010

⑥ **20m (10mm fittings)**  
**R1950**  
GHOSER-021

## 8mm I.D. Ø Air Line Hoses

**Blue PVC Flex Hose 20m with Couplings (shown)**

**R325**  
AHOSES-020

**Blue PVC Flex Hose**  
• 10m with Couplings


**R215** AHOSES-028

**Blue PVC Flex Hose**  
• 100m Roll

**R1500** AHOSES-006

**8mm I.D. Ø** **R22** AHOSES-009  
per meter cut (min 10m)

**10mm I.D. Ø** **R25** AHOSES-011  
per meter cut (min 10m)



See website for hints and tips [www.adendorff.co.za](http://www.adendorff.co.za)

Follow us on:





# PNEUMATIC EQUIPMENT

## Spring Balancer

- Takes the weight of the Air Tool off your hand
- Weight Tension: 1 - 2kg

**R425** ABALAN-100 ①



## Pneumatic Screwdriver

4.55mm, Straight Type

**R895** ASCRWD-455 ②



**HEAVY DUTY**

Adjustable Clutch • 7cfm

**R1445** ASCRWD-002



## Straight Line Sander **PROFESSIONAL**

- Smooth Action • Double Piston
- 4 - 6cfm • Stroke: 2 100/min
- Paper Size: 70 x 445mm



**R1495** ASANSL-010

**MAC AFRIC**

## 175mm Buffer/Polisher – Air Angle Type

- 12cfm
- Free Speed: 2 500r/min
- Spindle Thread Size: 5/8"
- Suggested Min. Compressor: 4kW
- Safety Lever Throttle



**R2395** APOLIS-175

## Air Die Grinder Kits

**R395**

AGRIND-001



14 Piece

- 8cfm • 25 000rpm
- Collet Chuck Capacity: 3mm & 6mm

For grinding those difficult to reach areas

## Air Die Grinder

- Ideal for Tyre Repair
- Includes Bits



**HEAVY DUTY** **R1895** AGRIND-002

## 17 Piece Air Micro Die Grinder Kit

- 3mm Collet and Inline Oiler
- 10 Grinding Stones
- Grinder Body Dimensions: 140mm x Ø15.5mm
- 54 000rpm

**R485**

AGRINK-017



## 3" (75mm) Air Cut-Off Tool

- 6cfm

**R395**

ACUTTO-075



**ALSO AVAILABLE** Cutting Discs **R20** EACH ACUTTD-001

## Metal Shear

- 4cfm • Cuts, Trims, Outlines and Shears Plastic, Tin, Aluminium and Other Metals up to 18# Rolled Steel
- Capacity: 1mm max. Mild Steel



**R845** ASHEAR-001

## 5 Piece Brass Quick Coupler Set

For use on all Air Operated Equipment



**R100** ACOUPL-005

## Dual Action Palm Sanders (6 - 8cfm)



125mm (5") Pneumatic

**R695** ASANOR-002

**ALSO AVAILABLE** With Self Vacuuming Function (velcro type)

**R945** ASANOR-005

## Dual Action Sander



**R1095** ASANDA-020

- 8 - 10cfm
- Pad Size: 150mm
- Adjustable Air Flow for a virtually scratch free finish

**ALSO AVAILABLE**

125mm/150mm Velcro Sanding Pads & Sanding Discs

**ENQUIRE IN STORE**

## Pneumatic Orbital Finishing Sander



**R895** ASANOR-001

## 4-in-1 Variable Multi Function Air Tool



**R795** AMULTI-022

## Needle Descalers / Air Hammers



190mm Hammer Action Chisel Set

• 5cfm **R495** AHAMMC-190



190mm Combination Air Hammer/Descaler Chisel Set

• 5cfm **R795** ASCALD-190

**ALSO AVAILABLE**

Barrel Type Descaler • 5cfm

**HEAVY DUTY**

**R2595** ASCALD-001

Follow us on:



Buy Online

[www.adendorff.co.za](http://www.adendorff.co.za)



# PNEUMATIC EQUIPMENT

**Staplers** Required Air Consumption: 2 - 4cfm

**HEAVY DUTY**

**Heavy Duty Model**

- Capacity: 10 - 22mm Staples
- Crown: 10mm

**R995** **ASTAPL-010**



**DIY Model**

- Capacity: 6 - 13mm Staples
- Crown: 10mm

**R475** **ASTAPL-013**



**Industrial 18 - 64mm Concrete Nailer**

- Ideal for nailing skirtings to the wall
- Required Pressure: 4 - 7 bar

**R1495** **ANAILR-660**



**42 Piece Pneumatic Tool Kit**

- 12.5mm (1/2") Drive Impact Wrench with 10 Sockets
- Heavy Duty Dual Action Sander
- 6mm Air Die Grinder and Stones
- 10mm Reversible Air Drill
- 150mm Air Hammer with Chisels and Bits
- 8 - 10cfm

**R2495** **ATOOLK-042**



**MAC AFRIC.**

**Pneumatic Riveter**

- 4 Nozzles • 4.2cfm
- For Rivets 2.4 - 4.8mm

**R1695** **ARIVET-001**

**ALSO AVAILABLE**  
Complete Set with Service Kit • 4.2cfm

**R1995** **ARIVET-002**



**Air Riv-Nut Tool**

- Riv-Nut Sizes: M4, M5, M6 M8

**R1195** **ARIVNR-001**



**Industrial Coil Nailers** Required Pressure: 5 - 7 bar

**R2995** **ANAILR-900** 45 - 70mm

**R3995** **ANAILR-909** 45 - 90mm

**ALSO AVAILABLE** 50, 70 & 90mm Coil Nails (on a roll)



**3-in-1 Finishing Nailer**

- 4.8 - 7.5 bar
- Ideal for: 18#GA Staples 16 - 40mm
- 18#GA F-nails 20 - 50mm
- 16#GA T-nails 25 - 64mm

**R1595** **ANAILA-001**



**Brad Nailers**

**F-Nails - 18# Gauge**

**HEAVY DUTY**

**30mm (shown)** **R1095** **ANAILA-030**

- 10 - 30mm

**50mm** **R1595** **ANAILA-050**


- 15 - 50mm

**D.I.Y. F30** **R395** **ANAILF-030**

- 10 - 30mm

**D.I.Y. F50** **R545** **ANAILF-050**

- 15 - 50mm



**Industrial 34° Clipped Head Nailer**

- Range: 50 - 90mm
- Shank Ø: 2.98 - 3.33mm

**R2195** **ANAILA-028**

**ALSO AVAILABLE**  
Nails: 50, 75 & 90mm



**50mm Combination Nailer and Stapler**

- For: 18# F-Nails 15 - 50mm, 5.8mm Crown Staples (16mm available in store)
- Safety Pin • Quick Release Nose Piece for fast clearing of jams
- Required Pressure: 4 - 7 bar

**R545** **ANAILA-055**



**T-Nails - 16# Gauge**

**HEAVY DUTY**

**T50** **R1295** **ANAILR-650**

- 20 - 50mm

**T64** **R1495** **ANAILR-664**

- 32 - 64mm



**MAC AFRIC.**



**Pneumatic Drills**

- Reversible
- 6cfm

**With Key Chuck**


**10mm** **R495** **ADRILR-010**

**12.5mm (shown)** **R575** **ADRILR-005**

**With Keyless Chuck**

**10mm** **R495** **ADRILR-011**

**12.5mm** **R545** **ADRILR-012**





**Air Brushes**

- Air Consumption: 0.4 - 0.8cfm
- 0.2mm Fine Tip Fluid Nozzle
- Working Pressure: 1 - 3 bar
- Gravity Side Feed

**R595** **ABRUSH-008**

- Air Consumption: 0.4 - 0.8cfm
- 0.3mm Fine Tip Fluid Nozzle
- Working Pressure: 1 - 3 bar
- Gravity Top Feed

**R895** **ABRUSH-002**

**Silent Mini Oil Free Compressors**



**6ℓ D.I.Y. Portable Silent Type**

- 550W, 3/4hp, 8 bar • 105ℓ/min, 3.7cfm • 230V

**Steel Tank** • 14.5kg **R2095** **COMPRE-006**

**Aluminium Tank** • 13.8kg **R2295** **COMPRE-007**

**MAC AFRIC.**

**DIY**

*Ideal for Air Brushing, Nailers, Staple Guns & Air Blowers*

Visit our website for detailed specifications [www.adendorff.co.za](http://www.adendorff.co.za) Follow us on: 



# PNEUMATIC/GARAGE EQUIPMENT



## Air Inflators/Deflators with Hose, Nozzle and Gauge

1/4" BSP Inlet

1	Tyre Inflator/Deflator	0 - 700kPa	<b>R225</b> AGAUGE-004
2	Tyre Inflator/Deflator • Robust Design	0 - 1 200kPa	<b>R445</b> AGAUGE-000
3	Garage Type	0 - 1 100kPa	<b>R795</b> AGAUGE-001
4	Garage Type	0 - 1 050kPa	<b>R1395</b> AGAUGE-002
5	Digital Tyre Inflator	0.68 - 1 700kPa	<b>R445</b> AGAUGE-008
6	Inflator/Deflator	48 - 1 240kPa	<b>R945</b> AGAUGE-009



## Impact Socket Sets

### 38 Piece Metric/Imperial 3/8" Drive

- 3/4", 11/16", 5/8", 9/16", 1/2", 7/16", 3/8", 5/16"
- 8, 10, 11, 12, 13, 14, 17, 19mm



- 1/2" Drive • 3/8", 7/16", 1/2", 9/16", 5/8", 1 1/16", 3/4", 13/16", 7/8", 15/16", 1"
- 10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm

**R1095** TSOCKE-038



### 15 Piece 12.5mm (1/2") Drive, (75mm) Deep Metric • 10 - 24mm

**R1095** TSOCKE-015



## 10 Piece Deep 1" or 3/4" Drive Impact Sockets

(88mm deep)

- 21, 22, 24, 27, 29, 30, 32, 33, 38, 41mm

**R995**

TSOCKE-011

3/4"

TSOCKE-010

1"



## Air Wrench Kits

### 12.5mm (1/2") Drive

- 6 - 8cfm
- Complete with 10 Sockets: 9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm
- Forward and Reverse Push Button

**R1295** AWRENC-001



### 15 Piece 12.5mm (1/2") Drive Ratchet Wrench Kit • 8cfm

- Complete with 7 Sockets: 9, 10, 11, 13, 14, 17, 19mm

**R795** AWRENC-015



## 1/2" & 3/8" 119 Piece Impact Socket Set



**R3695** TSOCKE-120

Contains both metric and SAE (Imperial Sizes) Chrome Molybdenum Steel  
Material: 35CR-MO Tool Standard: ANSI

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

## 1" Drive Truck Wheel Nut Removers



Sockets  
not  
included

REMOVE TRUCK WHEEL NUTS WITH EASE

3 800Nm Torque Output: 1:60  
5 200Nm Torque Output: 1:90

**R795**

GWRENC-280

**R895**

GWRENC-520

## Impact Wrenches



- 1 **12.5mm (1/2") Twin Hammer (shown)**  
• 720Nm • 4.6cfm • 2.2l/s

**R895** AWRENC-007

- 12.5mm (1/2") Twin Hammer**  
• 850Nm • 4.87cfm • 2.3l/s

**R1095** AWRENC-008

- 19mm (3/4") Twin Hammer**  
• 1 300Nm • 7.42cfm • 3.5l/s

**R2495** AWRENC-009

- 2 **19mm (3/4") Twin Hammer (shown)**  
• 1 600Nm • 8 - 12cfm

**R3495** AWRENC-005



HEAVY DUTY

## 25mm (1") Drive Heavy Duty Impact Wrench

2 600Nm • 13.3cfm • 6.3l/s

**R3595** AWRENC-026

3 200Nm • 13.98cfm • 6.6l/s (shown)

**R4295** AWRENC-032

4 800Nm • 14.83cfm • 7l/s

**R4995** AWRENC-048

2 600Nm • 13.35cfm • 6.3l/s  
(Short Anvil)

**R3495** AWRENC-027

Follow us on:



Please enquire at your nearest store for stock availability



# TOP QUALITY SPRAY GUNS



Low Volume Low Pressure • Bar: 2 - 3.5 • CFM Requirements: 3 - 3.9

- 1 Gravity Feed • 1.3mm Nozzle **R695** ASPRAG-700
- 2 Gravity Feed • 1.3mm Nozzle **R695** ASPRAG-500
- 3 Gravity Feed (Anodized Finish) • 1.5mm Nozzle **R695** ASPRAG-109
- 4 Mini Side Feed Touch-up • 0.6mm Nozzle **R445** ASPRAG-019
- 5 Gravity Feed Spray Gun Holder **R100** ASPRAA-001

High Volume Low Pressure • Bar: 2 - 3.5 • CFM Requirements: 4.2 - 7.1

- 6 Gravity Feed Mini Touch-up • 0.8mm Nozzle **R295** ASPRAG-110
- 7 Gravity Feed • 2.5mm Nozzle **R345** ASPRAG-025
- 8 Gravity Feed • 1.4mm Nozzle **R375** ASPRAG-106
- 9 Gravity Feed • 1.4mm Nozzle **R275** ASPRAG-107
- 10 Gravity Feed with Regulator • 1.4mm Nozzle **R445** ASPRAG-827

## Spray Pots

	Operating Pressure	Price
1	1.4 - 2.4 bar	<b>R2495</b> ASPRAP-010
2	0.8 - 2.1 bar	<b>R1395</b> ASPRAP-002

**ACCESSORIES INCLUDED:**  
Gun, Gauge & Hose

Industrial Quality  
(Excluding Gun & Hose)

Required Air Consumption: 8 - 12cfm

- 3 20ℓ with Auto Agitator **R5695** ASPRAP-022 (shown)
- 20ℓ with Manual Agitator **R4695** ASPRAP-021
- 10ℓ with Auto Agitator **R4295** ASPRAP-012
- 10ℓ with Manual Agitator **R3295** ASPRAP-011
- 40ℓ with Manual Agitator **R8995** ASPRAP-040

## Suction Feed Spray Guns

**EXCELLENT QUALITY**

- 1 High Pressure • 4 - 7cfm • 1.8mm Nozzle **R325** ASPRAH-001
- 2 Low Volume Low Pressure Anodized • 3 - 3.9cfm • 1.5mm Nozzle **R895** ASPRAH-003
- 3 High Volume Low Pressure • 4.2 - 7.1cfm • 1.4mm Nozzle **R695** ASPRAH-005
- 4 Low Pressure • 0.8mm Nozzle **R225** ASPRAL-615

## Mini Gravity Feed (HVLP)

- 1 • 1.0mm Nozzle **R1095** ASPRAG-300

## Gravity Feed (with Stand) (HVLP)

- 2 • 1.3mm Nozzle **R1195** ASPRAG-100

## Gravity Feed (HVLP)

- 3 • 1.3mm Nozzle **R1995** ASPRAG-101

## PROFESSIONAL



## Electric Airless D.I.Y. Spray Guns

	1 0.5kW, 230V	2 0.06kW, 230V	3 0.6kW, 230V (shown)
Max. Flow	900ml/min	260ml/min	1 000ml/min
Tank Capacity	800ml	800ml	900ml
Nozzle	1.8mm/2.6mm	0.8mm	2.5mm
	<b>R795</b> ASPRAY-012	<b>R395</b> ASPRAY-011	<b>R795</b> ASPRAY-013

**DIY**

## Airless Sprayers

GRACO Classic 495 PC

**P.O.A.**

ASPRAY-495

**R24950**

ASPRAY-021

The GRACO GX21 is a fast, portable and affordable solution for small finishing faces.

- Compatible Material: Primer, Stains, Water-based Paint, Acrylics, Enamel and Latex
- Max. Flow Rate: 1.8ℓ/min
- Motor Type: Brushless DC
- Pump Type: ProX Piston Pump • Voltage: 230V

ONLY AVAILABLE AT CERTAIN STORES

ENQUIRE IN STORE

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



RONGPENG

Model 550

Brushless Motor

**R16995**

ASPRAY-550

See website for hints and tips [www.adendorff.co.za](http://www.adendorff.co.za)

Follow us on:





**PROFESSIONAL  
QUALITY**



**MACAFRIC®**

**COMPRESSORS**

*Backed by*

**Adendorff  
machinery mart**



SANS 347: 2012 compliant –  
RSA Conformity Assessment Reviewed –  
AIA Verification by Intertek



**R2395** COMPRE-515



**R3295** COMPRE-002



**R24950** COMPRE-705

IDEAL FOR  
ROADSIDE  
ASSISTANCE



**R30950** COMPRV-510



**DIRECT DRIVE**

Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Price
24ℓ	2hp 1.5kW	110ℓ/min (3.88cfm)	230V	116psi 8 bar	<b>R1745</b> COMPRE-024
50ℓ (shown)	2hp 1.5kW	120ℓ/min (4.23cfm)	230V	116psi 8 bar	<b>R2395</b> COMPRE-515
100ℓ	2hp 1.5kW	120ℓ/min (4.23cfm)	230V	116psi 8 bar	<b>R4695</b> COMPRE-115
100ℓ V-head	3hp 2.2kW	190ℓ/min (7cfm)	230V	116psi 8 bar	<b>R5995</b> COMPRV-123



**BELT DRIVE – DIESEL DRIVEN**

Tank Size	Motor Size	Output Delivery	Max. Pressure	Price
150ℓ Electric Start 2 Stage Air Pump	11hp	614ℓ/min (21cfm) 555ℓ/min (19cfm)	90psi 6 bar 145psi 10 bar	<b>R26950</b> COMPRE-706



**BELT DRIVE**

Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Price
50ℓ	2.5hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	<b>R5995</b> COMPRE-517
100ℓ	2.5hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	<b>R7950</b> COMPRE-210
100ℓ Vertical Space Saver	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	<b>R8795</b> COMPRE-310
150ℓ	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	<b>R9295</b> COMPRE-315
200ℓ	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	<b>R9950</b> COMPRE-615
100ℓ V-head	2hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	<b>R7850</b> COMPRV-120
100ℓ V-head	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	<b>R8795</b> COMPRV-130
200ℓ V-head	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	<b>R10950</b> COMPRV-230
300ℓ V-head	5hp 4kW	600ℓ/min (21.2cfm)	380V	116psi 8 bar	<b>R17450</b> COMPRV-355
300ℓ V-head	7.5hp 5.5kW	670ℓ/min (23.66cfm)	380V	116psi 8 bar	<b>R18950</b> COMPRV-375
500ℓ V-head (shown)	10hp 7.5kW	1 050ℓ/min (28.25cfm)	380V	175psi 12 bar	<b>R30950</b> COMPRV-510
500ℓ V-head	10hp 7.5kW	1 150ℓ/min (37cfm)	380V	175psi 12 bar	<b>R33950</b> COMPRV-575



**OIL-FREE SILENT TYPE**

Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Price
24ℓ Silent Type	0.55kW	40ℓ/min (1.41cfm)	230V	101psi 7 bar	<b>R2495</b> COMPRE-001
50ℓ Silent Type (shown)	0.75kW	60ℓ/min (2.1cfm)	230V	101psi 7 bar	<b>R3295</b> COMPRE-002
50ℓ Silent Type (with 2 motors)	2 x 0.75kW = 1.5kW	120ℓ/min (4.23cfm)	230V	101psi 7 bar	<b>R4695</b> COMPRE-003
100ℓ Silent Type (with 4 motors)	4 x 0.55kW = 2.2kW	160ℓ/min (5.7cfm)	230V	116psi 8 bar	<b>R9995</b> COMPRE-004



**BELT DRIVE – PETROL DRIVEN**

Tank Size	Motor Size	Output Delivery	Max. Pressure	Price
70ℓ (Pull Start)	6.5hp	360ℓ/min (12.7cfm)	116psi 8 bar	<b>R10950</b> COMPRE-070
150ℓ (Pull Start)	6.5hp	360ℓ/min (12.7cfm)	116psi 8 bar	<b>R12950</b> COMPRE-071
150ℓ Electric Start 2 Stage Air Pump (shown)	15hp	614ℓ/min (21cfm) 555ℓ/min (19cfm)	90psi 6 bar 145psi 10 bar	<b>R24950</b> COMPRE-705

Follow us on:



Buy Online



[www.adendorff.co.za](http://www.adendorff.co.za)