

Adendorff machinery mart


PRICES VALID -
APRIL 2025

Buyers Guide for
QUALITY TOOLS

National
Call Centre
0114347000



Buy Online   www.adendorff.co.za



**29 OUTLETS
COUNTRYWIDE**

TOOLS

Follow us on:



Scan here for
outlet details



SEE PAGE iii
FOR OUTLET
DETAILS

All prices include 15% VAT. Prices will be updated and subject to change without prior notification.
For the most up-to-date pricing and stock availability, please visit our website at www.adendorff.co.za. Errors and Omissions Excepted.

INDEX

PAGE		FEATURING
iii	CONTACT LIST	
2	TOOL BOXES & CABINETS	TOOL CABINETS, GARAGE WORKBENCHES AND GARAGE CABINET TOOL STORAGE SOLUTIONS
3	HAND TOOLS & TOOL BOX SETS	COMBINATION SPANNER SETS, MECHANIC TOOLBOXES, AND TOOL BAGS
4	HAND TOOLS	SCREWDRIVERS, ALLEN KEYS, RIVETERS, SPIRIT LEVELS, LASER LEVELS, SPEED SQUARES, CAULKING GUNS AND TAPE MEASURES
5	TOOL BOX SETS, SOCKET SETS & TORQUE WRENCHES	SOCKET SETS, TORQUE WRENCHES, POWER BARS AND TORX & HEX BIT SETS
6	HAND TOOLS & TEST EQUIPMENT	DIGITAL MULTIMETERS, HAND CRIMPERS, VDE HAND TOOLS, HYDRAULIC HOLE DIGGERS AND CRIMPERS
7	WATER PUMPS, HIGH PRESSURE CLEANERS & VACUUMS	HIGH-PRESSURE CLEANERS, VACUUM CLEANERS AND SUBMERSIBLE PUMPS
8	LIGHTING & POWER TOOLS	LIGHTING, ROTARY TOOL KITS AND POWER TOOLS
9	POWER TOOLS	DEMOLITION BREAKERS, SANDERS, HAMMER DRILLS, ANGLE GRINDERS AND ROUTERS
10	WELDING	INVERTER WELDERS, SPOT WELDERS, WELDING MAGNETS AND TIG WELDERS
11	WELDING	PLASMA CUTTERS, MIG WELDERS AND AUTO-DARKENING WELDING HELMETS
12	ENGINEERING	METALWORKING LATHES AND MILLING MACHINES
13	ENGINEERING	METALWORKING LATHES, MILLING MACHINES, BRAKE DISC AND DRUM LATHES
14	ENGINEERING ACCESSORIES	SLIDE TABLES, DIAL GAUGES, MAGNETIC BASES, VERNIERS, MACHINE VICES, LATHE CHUCKS, BENCH VICES, MICROMETERS AND CALIPERS
15	ENGINEERING ACCESSORIES	CLAMPING KITS, COOLANT HOSE KITS, ARBOR COLLET CHUCKS, HSS END MILLS, BORING BAR SETS, LIVE CENTERS, CUTTING TOOL SETS, PARTING TOOLS AND QUICK-CHANGE POSTS
16	METALWORK	BENDERS, SHEARING MACHINES, PIPE BENDERS, ARBOR PRESSES AND RING ROLLERS
17	METALWORK	BOX AND PAN BENDERS, ROLLERS, GUILLOTINES AND ROTARY (JENNY) MACHINES
18	ENGINEERING	CUT-OFF MACHINES, MAGNETIC BASE DRILLS, BENCH/PEDESTAL DRILLS, HORIZONTAL BAND SAWS AND BENCH GRINDERS
19	WOODWORKING	BAND SAWS, TABLE SAWS, PANEL SAWS, CATERING EQUIPMENT AND BONE SAWS
20	CONSTRUCTION	CONSTRUCTION EQUIPMENT, RAMMERS, MEASURING WHEELS, DUMPY LEVELS, SCAFFOLDING, PLATE COMPACTORS AND CONCRETE MIXERS
21	GENERATORS & WATER PUMPS	PETROL AND DIESEL STANDBY GENERATORS
22	PLUMBING, GARDENING & AIR COOLERS	DRAIN CLEANERS/RODS, PIPE THREADING MACHINES, LOG SAWS, CHAIN VICES/WRENCHES, LOG SPLITTERS, AIR COOLERS, TILLERS AND PRESSURE SPRAYERS
23	GARDEN EQUIPMENT	CHAINSAWS, EARTH AUGERS, BLOWERS, BRUSH CUTTERS, MAIZE CRUSHING MACHINES AND WOOD CHIPPERS
24	WOODWORKING	PLANERS, DUST COLLECTORS, SANDERS AND CLAMPS
25	BATTERY CHARGERS & AUTOMOTIVE EQUIPMENT	CAR DIAGNOSTIC EQUIPMENT, BATTERY CHARGERS AND JUMP STARTERS
26	LIFTING & MATERIAL HANDLING EQUIPMENT	ELECTRIC HOISTS, CRAWLS, SLINGS, CHAIN HOISTS, PALLET TRUCKS AND CHAIN BLOCKS
27	WINCHES, OUTDOOR & 4X4 EQUIPMENT	12V AIR COMPRESSORS, TARPAULINS, TRAILER JACKS/JOCKEYS, TIE-DOWN STRAPS, FARM JACKS, 12V WINCHES, HAND WINCHES AND HYDRAULIC WINCHES
28	GARAGE EQUIPMENT	HYDRAULIC PRESSES, PART WASHERS AND BEARING/GEAR PULLERS
29	PANEL BEATING EQUIPMENT	BODY REPAIR TOOLS AND ELECTRIC POLISHERS
30	GARAGE EQUIPMENT: AUTOMOTIVE	AUTOMOTIVE EQUIPMENT AND TIMING TOOLKITS
31	GARAGE EQUIPMENT: AUTOMOTIVE	AUTOMOTIVE EQUIPMENT AND GARAGE CREEPERS
32	GARAGE EQUIPMENT	TRANSMISSION JACKS, COIL SPRING COMPRESSORS, 12V JACKS, TROLLEY JACKS AND BOTTLE JACKS
33	GARAGE EQUIPMENT	TYRE CHANGERS/BALANCERS, HYDRAULIC LIFTS, ENGINE STANDS/CRANES, JACK STANDS AND WHEEL CHOCKS
34	GARAGE EQUIPMENT	12 VOLT ELECTRICAL AND MANUAL PUMPS FOR DIESEL/OIL/GREASE, GREASE GUNS, PNEUMATIC GREASE DRUMS AND AUTO-RETRACTABLE HOSE REELS
35	SANDBLASTING EQUIPMENT	SANDBLASTING POTS/CABINETS, AIR GUNS, AUTO-RETRACTABLE HOSE REELS AND AIR HOSES
36	PNEUMATIC EQUIPMENT	AIR DIE GRINDERS, SCREWDRIVERS, ANGLE GRINDERS, SANDERS, DESCALERS AND SHEARS
37	PNEUMATIC EQUIPMENT	PNEUMATIC STAPLERS, NAILERS, DRILLS, RIVETERS, AIR BRUSHES AND SILENT MINI OIL-FREE COMPRESSORS
38	PNEUMATIC/GARAGE EQUIPMENT	AIR INFLATORS/DEFLATORS, WHEEL NUT REMOVERS, IMPACT SOCKET SETS AND AIR WRENCHES
39	TOP QUALITY SPRAY GUNS	SPRAY GUNS, AIRLESS SPRAYERS, SPRAY POTS AND DIY ELECTRIC AIRLESS SPRAY GUNS
40	COMPRESSORS	SILENT OIL-FREE, DIRECT DRIVE, BELT DRIVE, ELECTRICAL, PETROL AND DIESEL-DRIVEN COMPRESSORS

Follow us on:



Please enquire at your nearest store for stock availability

OUTLETS NATIONWIDE

GAUTENG

AEROTON SALES (HEAD OFFICE) ☎ (011) 434-7100

98 Sailor Malan Avenue, off Rand Show Road, Aeroton,
✉ aeroton@adendorff.co.za

AEROTON SERVICE CENTRE ☎ (011) 434-7111

98 Sailor Malan Avenue, off Rand Show Road, Aeroton,
✉ aeroton@adendorff.co.za

TURFFONTEIN ☎ (011) 434-7152

152 Rosettenville Road, Springfield, Johannesburg,
✉ jhbsouth@adendorff.co.za

ALBERTON ☎ (011) 869-1110

Unit No. 60, **Lemon Tree Shopping Centre**, Cnr. Swartkoppies & Heidelberg Road, New Market, ✉ alberton@adendorff.co.za

EDENVALE (MEADOWDALE) ☎ (011) 454-1407

Unit No. 8, Route 24 Complex, Herman Road, Between Edenvale & Barbara Road Offramps, ✉ edenvale@adendorff.co.za

BOKSBURG ☎ (011) 914-1550

518 Commissioner Street, Boksburg East Industrial,
✉ boksburg@adendorff.co.za

RANDBURG (STRYDOM PARK) ☎ (011) 793-3380

2013 Malibongwe Drive, Randburg, ✉ randburg@adendorff.co.za

ROODEPOORT/KRUGERSDORP ☎ (011) 664-8336

17 Carol Road, (Service Road to Ontdekkers) Opp. Witpoortjie Station, Breananda, ✉ roodepoort@adendorff.co.za

SPRINGS ☎ (010) 442-6969

13 Bell Street, New Era, ✉ springs@adendorff.co.za

PRETORIA ☎ (012) 329-9576

300 Steve Biko Road (Voortrekkers Road), Cnr. Adcock Street, Gezina,
✉ pretoria@adendorff.co.za

CENTURION ☎ (012) 653-0586

33 Miracle Park, Cnr. Old Johannesburg Road R101 & Lenchen Extension, Rooihuiskraal, ✉ centurion@adendorff.co.za

SILVER LAKES (PRETORIA EAST) ☎ (012) 054-5969

Silver Oaks Crossing (Shop 41), Cnr. Solomon Mahlangu & Von Backstrom Boulevard, Pretoria East, ✉ silverlakes@adendorff.co.za

VEREENIGING ☎ (016) 422-6057

26 De Villiers Avenue, ✉ vereeniging@adendorff.co.za

FREE STATE

BLOEMFONTEIN ☎ (051) 448-1689

Oliver Tambo Road (Church Street), Cnr. Harvey Road, Blackwood Crossing, Oranjesig, ✉ bloemfontein@adendorff.co.za

WELKOM ☎ (057) 355-6600

137 Constantia Street, Dagbreek, ✉ welkom@adendorff.co.za

NORTH WEST

RUSTENBURG ☎ (014) 594-1545

Oliver Tambo Drive R104, Cnr. Beyers Naude Drive,
✉ rustenburg@adendorff.co.za

KLERKSDORP ☎ (018) 462-1116

99 O.R. Tambo Street (Church Street), Cnr. President Kruger Street,
✉ klerksdorp@adendorff.co.za

Adendorff machinery mart

WESTERN CAPE

CAPE TOWN ☎ (021) 552-7389

Unit 1, 21 Montague Drive, Montague Gardens,
✉ capetown@adendorff.co.za

STRAND ☎ (021) 205-7878

30 Mynhardt Street, ✉ loc30@adendorff.co.za

BRACKENFELL ☎ (021) 205-7888

Unit 1, 3 Tee-jay Road (Corner Taurus Road), Everite Industrial Park, ✉ loc27@adendorff.co.za

GEORGE ☎ (044) 050-3610

6 Ring Road, George Industrial, ✉ loc29@adendorff.co.za

EASTERN CAPE

EAST LONDON ☎ (043) 422-0596

11 Dunn Street, Arcadia, ✉ el@adendorff.co.za

PORT ELIZABETH (QOEBERHA) ☎ (041) 484-3995

27 Grahamstown Road, North End, ✉ pe@adendorff.co.za

NORTHERN CAPE

KIMBERLEY ☎ (053) 831-1882

12 Fabricia Road, Fabricia, ✉ kimberley@adendorff.co.za

LIMPOPO

POLOKWANE ☎ (015) 292-0243

31 Nikkel Street, Superbia, ✉ polokwane@adendorff.co.za

MPUMALANGA

WITBANK ☎ (013) 690-2305

40 Watermeyer Street, Klipfontein, Ext. 8, ✉ witbank@adendorff.co.za

NELSPRUIT ☎ (013) 753-3580

15 Old Pretoria Road, Entrance at 4 Stinkhout Crescent,
✉ nelspruit@adendorff.co.za

KWAZULU-NATAL

DURBAN NORTH ☎ (031) 263-0007

99 Intersite Avenue (near Bluff Meat Supply and National Security and Fire), Springfield Park, ✉ durban@adendorff.co.za

DURBAN ☎ (031) 202-4355

192 Umbilo Road, Dalbridge, ✉ umbilo@adendorff.co.za

PIETERMARITZBURG ☎ (033) 345-1996

300 Boom Street, ✉ pmb@adendorff.co.za



PLEASE NOTE: Overflow calls to branches may be diverted to our National Call Centre @ Aeroton Head Office 011 434 7000

National call centre ☎ (011) 434-7000

Follow us on:

TOOL BOXES & CABINETS

Steel Work Benches

Folding Steel Work Bench with Pegboard including 20 Piece Hook Set (shown)



Tools for illustrative purposes only

R1995

GBENCH-004

L = 1 200mm
W = 660mm
H = 1 440mm

SPACE SAVER



ALSO AVAILABLE

Steel Work Bench with Pegboard incl. Drawer Hooks and Plastic Holders

R2595

GBENCH-005

L = 1 220mm W = 560mm H = 1 510mm

Industrial Quality MAC AFRIC Steel Work Bench with 3 Smooth Rolling Lockable Drawers



(shown) **R7950**
GBENCH-001

COLOUR MAY VARY

Vices can be fixed to Bench

L = 2 000mm W = 640mm H = 860mm
Weight: 110kg

ALSO AVAILABLE

R6495

GBENCH-000

Industrial Work Bench with 2 Smooth Rolling Lockable Drawers
L = 1 500mm
W = 640mm
H = 860mm

Wall Mounted Tool Cabinet



R2495

TTOOLB-001

COLOUR MAY VARY

- L = 1 200mm W = 200mm H = 600mm
- 3 Lockable Doors with Adjustable Shelves
- Packed in easy to assemble kit form

10 Drawer Tool Cabinet

PROFESSIONAL

R11995

TCABIN-008

EXCLUDING TOOLS

- Dimensions:
L = 1 065mm
W = 485mm
H = 1 007mm



7 Drawer Tool Cabinets with Tools

207 Piece

HEAVY DUTY

R12950

TCABIN-207



The MAC AFRIC Professional Heavy Duty 7 Drawer Tool Cabinet with 207 Piece Tools is the ideal solution for use in Garage, Automotive and Home Workshops.



VISIT OUR WEBSITE TO VIEW DETAILED CONTENTS
www.adendorff.co.za

204 Piece


PROFESSIONAL

R16995

TCABIN-003

BENEFITS AND FEATURES:

- The MAC AFRIC professional heavy duty 7 drawer tool cabinet with tools is the ideal solution for use in garage, automotive and home workshops.
- The cabinet features quick release double ball bearing slides for the drawers.
- Swivel action castor wheels with brake function (2 Fixed / + 2 Swivel).
- Patented locking system.
- Durable EVA (foam inserts) for the tools with clear identification markings.
- Full steel construction with a tough powder coated protective finish.
- Comprehensive range of Top Quality chrome vanadium hand tools.



VISIT OUR WEBSITE TO VIEW DETAILED CONTENTS
www.adendorff.co.za



Tool Cabinets

6 Drawers (Top)

- 600 x 310 x 330mm

R2095

TCABIN-005



EXCLUDING TOOLS

7 Drawers with Castors

- 680 x 460 x 950mm

R5995

TCABIN-007



Complete Garage Cabinet Storage Solution



R31950

TCABIN-010

Tools for illustrative purposes only

2.01m

3m

OPTIONAL EXTRAS AVAILABLE | VISIT OUR WEBSITE www.adendorff.co.za



To use our Click-&-collect service please visit our website www.adendorff.co.za and select your products for purchase. Check your shopping cart and complete the checkout process to pay. Certain items may not be available in all stores. Please enquire directly with your nearest branch. You will receive confirmation of your order via email and will be notified when goods are ready for collection in store. For full instructions, terms & conditions, please visit www.adendorff.co.za, or mail our website support on tooltime@adendorff.co.za.

Unless a specific limitation is stated, Adendorff Machinery Mart will endeavour to have sufficient advertised stock available to meet anticipated demands. Prices are reviewed on a regular basis and is subject to change without prior notification. Please contact your nearest branch or consult our website. We take great care to ensure that all advertisements are correct. If a mistake occurs or incomplete information is printed, a notice will be displayed in-store with the correct details. Actual products may vary from pictures. Please note that certain products may not be available in all stores. Enquire directly with your nearest branch. Large generators and certain items are only available at our Aeroton Johannesburg South Warehouse. Accessories are used for illustrative purposes only. Please refer to the safety tips on our website and take protective and preventative measures when using these items. For more information, visit our website at www.adendorff.co.za. Cross border customers, please note that our warranty applies only to items purchased and used within the Republic of South Africa. Any items exported which are found to be faulty must be returned to Adendorff Machinery Mart at your own cost.

PLEASE CALL YOUR NEAREST BRANCH FOR ASSISTANCE. Trading hours: Mon. to Fri. 08:00 - 17:00 | Sat. 08:00 - 13:00 | See website for Public Holidays

Adendorff Machinery Mart has taken all relevant steps to ensure customer data is protected in line with the protection of Personal Information Act 4 of 2013 (POPIA).

Should you wish to update your communication preferences please send an email to customer@adendorff.co.za For a copy of our privacy policy please refer to our website www.adendorff.co.za



HAND TOOLS & TOOL BOX SETS



Metric Combination Spanner Sets		HEAVY DUTY
8 Piece • 8, 10, 11, 12, 13, 14, 17, 19mm • Carbon Steel	R95 TSPANN-008	
11 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19mm • CRV	R185 TSPANN-011	
12 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19mm • CRV	R225 TSPANN-012	
16 Piece • 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22mm • CRV	R395 TSPANN-016	
17 Piece • 6 - 20, 22, 24mm • CRV (shown)	R445 TSPANN-017	
19 Piece • 6 - 20, 22, 24, 27, 32mm • CRV	R595 TSPANN-019	

Imperial/SAE/AF Spanner Sets	
9 Piece • 1/4" - 3/4" on Hanger	R195 TSPANN-909
14 Piece • 1/4" - 1 1/4" in Canvas Pouch (shown)	R695 TSPANN-914
22 Piece Combo Set IMPERIAL/METRIC • 1/4" - 7/8" and 6 - 19mm in Canvas Pouch	R595 TSPANN-922

Combination Chrome Vanadium Spanner Sets in Canvas Pouch (Metric)	
17 Piece Satin Finish • 6 - 24mm	R575 TSPANN-018
26 Piece Satin Finish • 6 - 32mm (shown)	R1595 TSPANN-027
25 Piece Matt Finish • 6 - 30, 32mm	R1095 TSPANN-026

6 Piece Combination Jumbo Spanner Set

- 35, 38, 41, 45, 48, 50mm
- Black Oxide Finish

R1245 TSPANN-600

5 Tray Cantilever Tool Boxes

425mm **R375** TT00LB-005

535mm **R495** TT00LB-007

650mm **R595** TT00LB-008

Chrome Vanadium Tool Sets

139 Piece in Plastic Case

R3995 TT00LK-132

132 Piece in ABS Trolley

R1195 TT00LB-139

63 Piece Quality Pink Tool Kit in Aluminium Case

R895 TT00LK-063

Nylon Tool Backpack **NEW**

- Durable • Convenient
- Multiple Compartments
- 370 x 450mm

R1395 TT00LB-017

HEAVY DUTY

62 Piece Tool Set in Cantilever Tool Box, 12.5mm (1/2") Drive

GUARANTEE LIFETIME GUARANTEE

R2995 TT00LB-062

- 18 Sockets: 10 - 32mm
- 18 Spanners: 6 - 24mm
- Allen Keys, 6 Piece Screwdriver, 3 Piece Plier Set, Ratchet, Extension and Power Bars, etc.

165 Piece Tool Set in Cantilever Tool Box

PROFESSIONAL

R2995 TT00LB-165

- 1/4" - 3/8" - 1/2" Drive
- Chrome Vanadium

Gear Wrenches

MAC AFRIC

72 Tooth for Smooth Action

R795 TSPANR-008

8 Piece (shown) • 8, 10, 11, 12, 13, 14, 17, 19mm **R795** TSPANR-008

12 Piece • 6, 8, 10, 11, 13, 14, 17, 19, 22, 24, 27, 30mm **R1495** TSPANR-012

8 Piece with Forward & Reverse Ratchet Function • 8, 10, 11, 12, 13, 14, 17, 19mm **R995** TSPANR-009

12 Piece with Flexible Head • 6, 8, 10, 11, 13, 14, 17, 19, 22, 24, 27, 30mm **R1895** TSPANR-014

3 Piece Durable Stackable Tool Bag Set with Integrated Trolley

- Multiple Compartments
- High Quality Polyester and Nylon Fabric

R1695 TT00LB-016

NEW

Tool Stool with Cooler Storage

NEW **R285** TT00LB-018

86 Piece Tool Set in Cantilever Tool Box

R1395 TT00LB-086

- 3/8" Drive
- Chrome Vanadium

85 Piece Tool Set in Cantilever Tool Box

PROFESSIONAL

TRADESMAN'S CHOICE

- 1/4" & 1/2" Drive
- Chrome Vanadium

R1795 TT00LB-085

Features a 12 Point Design to grip on Worn Nuts

AEROTON SALES
 ☎ (011) 434-7100
 98 Sailor Malan Avenue, off Rand Show Road, Aeroton
 ✉ aeroton@adendorff.co.za

AEROTON SERVICE CENTRE
 ☎ (011) 434-7111
 98 Sailor Malan Avenue, off Rand Show Road, Aeroton
 ✉ aeroton@adendorff.co.za

TURFFONTEIN
 ☎ (011) 434-7152
 152 Rosettenville Road, Springfield, JHB
 ✉ jhbsouth@adendorff.co.za

HAND TOOLS

Screwdrivers

Why S² Steel? It is the hardest, most ductile, and longest wearing steel that exists in the "Hex" Tool Industry.

EXCELLENT QUALITY

S² STEEL SCREWDRIVER SETS

R295 8 Piece
TSCREW-008



R295 12 Piece Bolster
TSCREW-012



R425 12 Piece Go-Thru
TSCREW-014



HIGH QUALITY CHROME VANADIUM SETS

R285 10 Piece All Purpose Set with Bolsters
TSCREW-011



R100 6 Piece Set with Hardened Tips
TSCREW-006

R545 26 Piece Wall Mounted or Standing Screwdriver Set
TSCREW-026



R275 53 Piece Ratchet Screwdriver Set
TSCREW-053

Tape Measures

R40 3m
TTAPEM-003

R80 8m
TTAPEM-008

R50 5m
TTAPEM-005

R95 10m
TTAPEM-010



PROFESSIONAL

R110 8m
TTAPEM-800

R90 5m
TTAPEM-500

This MAC AFRIC tape measure is purposely designed and engineered for the contractor in mind. The tape measure features an auto-lock button, chrome case design, durable rubber grip, magnetic hook and nylon coated tape surface making this tape measure, more durable, wear and corrosion resistant.

Precision Tool Kits


126 Piece
R545
TTOOLK-126



ALSO AVAILABLE
170 Piece **R795** TTOOLK-170

7 Piece Electric Screwdriver Set

R175
TSCREE-007



Aluminium Speed Squares

R125 7" (175mm)
TSQUAR-007



R245 12" (300mm)
TSQUAR-012



Caulking Guns

R245
TGUNCA-003



R395
TGUNCA-004

SILIGUN Compact 4



5-in-1 Multifunctional Plier Tool Kit with Interchangeable Heads

R395 TPLIER-050



Allen Keys

10 Piece Chrome Vanadium Hex Key with Ball Joint for hard to reach places (shown)



R85 TKEYSA-010

25 Piece, Metric & Imperial, in Plastic Pouch

R85 TKEYSA-025

18 Piece Hex & Torx Star Key Set

R145 TKEYSA-018

PROFESSIONAL

9 Piece Metric Ball Point Key Set

R195
TKEYSA-109



Riveters



① Double Handle (Straight Type) **R245**
TRIVET-001


② Hand Riveter **R295**
TRIVET-015

③ Lazy Tong **R895**
TRIVET-017

④ Rotating 360° (Aluminium Alloy) Hand Riveter **R265**
TRIVET-002

⑤ Double Action Labour Saving Hand Riveter **R285**
TRIVET-003

Aluminium Levels PROFESSIONAL



600mm **R245**
TLEVEL-602

1m **R345**
TLEVEL-101

• Equipped with shockproof end caps and exceptionally clear vials resistant to fogging, leakage, or breakage • Magnetic

Laser Levels PROFESSIONAL

① (shown) 3-line Professional Laser Level (excl. Tripod) **R2595**
TLASER-300

② 5-line Professional Laser Level (excl. Tripod) **R3495**
TLASER-500

OPTIONAL EXTRA
③ Tripod Stand (shown) **R345**
TLASER-100



ALBERTON ☎ (011) 869-1100
Unit No. 60, Lemon Tree Shopping Centre, Cnr. Swartkoppies & Heidelberg Road, New Market ✉ alberton@adendorff.co.za

EDENVALE (MEADOWDALE) ☎ (011) 545-1407
Unit No. 8, Route 24 Complex, Herman Road, Between Edenvale & Barbara Road Offramps ✉ edenvale@adendorff.co.za

TOOL BOX SETS, SOCKET SETS & TORQUE WRENCHES

Hexa Tool Box Sets

Hexa Socket Sets are crafted using top-grade chrome vanadium steel, ensuring the highest quality. These sets feature a Hexagonal Superlock* Pattern that applies force on the socket face rather than the corners. This design allows the socket to turn metric or imperial sizes, and can even manage worn nuts with ease.



82 Piece Superlock Chrome Vanadium 6mm (1/4) & 12.5mm (1/2) Drive Socket, Bit & Spanner Set

R2495 TSOCKE-082



45 Piece Superlock 10mm (3/8) & 12.5mm (1/2) Drive Socket Wrench Set

- 14 Piece 10mm (3/8) Superlock Sockets: 6 - 19mm
- 20 Piece 12.5mm (1/2) Superlock Sockets: 10 - 32mm

R2295 TSOCKE-045



24 Piece Hardened Chrome Vanadium Superlock Hexagonal Socket Set

- 12.5mm (1/2) Drive
- 18 Metric Sockets: 10 - 32mm

R1295 TSOCKE-024



48 Piece 6mm (1/4) & 10mm (3/8) Drive Socket/Bit Set

- 6mm (1/4) Drive: 9 Sockets
- 10mm (3/8) Drive: 9 Sockets

R1195 TSOCKE-048



26 Piece 6mm (1/4) Drive Socket Wrench Set



R695 TSOCKE-026

19mm (3/4) Drive Chrome Alloy Mechanics Socket Sets



R4295 TSOCKE-126



26 Piece (shown)

- 20 Chrome Alloy Metric Sockets: 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 34, 36, 38, 41, 46, 50, 55, 60, 65mm

- 27 Piece** • 12 SAE Sockets: 7/8", 15/16", 1", 1 1/8", 1 3/16", 1 5/16", 1 3/8", 1 7/16", 1 5/8", 1 3/4", 1 7/8", 2" • 10 Metric Sockets: 22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm

R3695 TSOCKE-127

1/2" Drive Ratchet Handles



R295 TRATCH-012

Rotatable



R245 TRATCH-002

Socket Sets

20 Piece 3/8" Drive • 1/4", 5/16", 3/8", 7/16", 1/2", 3/4", 11/16", 13/16", 1/2", 13/8", 15/16"



R895 TSOCKE-020



19 Piece Socket Set on Hanger
• 1/2" Drive • CRV
• Sizes: 8 - 20, 23, 24, 27, 30, 32mm

R775 TSOCKE-019



25 Piece 1/4" Drive
• Sizes: 4, 4.5, 5, 5.5, 6, 6.5, 7 - 14mm
• Sizes (5 Tube Sockets): 8, 10 - 13mm



R1695 TSOCKE-180

108 Piece
• 1/4" & 1/2" Drive

CHROME VANADIUM

VISIT WEBSITE FOR DETAILED CONTENTS www.adendorff.co.za

Torx & Hex Bit Sets



R1095 TTORXB-041

- 41 Piece** • 13-Star L Key
• 12-Star Socket • 13-Star Bit
• 3-Bit Holder in Metal Case
• Quality Chrome Molybdenum



R545 TTORXB-042

- 41 Piece Torx Bit Set**
• 14-Star Power Bits • 14 Hex Power Bits • 11 Spline Power Bits
• 2 Drive Adaptors

R485 TKEYSA-007



8 Piece 1/2" Drive Hex Bit Set (S² Steel)
• Sizes: 6, 7, 8, 10, 12, 14, 17, 19mm

R395 TTORXB-009



9 Piece • T20 - T60
• 1/2" Drive Torx Bit, 100mm "Long"

Power Bars



- 12.5mm (1/2) Drive** • Length: 450mm **R195** TPOWEB-450
19mm (3/4) Drive • Length: 600mm **R585** TPOWEB-600
25mm (1") Drive • Length: 600mm **R595** TPOWEB-025

Torque Wrenches

PROFESSIONAL

- 6mm (1/4) Drive 2 - 24Nm (L = 150mm)** **R795** TWRENT-005
10mm (3/8) Drive 6 - 30Nm (L = 285mm) **R995** TWRENT-002
10mm (3/8) Drive 6 - 30Nm (L = 320mm) **R1445** TWRENT-008
12.5mm (1/2) Drive 40 - 210Nm (L = 530mm) **R1195** TWRENT-003
12.5mm (1/2) Drive 65 - 335Nm (L = 520mm) **R1895** TWRENT-006
19mm (3/4) Drive 100 - 500Nm (L = 860mm) **R2695** TWRENT-004
19mm (3/4) Drive 200 - 1 000Nm (L = 1 150mm) **R9950** TWRENT-007

Click Torque Wrench 12.5mm (1/2) Drive 28Nm - 210Nm (L = 470mm)

R575 TWRENT-001



In-house Calibration Offered (at Aeroton Head Office) on MAC AFRIC Torque Wrenches

ENQUIRE IN STORE

BOKSBURG

(011) 914-1550

518 Commissioner Street, Boksburg East
Industrial boksburg@adendorff.co.za

RANDBURG (STRYDOM PARK)

(011) 793-3380

2013 Malibongwe Drive, Randburg
randburg@adendorff.co.za

ROODEPOORT/KRUGERSDORP

(011) 664-8336

17 Carol Road, Opp. Witpoortjie Station, Breaunanda
roodepoort@adendorff.co.za

HAND TOOLS & TEST EQUIPMENT

Digital Multimeters



1	Model DT830D DIY	R85 TTESDM-830
2	Model MAS850	R150 TTESDM-850
3	Model 266 with Clamp Meter	R195 TTESDM-266
4	Model DT920	R235 TTESDM-920
5	Model EM6187	R945 TTESDM-618

FLUKE Multimeters



Fluke 107 **R2695** TTESDM-107

Fluke 302 Clamp **R3145** TTESDM-302

2-in-1 Digital Moisture Meter



- Detecting moisture levels in wood, firewood, drywall, paper, floors and other building materials

R495 TTESDM-002 **NEW**

250 Piece Waterproof Solder Wire Connectors



R445
TSOLDE-251

Adjustable Circle Cutter Sets



R995 40 - 200mm TSAHWL-200

R1095 40 - 300mm TSAHWL-300 **NEW**

6 Ton Hydraulic Hole Digger



R1795 EHOLED-001

- Hole Ø: 22, 27, 34, 43, 49 & 60mm
- Stroke: 16mm
- Capacity: 1.6mm Stainless Steel; 3.2mm Mild Steel

42 Piece VDE Electrical Tool Set in Bag



R1495 TTOOLB-042

10 Piece Electrical Tool Kit in Zipper Bag



- Contents:
- Side Cutting Plier: 150mm
 - VDE Long Nose Plier: 150mm
 - VDE Stripper Plier: 150mm
 - VDE 5 x Screwdrivers (Slotted 4 x 100, 5.5 x 125mm) (Phillips PH0 X 60, PH1 X 80, PH2 X 100mm)
 - Tester: 140mm • 200 - 250V
 - Insulation Tape: 10m

R695 TTOOLB-210

Testers

Metal-Wood Wall Detector

- Wood: 20mm
- Copper Conductors (live) 50mm
- Ferrous Metals: 100mm
- Non-ferrous Metals: 80mm

R1095 TTESDM-015

Non-contact Voltage Tester

- Voltage Detecting Range: 5V AC - 1 000V AC
- Frequency Range: 50Hz - 400Hz
- Safety Category: CAT IV 1 000V

R195 TTESTT-001

Multifunction Voltage Tester

- Voltage Range: 10 - 690V AC/DC
- Single Pole Voltage: 100 - 690V
- Frequency Range: 45 - 65Hz
- Rotary Field Indication Voltage: 100 - 690V

R895 TTESTT-002

2-in-1 Soldering Station with Digital Display



R1295 TSOLDE-750

Ratchet Cable Cutter



R2495
TCUTTR-001

- Cutting Range: Ø75mm • Suitable for Cu-Al Cable & Armored Cable

VDE Pliers

180mm Side Cutter

R175 TPLIER-014

200mm Combination

R195 TPLIER-013

160mm Wire Stripper

R160 TSTRIP-002

200mm Long Nose

R185 TPLIER-015

Crimpers

Non-insulated Terminal

R225 TCRIMP-002

- Wire Ferrule • Used for electrics & cabling, ideal for insulated terminals

R225 TCRIMP-003

- Model LS-9 • Ideal for non-insulated terminals 1.25 - 8mm²

R225 TCRIMP-004

- Model LS-05H • Coaxial Crimper

R225 TCRIMP-005

- Model LS-03C • Insulated Terminal Crimper 0.5 - 6mm²

R225 TCRIMP-006

Crimping Tool Sets



MAC AFRIC

MC4 for solar installations

R845
TCRIMP-009

Hydraulic Type 8 Ton (shown) 11 Ton

Max. Stroke	12mm	18mm
Dies	6, 10, 16, 25, 35, 50, 70mm ²	16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300mm ²
Crimping Range	6 - 70mm ²	16 - 300mm ²
Diameter	9.5mm	19.5mm
	R895 ECRIMP-001	R995 ECRIMP-002

SPRINGS

(010) 442-6969
13 Bell Street, New Era, Springs
✉ springs@adendorff.co.za

PRETORIA

(012) 329-9579
300 Steve Biko Road (Voortrekkers Road), Cnr. Adcock Street, Gezina ✉ pretoria@adendorff.co.za

CENTURION

(012) 653-0586 33 Miracle Park, Cnr. Old Johannesburg Road R101 & Lenchen Extension, Rooihuiskraal ✉ centurion@adendorff.co.za

WATER PUMPS, HIGH PRESSURE CLEANERS & VACUUMS

Pressure Pumps



R1595
HPUMPP-008
0.37kW End Suction Peripheral Vane Pump



R2145
HPUMPP-010
0.75kW End Suction Peripheral Vane Pump

R2295
HPUMPP-009
0.75kW End Suction Single Stage Centrifugal Pump

	① 0.75kW	② 0.37kW	③ 0.75kW
Max. Flow	7.2 (m³/h)	2.4 (m³/h)	3.6 (m³/h)
Head Range	14 - 32 (m)	1 - 27 (m)	2.5 - 53 (m)
Max. Suction	7 (m)	8 (m)	8 (m)
Including Pressure Flow Control Switch	R2295 HPUMPP-009	R1595 HPUMPP-008	R2145 HPUMPP-010

Stainless Steel Pressure Pumps



0.75kW 85l/min 40m Head
1.1kW 100l/min 48m Head

R2495 HPUMPP-004
R2995 HPUMPP-005

OPTIONAL EXTRA
230V Pressure Flow Control Switch
• 10 Amp



R595 HPUMPP-006

Submersible Pumps



SP400 with Float Switch (Clean Water), 5m Head **R995** HPUMPS-001
SP550 with Float Switch, 7m Head **R1195** HPUMPS-002
SP750 with Float Switch, 8m Head **R1295** HPUMPS-004

Sewage Pumps



① 0.55kW, 230V
② 1.1kW, 230V

	①	②
Head	7m	9m
Max. Flow	7m³/h	15m³/h
Pump Body	Stainless Steel & Cast Iron	Cast Iron

R2995 HPUMPD-101
R4895 HPUMPD-202
COLOUR MAY VARY

2-in-1 Undercarriage/Floor Pressure Washer Cleaner

• The perfect attachment for petrol or larger electric high-pressure washers allows you to clean car undercarriages with ease. • Works best with pressure washers ranging from 1 500 to 4 000 PSI.



R695 HCLEAN-016

15" High Pressure Patio Cleaner Attachment for your Pressure Cleaner



R1295 HCLEAN-015

30 Liter Water Filter Vacuum Cleaner

R3495 HVACUM-001

Equipped with a robust 1600W motor, this vacuum cleaner features an advanced 3-stage air filtration system, making it the perfect cleaning solution for your home, car, or workshop. The first stage utilizes a standard dust cloth filter to capture larger particles. The second stage incorporates a water filtration system with a reservoir located at the bottom of the vacuum, effectively trapping finer dust and debris. Finally, the air passes through a high-efficiency HEPA filter, ensuring a much cleaner and dust-free environment compared to traditional vacuum cleaners.



12V DIY DC Water Pump

R225
HPUMPW-012



R545 HPUMPW-013
DIY

Vacuum Cleaners

30ℓ Wet & Dry
• 1 200W

R2295
HVACUM-030

70ℓ Wet & Dry (shown)
• 2 000W • Dual Motor

R4695 HVACUM-070



Foam Machine

Ideal for Car Wash
Compressor Required

R1995
HFOAMS-070

• Capacity: 70ℓ
• Low Pressure
• Operating Pressure: 1 - 2.5 bar • Pneumatic



High Pressure Cleaners



R1595 HCLEAN-130

R3695 HCLEAN-150

R11950 HCLEAN-003

R12950 HCLEAN-299

ELECTRIC DRIVEN Includes 5m Hose, Gun & Lance

	Voltage kW	Rated Bar Pressure	Flow Rate /min	Price
①	1.5kW, 230V (shown)	90	6	R1595 HCLEAN-130
②	1.9kW, 230V	110	6	R2195 HCLEAN-200
③	3kW, 230V (shown)	150	6.8	R3695 HCLEAN-150

ELECTRIC DRIVEN Includes 10m High Pressure Hose with Gun & Lance

PROFESSIONAL

	Voltage kW	Rated Bar Pressure	Flow Rate /min	Price
④	2.2kW, 230V (shown)	100	15	R11950 HCLEAN-003
⑤	3kW, 380V	150	15	R11950 HCLEAN-004

PETROL DRIVEN Includes 10m High Pressure Hose with Gun & Lance & 5 x Quick Change Nozzles for various applications

	Motor	Rated Bar Pressure	Flow Rate /min	Price
⑥	4kW, 5.5hp	124	7.5	R8495 HCLEAN-220
⑦	5kW, 6.7hp	186	11.4	R10750 HCLEAN-201
⑧	6.6kW, 9hp (shown)	206	11.35	R12950 HCLEAN-299

DIESEL DRIVEN Includes 10m High Pressure Hose with Gun & Lance & 5 x Quick Change Nozzles for various applications

	Motor	Rated Bar Pressure	Flow Rate /min	Price
⑨	6.6kW, 9hp	248	15.1	R19995 HCLEAN-360

SILVER LAKES (PRETORIA EAST) ☎ (012) 054-5969
Silver Oaks Crossing (Shop 41), Cnr. Solomon Mahlangu & Von Backstrom Boulevard, Pretoria East ✉ silverlakes@adendorff.co.za

VEREENIGING ☎ (016) 422-6057
26 De Villiers Avenue
✉ vereeniging@adendorff.co.za

LIGHTING & POWER TOOLS

LED 3-Way Portable Tripod Working Light with Stand



ADJUSTABLE:
Vertical: 180°
Horizontal: 270°

R1495 HLIGHTS-300

- 3 settings: 1 500, 4 000, 7 000 Lumens.
- Provides adjustable brightness settings of up to 7000 lumens and features an adjustable light angle to ensure comprehensive illumination.
- Powered by a rechargeable 7.3V (4000mAh) battery, it offers between 1.5 to 7 hours of runtime, making it the perfect companion for projects on the go.

Magnifying LED Lamps



R595 HLIGHT-001

- Lens Material: Glass
- 3.5W • 100 - 240V
- Free Standing
- With on/off Switch



R995

HLIGHT-002

60 Piece LED
125mm (5")

- Lens Material: Glass
- 3.5W • 100 - 240V
- With Table Clamp
- With on/off Switch

MACAFRIC Portable Lighting



1	Rechargeable Portable LED Lantern	R195 HLIGHT-002
2	Rechargeable LED Lantern • 3 Settings (high = 1 500 lumens)	R375 HLIGHT-001
3	Aluminium LED Rechargeable Spotlight • 800 lumens	R445 HLIGHTS-036
4	Rechargeable Lithium Ion Spotlight with Side Light	R395 HLIGHT-010
5	Rechargeable LED Flashlight • 1 000 lumens	R275 HLIGHT-009
6	Search Glare Rechargeable Flashlight • 800 lumens	R495 HLIGHT-012
7	Rechargeable LED (90 PCS) Emergency Light	R285 HLIGHT-007
8	Multifunction Rechargeable Search Light with FM & MP3 Media System & Bluetooth	R795 HLIGHTS-100

Combination Rotary Tool Kits with Accessories



125W • 230V

R395

HENGDR-004

130W • 230V

R695

HENGDR-210

170W • 230V

R795

HENGDR-190

Versatile Tool Kits for Drilling, Engraving, Polishing, Cleaning, Cutting and Grinding. Ideal for D.I.Y. Hobby and Model Enthusiasts for Intricate Detailed Work.

POWERPLUS®

Disc not included



2 300W,
230mm
Angle Grinder
(POWP1030)

R2295 YGRINH-230



1 600W
Rotary
Hammer Drill
(POWX1175)

R2295 YDRILR-155



650W
Impact Drill
(POWX026)

R845 YDRILI-002



900W, 115mm
Angle Grinder
(POWX0611)

R895 YGRIND-900



1 200W
Variable
Speed Router
(POWX0910)

R2195 YROUTR-001



950W Belt
Sander
(POWX0460)

R2095 YSANDB-001



1 400W
Circular
Saw
(POWX0520)

R2295 YSAWCL-001



450W
Random
Orbital
Sander
(POWX0471)

R1395 YSANDR-001



900W
Biscuit Jointer
(POWX131)

R1795 YBISCT-001



900W Reciprocating
Saw (POWX0397)

R1445 YSAWRP-005



220W
Mouse Sander
(POWX0480)

R795 YSANDM-001



600W Variable
Speed Jigsaw
(POWX0330)

R1045 YSAWJG-001

BLOEMFONTEIN (051) 448-1689
Oliver Tambo Road (Church Street), Cnr. Harvey Road, Blackwood
Crossing, Oranjesig bloemfontein@adendorff.co.za

WELKOM (057) 355-6600
137 Constanzia Street, Dagbreek
welkom@adendorff.co.za



MAC AFRIC® POWER TOOLS



Scan here to view our extensive power tool range and detailed specifications



840W Planer
R1395 SPLANE-001



R1595 SSAWCL-001

1 400W Circular Saw

Disc not included



550W Router Trimmer
R795 SROUTR-002



710W Electric Drywall Screwdriver
R795 SSCREW-001



700W Impact Drill
R695 SDRILL-001



720W, 26mm Rotary Hammer Drill
R1495 SDRILL-002



680W Blower/Vacuum
R595 SBLOWR-001



800W, Electric Mixer
R895 SMIXER-001

Includes 1 x Spiral Bit



590W Reciprocating Saw
R1395 SSAWRP-001

Blade not included



NEW
1 500W Rotary Hammer Drill
• SDS Plus
R1695 SDRILR-036

PROFESSIONAL



960W Rotary Hammer Drill
• SDS Plus
R1695 SDRILR-030

20V Cordless Range



Driver/Hammer Drill (Tool Only)
R1295 SDRILC-008



Brushless Impact Driver (Tool Only)
R1195 SDRILC-010



Brushless Angle Grinder (Tool Only)
R1495 SGRINC-002



Brushless Rotary Hammer Drill (Tool Only)
R1995 SDRILC-025



Brushless Impact Wrench (Tool Only)
R995 SWRENC-002

Batteries are for illustrative purposes only. Not included



185mm Circular Saw
R1795 SSAWCL-002



Cordless Blower
R895 SBLOWC-002




4.0AH Battery
R995 SBATTR-005



Battery Charger
R495 SCHARG-002

Demolition Breakers



• 1 750W • 48J • 24.2kg
R5995 TBREAK-175



• 1 500W • 45J • 20kg
R5950 TBREAK-110



• 2 050W • 50J • 45kg
R11950 TBREAK-205

1 650W Router

R1695 SROUTR-001



550W Die Grinder
R795 SGRIND-006

2 000W Heat Gun

R445 THEATG-001



Angle Grinders



710W DIY, 115mm
R495 SGRIND-112

Disc not included



2 200W, 230mm
R1495 SGRIND-230

Disc not included



840W, 115mm
R595 SGRIND-115

Disc not included

RUSTENBURG ☎ (014) 594-1545
Oliver Tambo Drive R104, Cnr. Beyers Naude Drive
✉ rustenburg@adendorff.co.za

KLERKSDORP ☎ (018) 462-1116
99 O.R., Tambo Street (Church Street), Cnr. President Kruger Street
✉ klerksdorp@adendorff.co.za

WELDING



MMA

EXCELLENT QUALITY

MAC AFRIC DC Inverter Welders

PLEASE NOTE: Use minimum 2.5mm² Core Extension Cord

ACCESSORIES INCLUDED | Electrode Holder and Earth Clamp

	Model	Voltage	Duty Cycle	Price
ICBT	Model 140 Mini D.I.Y.	230V	35%	R1295 EWELDS-140
	Model 161 D.I.Y.	230V	60%	R1695 EWELDS-161
	Model 201 D.I.Y.	230V	60%	R1995 EWELDS-201
	Model 315	380V	40%	R7495 EWELDS-315
MOSFET	Model 160	230V	60%	R2595 EWELDS-160
	Model 200	230V	60%	R2895 EWELDS-200
	PREMIUM QUALITY			
	Model 200 with V.R.D.	230V	60%	R3995 EWELDS-202
	Model 250	230V	60%	R4995 EWELDS-251
	Model 250	380V	60%	R4995 EWELDS-250

NEW

MAC AFRIC 200A TIG AC/DC Inverter Welder

- Input Voltage: Single phase 230 V @ 50 Hz
- Welding Modes: TIG / MMA
- Input Current: 24 A (TIG), 26 A (MMA)
- Input Power: 5.6 kVA (TIG), 6.0 kVA (MMA)
- Welding Current: 10-200 A (TIG), 30-160 A (MMA)
- Welding Voltage: 10.4-18 V (TIG), 21.2-26.4 V (MMA)
- Rated Duty Cycle: 40% (TIG) • Pre-flow Time: 0-2 seconds
- AC Balance: 10%-50% • Pulsed Frequency: 1-100 Hz
- AC Frequency: 40-100 Hz • Pulsed Duty Cycle: 10%-90%
- Post-flow Time: 1-10 seconds
- Electrode Diameter (MMA): 1.6-4.0 mm
- Efficiency: 85% • Power Factor: 0.7



R8995 EWELDT-204

MAC AFRIC MIG/CUT/MMA/LIFT TIG 4-in-1 Inverter Welder

- Max. Output Current: 200A
- Rated Max. Input Power: 7.9kVA • Power Input: 230V
- Current Range: MIG: 20 - 200A / CUT: 20 - 40A / MMA: 20 - 180A / LIFT TIG: 20 - 180A
- Electrode Ø: MIG: 0.6 - 1.0mm / MMA: 1.6 - 5.1mm
- Max. Cutting Thickness - CUT: 12mm • Duty Cycle: 25%



R7995 EWELDM-240

TIG/DC 230V Inverter Welders with High Frequency Start

- Model TIG 160**
 - 3.3kW
 - 60% Duty Cycle
- Model TIG 200 with MMA Function (shown)**
 - 4.8kW • 60% Duty Cycle

R3995 EWELDT-160

R4695 EWELDT-200



Suitable for Mild Steel & Stainless Steel (Ferrous Metals Only)

Spot Welding

R13950 EWELSP-026 230V
EWELSP-025 380V

- Rated Power: 25kVA
- Rated Current: 60A • Arm Length: 250mm
- Max. Welding Thickness: 3 + 3mm
- Duty Cycle: 20% • Weight: 120kg

Hand Held (HS3000) 230 Volt

R13995 EWELSP-001

- Max. Spot Weld Thickness: 2 + 2mm
- Max. Clamping Force: 120kg
- Min. Rest Period between Welds: 20 sec.
- Weight: 10.5kg



Welding Magnets

Large: 190mm across	R75 (shown) EAMAGW-001
Medium: 155mm across	R55 EAMAGW-002
Small: 120mm across	R35 EAMAGW-003



Oxygen Acetylene Kit

R2895 EOXYAC-001

Oxygen & Acetylene Regulators, Torch Cutting & Welding Nozzle, Goggles, Spark Lighter, Hoses, with Flashback Arrestor
N.B. This Kit fits on Large Bottles Only (Large Bottles not supplied with Kit)



GAS

AC/DC 185A TIG Inverter Welder with MMA Function

R11950 EWELDT-185

Suitable for Ferrous & Non Ferrous Metals, Mild Steel, Stainless Steel & Aluminium

- 150A • 230V • 35% Duty Cycle

OPTIONAL EXTRA Foot Pedal for 185A TIG Welder

R895 EWELDT-181



POPULAR CHOICE



AC/DC TIG Inverter Welder

PROFESSIONAL'S CHOICE

R19995 EWELDT-315

- 300A • 380V
- Output Current (A) 12 - 300 (TIG), 15 - 240 (MMA)
- HF Arc • 60% Duty Cycle



R14495 EWELDT-201

Suitable for Ferrous & Non Ferrous Metals, Mild Steel, Stainless Steel & Aluminium



MONTAGUE GARDENS (CAPE TOWN) ☎ (021) 552-7389
Unit 1, 21 Montague Drive, Montague Gardens ✉ capetown@adendorff.co.za

STRAND ☎ (021) 205-7878
30 Mynhardt Street ✉ loc30@adendorff.co.za

WELDING

Adendorff

Plasma Cutters (DC Inverter) COMPRESSOR REQUIRED



Cut 40 (shown)
R4295
EWELDP-040

- 230V
- HF Arc Max. Cutting: 8mm Mild Steel, 3mm Stainless Steel

Cut 60
230V
R7495
EWELDP-059

380V
R7695
EWELDP-060

- Max. Cutting: 1 - 15mm Mild Steel; 1 - 8mm Stainless Steel
- HF Arc



Cut 100 (shown)
R15950
EWELDP-100

- 380V
- Max Cutting: 1 - 25mm
- 60% Duty Cycle
- HF Arc • 20 - 100A

PLASMA CUT

Auto Darkening Welding Helmets

- Viewing Area: 96 x 39mm
- Shade Control: Adjustable
- Sensitivity Control: Adjustable
- Switching Time: 1/25 000s • Colour: Black

R395 EWELDH-006

WELDERS CHOICE



Panoramic View Auto Darkening Welding Helmet

NEW

- A wide, 180° viewing Angle
- Advanced Auto-darkening Features • Perfect for Welding, Cutting and Grinding Applications
- With TrueView+ Technology and Multiple Modes
- Optimal Visibility and Protection

Non-adjustable

- View Area: 91 x 39mm
- Colour: Matt Black

R275 EWELDH-002

R1295 EWELDH-007

PROFESSIONAL

Fast Reaction Time & Fine Adjustment, Fully Automatic

- Welding & Grinding Function
- Viewing Area: 100 x 60mm
- Switching Time: 1/25 000s
- Colour: Carbon Fibre

- Large Viewing Area: 98 x 87mm
- Shade Range: Internal Selection (9-13/5-8)
- Grinding Function: DIN4 (Internal)
- Delay Time: 0.1 - 1.0s Stepless Variable (Internal)

R795 EWELDH-005 **R895** EWELDH-004

MIG135 D.I.Y. Flux Cored Welder



R1995 EWELDM-135



The all-new MAC AFRIC 100A IGBT MIG Welder is our smallest MIG welder! Absolutely no gas is required – making this the ultimate welder for portability, convenience, and simplicity. With Improved welding performance on a lower current to enhance welds on thinner materials.

- Input voltage: 230V 50Hz • Output Current: 40 - 100A • Duty Cycle: 20% @ 90A, 60% @ 45A • Wire Diameter: 0.8mm (Flux-cored Wire)

MIG

MAC AFRIC D.I.Y. MIG-MAG Welders

ENQUIRE IN STORE → Flux Core Welding Wire

Light Duty for the D.I.Y. Enthusiast
• 230V • 10% Duty Cycle



MIG-MAG

Model	Output Current	Price
MIG 150 Gas/No Gas	40A - 140A	R3295 EWELDM-150
MIG 195 Gas/No Gas	30A - 190A	R3495 EWELDM-195 (shown)

MAC AFRIC Combination DC MIG Inverter Welders

New Improved Professional Quality with IGBT Technology & Flux Core Option (Gas/No Gas)

Compact, powerful & easy to use for MIG and ARC welding. With adjustable constant wire feed for smoother, more even welds. This will suit general metal fabrication, which makes it ideal for the general workshop. With the flip of a switch it can change from MIG to ARC.



MIG

Model	Voltage	Amp	Duty Cycle	Duty Cycle	Price
Model 200 (shown)	230V	200A	60% @ 200A	100% @ 130A	R8995 EWELDM-202
Model 250	380V	250A	60% @ 250A	100% @ 180A	R14995 EWELDM-205
Model 350	380V	350A	60% @ 350A	100% @ 270A	R24950 EWELDM-351

MAC AFRIC MIG Welder

EXCELLENT QUALITY

R6595 EWELDM-180

PRO-MIG 180, 230V • Gas/No Gas
• 30 - 180A • MIG/MMA-function

ACCESSORIES INCLUDED | MIG Torch & Earth Clamp



MIG

OPTIONAL EXTRA
MIG Spool Gun for Aluminium Welding. Includes roll of 0.8mm - 500g aluminium welding wire

R2795 EWELDM-181

MAC AFRIC Model 250 MIG Welder



- Model 250 • 230V • 60% @ 160A
- Output Current: 40A - 210A

R9950 EWELDM-203

ACCESSORIES INCLUDED | MIG Torch & Earth Clamp

MIG

MAC AFRIC MIG 500 Inverter MIG/MAG Welding Machine Kit

R34950 EWELDM-500

Experience unparalleled efficiency in industrial welding tasks with our high performing MIG 500 inverter MIG-MAG welding machine. Designed to tackle heavy duty assignments, this robust welding solution stands as the optimal choice for heavy duty applications.

- Input Voltage/Phase/Frequency: 380V/3P/50Hz
- Output Current/Voltage/Duty Cycle @ 40°C: MIG: 500A/39V/60%
- MIG: 387A/34V/100%
- Amps Input at Rated Output: MIG: 38.4A@500A
- Output Range: MIG: 50-500A/72V, MMA: 50-500A/72V • Weight: 42kg



MIG-MAG

BRACKENFELL ☎ (021) 205-7888
Unit 1, 3 Tee-jay Road (Corner Taurus Road), Everite Industrial Park
✉ loc27@adendorff.co.za

GEORGE ☎ (044) 050-3610
6 Ring Road, George Industrial ✉ loc29@adendorff.co.za

ENGINEERING

ENQUIRE IN STORE

ONLY AVAILABLE AT CERTAIN STORES

Geared Head Metal Lathes

	(shown) 632C	636A	Turner 3610	Industrial Tool Room D420
Powerful Motor	1.5kW, 230V	1.5kW, 230V	1.5kW, 230V	3kW, 380V
Swing Over Bed	320mm	356mm	356mm	410mm
Swing Over Cross Slide	178mm	220mm	220mm	255mm
Distance Between Centres	1 000mm	1 000mm	1 000mm	1 000mm
Swing over Gap	450mm	506mm	506mm	540mm
Spindle Bore	38mm	38mm	52mm	52mm
Spindle Taper/Tail Stock	MT5/3	MT5/3	MT5/3	MT6/4
Gross Weight	550kg	650kg	650kg	1 500kg
ALSO AVAILABLE	R76950	R89950	R99950	R164950
LARGER MODELS	ELATHE-100	ELATHE-107	ELATHE-106	ELATHE-104
1.5m and 2m from Aeroton Johannesburg South Warehouse Only	ACCESSORIES INCLUDED			
	Pedestal & Splash Cover	Footbrake, Pedestal & Splash Cover	3-axis D.R.O. Footbrake, Pedestal & Splash Cover	Footbrake, Stand & Splash Cover

PROFESSIONAL'S CHOICE

GEAR DRIVEN



VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

PLEASE ENQUIRE AT YOUR NEAREST STORE FOR STOCK AVAILABILITY

550mm Multi Purpose Geared Head Bench Lathe

WITH MINI MILLING AND DRILLING FUNCTION

- Lathe**
- Motor: 550W, 230V
 - Distance Between Centres: 550mm
 - Max. Swing Over Bed: 250mm
 - Range of Thread: 0.25 - 3.5mm
- Milling**
- Motor: 350W, 230V
 - Max. Drilling Capacity: 13mm
 - Max. Milling Capacity: 16mm
 - Max. Face Milling: 30mm

R38950
ELATHE-251



500mm Geared Head Bench Lathe

- Motor: 750W, 230V
- Including 3 Jaw Chuck
- Distance Between Centres: 500mm
- Max. Swing Over Bed: 250mm
- Range of Thread: 0.25 - 2.5mm
- Spindle Bore: MT3
- Spindle Speeds: 12 Steps 80 - 1 600rpm
- Weight: 180kg

R28995
ELATHE-250



Bench Type Milling Machines

REVERSABLE MOTOR ALLOWS FOR MILLING AND TAPPING



	(shown) 40mm	32mm
Motor	1.5kW, 230V	0.75kW, 230V
Max. Drilling Ø	45mm	32mm
Face Mill Capacity	80mm	63mm
End Mill Capacity	28mm	28mm
Headstock Swivel	±90°	±90°
Max. Distance Nose to Table	450mm	450mm
Spindle Taper	MT4	MT3
Forward and Backward Travel	175mm	175mm
Working Area of Table	800 x 240mm	700 x 240mm

OPTIONAL EXTRA

Stand **R2695** EMILST-001

Horizontal x-axis Auto Feed **R5995** EMILAF-000

R37950 EMILGH-045

R32950 EMILGH-032



Mini Drilling/Milling Machines

WITH AUTO FEED



R15950 EMILGH-130

R19950 EMILGH-131

- Drilling Capacity: 13mm
- End Mill Capacity: 16mm
- Face Mill Capacity: 30mm
- Longitudinal Axis (X): 220mm
- Cross Axis (Y): 100mm
- Head Stock Travel (Z): 180mm
- Spindle Taper: MT3
- Throat: 167mm
- Table Size: 390 x 92mm
- T-slot Size: 12mm
- Column Swivel Angle: ±45°
- Main Motor Output Power: 350kW

Milling Machines

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS


ONLY AVAILABLE AT EX JHB SOUTH DEPOT

Turret Head 380V

Max. Drilling Ø	50mm
Max. Boring Ø	152.4mm
Distance Spindle to Table Surfaces	0 - 405mm
Spindle Speeds	60 - 3 600rpm
Table Size	1 370 x 254mm
Table Travel	400 x 800mm
Motor	2.2kW
Weight	1 320kg

R149950 EMILGH-632

ACCESSORIES INCLUDED Water Pump, Light, D.R.O. 3-axis & Auto Feed



Gear Driven 380V

Max. Drilling Ø	50mm
Max. Boring Ø	120mm
Distance Spindle to Table Surfaces	100 - 480mm
Spindle Speeds	115 - 1 750rpm
Max. Tapping Ø	M16
Table Size	1 120 x 230mm
Table Travel	630 x 350mm
Motor: 1.5kW horizontal, 2.2kW vertical	
Weight	1 450kg

R134950 EMILGH-635

ACCESSORIES INCLUDED Water Pump, Light, D.R.O. 3-axis & Auto Feed



GEAR DRIVEN

EAST LONDON (043) 422-0596
11 Dunn Street, Arcadia el@adendorff.co.za

PORT ELIZABETH (QOBERHA) (042) 484-3995
27 Grahamstown Road, North End pe@adendorff.co.za

180mm Variable Speed Mini Bench Lathe

R11950 ELATHE-181



- Motor: 0.4kW, 230V
- Swing Over Bed: 180mm
- Spindle Bore: 20mm
- Spindle Speed Range: (L) 200 - 1 150rpm (H) 460 - 2 500rpm
- Distance Between Centres: 310mm • Tail Stock Taper: MT2

520mm Belt Driven Screwcutting Bench Lathe

R19995 ELATHE-520



- Motor: 0.55kW, 230V
- Swing Over Bed: 210mm
- Spindle Bore: 20mm
- Spindle Taper: MT3
- Spindle Speed: 140 - 1 800rpm
- Distance Between Centres: 520mm
- Includes 3 Jaw Chuck (100mm)

OPTIONAL EXTRA Stand
R3495
ELATHE-521

Combination Bench Lathe, Milling & Drilling Machines

WITH AUTO FEED & ADJUSTABLE HEAD



HQ500 HQ800

Turning

Swing Over Bed	420mm	420mm
Distance Between Centres	500mm	800mm
Spindle Bore	28mm	28mm
Spindle Taper	MT4	MT4

Drilling and Milling

Drilling Capacity Ø	22mm	22mm
Powerful Motors	① Lathe 0.55kW, 230V	0.55kW, 230V
	② Drill 0.55kW, 230V	0.55kW, 230V

PLEASE ENQUIRE AT YOUR NEAREST STORE FOR STOCK AVAILABILITY

R39995 EMILHQ-500
R45950 EMILHQ-800

Brake Disc and Drum Lathe

- Motor: 1.1kW, 230V
- The MAC AFRIC disc and drum lathe is a great edition of our garage range. This machine revolutionizes the concept of lathing and offers a complete solution for brake disc and drum reconditioning. The lathe features solid construction, dual functionality with a 3-speed spindle operation for a quality finish in less time. Ideal for disc size(s) 180 - 400mm not exceeding 40mm thickness and for the brake drum's - outer diameter 180 - 450mm. The user-friendly features an infinitely adjustable spindle-feed gearbox that allows the operator to precisely pin point the right settings for precision turning. This machine is a great all-rounder offering reliability and durability to complete the garage workshop.

R49950 ELATHB-001



ONLY AVAILABLE AT CERTAIN STORES

750mm Geared Head Bench Lathe

PROFESSIONAL

GEAR DRIVEN



R59950 ELATHE-750

OPTIONAL EXTRA Stand

R5995 ELATHE-751

The MAC AFRIC ELATHE-750 showcases exceptional engineering, boasting solid construction, remarkable precision, and seamless operation with an array of features. This model stands out as a remarkable value for money and the preferred choice for professional enthusiasts and engineers. It comes equipped with a quick change tool post, significantly reducing set up time for effortless operation. Furthermore, this lathe includes steady and follow rests, an LED worklight, a coolant system and features a 3-axis D.R.O. system for heightened accuracy and repetitive turning.

- Max. Swing Over Bed: 330mm • Max. Length of Workpiece: 750mm
- Max. Swing Carriage: 220mm • Bed Width: 160mm
- Power Output: 1 100W • Spindle Bore: 38mm
- Spindle Taper: MT#5 • Spindle Speeds: 12 steps
- Spindle Speeds Range: 60, 90, 120, 160, 220, 300, 380, 500, 640, 850, 1 110, 1 650rpm

ONLY AVAILABLE AT CERTAIN STORES

500mm Geared Head Metal Screwcutting Bench Lathe

GEAR DRIVEN

R22950 ELATHE-500

- Motor: 370W, 230V
- Swing Over Bed: 205mm
- Spindle Bore: 20mm
- Thread Pitches: 0.4 to 3mm • Auto Feed
- Distance Between Centres: 550mm
- Includes 3 Jaw Chuck (125mm)
- Weight: 125kg



OPTIONAL EXTRA Stand
R3695 ELATHE-501

550mm Geared Head Bench Lathe

PROFESSIONAL'S CHOICE

GEAR DRIVEN

R41950 ELATHE-613

- Motor: 1.1kW, 230V
- Max. Swing Over Bed: 330mm
- Spindle Bore: 38mm
- Spindle Taper: MT5
- Tail Stock Sleeve Taper: MT3
- Swing Over Carriage: 210mm
- Distance between centres: 550mm

OPTIONAL EXTRA Stand
R4895 ELATHE-614



ENGINEERING ACCESSORIES

Compound Cross Slide Tables




Table Size	①	②
Height	330 x 220mm	425 x 240mm
x-travel	115mm	125mm
y-travel	190mm	225mm
	100mm	150mm
	R3695 EATABL-001	R6495 EATABL-002

Dial Gauges & Magnetic Bases

① **Dial Test Indicator Gauge Plunger Type** **R325** EAGAUD-001
• 0.01mm (shown)

② **Magnetic Base** **R295** EAMAGB-001 (shown)

Magnetic Base with Micro Adjusting Arm **R595** EAMAGB-002

Dial Test Indicator Gauge with Toggle Switch **R645** EAGAUG-002
• Range: 0.8mm
• Reading: 0.01mm

Electronic Digital Dial Indicator Gauge Plunger Type **R985** EAGAUD-002
• Range: 0 - 12.7mm

Verniers

Digital
• Power on/off Switch • Metric/Imperial Switch

150mm Caliper (shown) **R375** EAVERD-151
• High Accuracy: Scale: 0.02mm (0.01mm)

200mm Caliper **R545** EAVERD-200
• High Accuracy: Scale: 0.02mm (0.01mm)

300mm Caliper **R895** EAVERD-300
• High Accuracy: Scale: 0.02mm (0.01mm)

Standard Type • Stainless Steel

150mm Caliper **R275** EAVERN-150
• Accuracy: 0.02mm

200mm Caliper **R295** EAVERN-201
• Accuracy: 0.02mm

300mm Caliper **R595** EAVERN-301
• Accuracy: 0.02mm

150mm Dial Gauge (shown)
• Stainless Steel
• High Accuracy, Scale: 0.01mm

R495 EAVERN-155

Vices

Machine Tool Vices

(shown) 80mm **R1295** EVICEM-001

125mm **R1995** EVICEM-125

200mm **R4495** EVICEM-200

HEAVY DUTY
Offset Vice **R3195** EVICES-605

Drill Press Vices

75mm **R255** EVICDP-001

100mm **R285** EVICDP-004

150mm **R425** EVICDP-006

PROFESSIONAL

100mm **R795** EVICDP-002

150mm **R995** EVICDP-003

Cross Slide Vices

100mm **R1195** EVICEC-101

150mm **R1595** EVICEC-151

Semi Universal Dividing Head

Including 130mm 3 Jaw Chuck **R9950** EADIVH-100

ONLY AVAILABLE AT CERTAIN STORES

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

160mm Rotary Table

R8995 EATABL-160

Lathe Chucks

3 Jaw (self centering)
• 100 - 200mm

4 Jaw (independent)
• 100 - 250mm

PLEASE NOTE:
To fit these Chucks, Back Plate modifications are required

ENQUIRE IN STORE

Bench Vices

① **DUCTILE STEEL** **R1950** EVICES-601

② **CAST IRON** **R1695** EVICES-010

ALSO AVAILABLE Large range of Bench Vices from 4" - 8" and Anvils, 20, 30 & 50kg

WHY DUCTILE STEEL?

It is more flexible and elastic due to its modular graphite inclusions

① **6" 150mm Industrial Bench Ductile Iron, Swivel Base, 16.5kg (shown)** **R1950** EVICES-601

CAST IRON
4" 100mm Swivel Base, 6kg **R595** EVICES-404

② **6" 150mm Fixed Base, 15.5kg (shown)** **R1595** EVICES-010

HEAVY DUTY
6" 150mm Fixed Base, 28kg **R1995** EVICES-603

8" 200mm Fixed Base with Anvil, 45kg **R3295** EVICES-803

Micrometers

OUTSIDE **R995** EAMICR-004

Set of 4
• 0 - 100mm • Accuracy, Scale: 0.01mm

DIGITAL OUTSIDE **R945** EAMICR-025
0 - 25mm

INSIDE (shown) 5 - 100mm **R2895** EAMICR-100

5 - 30mm **R695** EAMICR-030

ALSO AVAILABLE INDIVIDUALLY

0 - 25mm **R195** EAMICR-125

100 - 200mm **R1495** EAMICR-200

150 - 300mm **R1995** EAMICR-300

150mm Measuring Calipers

OUTSIDE **R145** EAVERO-150

INSIDE **R135** EAVERI-150

ENGINEERING ACCESSORIES

58 Piece Clamping Kits




Stud Size	Table Slot	Price	
M10	T12mm	R995	EACLAM-010
M12	T14mm	R1095	EACLAM-012
M14	T16mm	R1295	EACLAM-014

4 Piece Measuring Set



R695
EAMICM-004

- 150mm Vernier • 150mm Steel Rule
- 0 - 25mm Outside Micrometers
- 100 x 70mm Square • In Case

Coolant Hose Kits



①	1/2" Hose Set & Magnetic Base	R265	EHOSEC-003
①	1/2" Hose Set	R195	EHOSEC-002
②	1/4" Hose Kit	R195	EHOSEC-001

Machinest 1-2-3 Set Up Blocks



R595
EABLOC-123

300mm Surface Gauge



R695
EAGAU-300

5 Piece Wiggler & Centre Finder Set



R245
EAFIND-002

Edge Finder



R135
EAFIND-001

Arbor Collet Chuck Sets

8 Piece MT2 (2 - 10mm)

R1395
EACOLT-002

8 Piece R8 (2 - 10mm)

Collet Ø: 2-1.5, 3-2, 4-3, 6-5, 7-6, 8-7, 10-9mm

R1895
EACOLT-008

9 Piece MT3 (4 - 16mm)

R1495
EACOLT-016

12 Piece MT3 (M12) ER32 (shown)

R2495
EACOLT-032

12 Piece R8 (M12) ER32

R2495
EACOLT-031

H.S.S. End Mill Sets

Range of loose End Mills available

	Round Shank	Price	
13 Piece	4 - 16mm	R975	EAMILS-016
23 Piece	3 - 25mm	R2595	EAMILS-023

Boring Bar Sets

9 Piece • Round Shank: 12mm (shown)

R445
EABORI-009

13 Piece • Round Shank: 18mm

R745
EABORI-012

F1 - 50 Boring Head • MT3

R1695
EABORI-050

"Live" Centres

MT1	R365	R395
	EACENT-002	EACENT-000
MT3	R445	R595
	EACENT-001	EACENT-004
MT5	R895	
	EACENT-005	

Cutting Tool Sets PROFESSIONAL

Indexable 7 Piece

10mm **R1395** EACUTT-001

12mm (shown) **R1495** EACUTT-000

16mm **R1795** EACUTT-016

Indexable 9 Piece

20mm **R1995** EACUTT-020

25mm **R2595** EACUTT-025

ALSO AVAILABLE ENQUIRE IN STORE
www.adendorff.co.za

Large range of assorted replacement Cutting Tips for above Sets

Parting Tools

• Square Shank Size: 12 & 16mm

12mm **R85** EACUTP-012

16mm **R125** EACUTP-016

Assorted D.I.Y. Metal Lathe Cutter Set



Shank Size Price

5 Piece 8mm x 8mm **R265** EACUTB-004

5 Piece 10mm x 10mm **R295** EACUTB-005

8 Piece 6mm x 6mm **R365** EACUTB-008

Quick Change Tool Posts

4 (Standard) Holders Included

FEATURES:

- Ease of Operation Cuts Set-up Time by 90%
- Handy Lathe Accessory for Tool Rooms & General Engineering Shops
- No Shims are required to Adjust Tools to Correct Centre Height
- Accuracy: 0.0003mm

10mm	R3495	R2495
	EAPOST-010	EAPOST-012
16mm	R2895	R5295
	EAPOST-016	EAPOST-025

PLEASE NOTE: Machining is necessary to install a Quick Change Tool Post on your Lathe

WITBANK ☎ (013) 690-2305
40 Watermeyer Street, Klipfontein, Ext. 8
✉ witbank@adendorff.co.za

NELSPRUIT ☎ 753-3580
Riverside Park, 3 Emnotweni Avenue, (behind Engen Garage), R40
✉ nelspruit@adendorff.co.za

METALWORK

Hydraulic Exhaust-Tube Bender

PROFESSIONAL

R149950
GPIPEB-007



- Motor: 5.5kW, 7.5hp, 380V
- Bending Capacity: 1/2" - 2 1/2" OD
- Max. Bending Capacity: 1/2" - 3" OD
- Swaging Capacity: 1" - 3"
- Hydraulic Pump Output: 4 200psi
- Max. Bending Force: 27 215kg

Hand Pipe Bender

R8495
GPIPHB-025

- Max. Bending Angle: 270°
- Wall Thickness (mm): 0.8 - 1.2mm
- Standard Dies: 1/2", 9/16", 5/8", 3/4", 7/8", 1"

Rated Mild Steel Material Dependant

4 Ton Hand Notcher

R7995 ENOTCH-000

- Mild Steel • Stroke: 19mm
- Max. Notching: 150 x 150mm
- Cutting Capacity: 16# 1.6mm



Steel Cropper for Round, Angle and Flat Steel

R5495
ESHEAR-002

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



Multi Function Shearing Machines

R49950

230V

ESHEAR-001

380V

ESHEAR-000

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



Pipe Benders

The Hydraulic Pipe Benders in our collection are specifically crafted for precise cold bending of schedule 40/80 (thick wall) piles, perfectly suited for a diverse range of pipe installations and general engineering purposes (not recommended for thin-wall piping). They are particularly useful for crafting items like gates and more.
Pipe Wall Thickness requirement: minimum 4mm

12 Ton (shown)

- Bending Capacity: 1/2" - 2" (12.5, 20, 32, 40, 50mm)

R2595 GPIPEB-012

16 Ton

- Bending Capacity: 1/2" - 3" (12.5, 20, 32, 40, 50, 65, 75mm)

R3895 GPIPEB-016



16 Ton Hydraulic Horizontal with Stand

- 2 Stage Jack
- Bending Capacity: 1/2" - 3" (12.5 - 75mm)

R6195 GPIPEB-003



18 Ton Hydraulic Horizontal with Stand

- 2 Stage Jack
- Bending Capacity: 1/2" - 3" (1.5 - 75mm)

R7950 GPIPEB-004



Shrinker/Stretcher Combo Set

Ideal for Sheet Metal Forming. Makes it easy to add strength & rigidity to your sheet metal projects.

R3895
EBENSS-001

ACCESSORIES INCLUDED

Complete with Shrinking/Stretching Die Set



Guillotine/Shears

Rated Mild Steel Material Dependant

- Capacity: 1 000 x 1.5mm
- Mild Steel: 1.5mm

R6950
ESHEAR-101



280mm Metal Shear, Bench Type

- Mild Steel: 1mm

R1095 ESHEAR-003

Multi Function Rolling Type Pipe Bending Machine

R22995
GPIPEB-005

Rated Mild Steel Material Dependant

- Motor: 1.5kW, 230V
- Includes 9 Round Pipe Moulds: 16, 19, 22, 25, 51, 32, 38, 63, 76mm
- 8 Square Pipe Moulds: 16, 19, 22, 25, 30, 38, 40, 50mm
- Bending Wall Thickness: 0.5 - 2mm



Hand Pipe Bending Set

R3495 GPIPHB-001



- Max. Bending Angle: 180°
- Round Pipe: 10, 12.5, 16, 19, 22mm
- Pipe Wall Thickness: 0.8mm - 1.2mm (Material Dependant)
- 2 Set Square Pipe Dies and Rollers: 19, 25mm

ALSO AVAILABLE

25mm Round Pipe Die
R475 GPIPHB-000

Arbor Presses

Throat Depth Price

1 Ton	110mm	R1195 EPRESA-001
2 Ton	190mm	R2895 EPRESA-002
3 Ton	300mm	R4495 EPRESA-003
5 Ton	450mm	R9950 EPRESA-005



Ring Rollers

Supplied with Standard Set of Forming Dies

MANUALLY OPERATED

For Solids **R24950**
EBENDR-004

- Solid Flat Bar Mild Steel: 20mm x 5mm min. Ø 160mm 50mm x 10mm min. Ø 400mm
- Solid Square Bar Mild Steel: 10mm x 10mm min. Ø 160mm 20mm x 20mm min. Ø 500mm



R1995 EBENRR-001

- Ring Size Range: 25 - 75mm
- Round Steel Capacity: 6mm
- Flat Steel Capacity: 5 - 25mm



DURBAN NORTH (SPRINGFIELD PARK) ☎ (031) 263-0007

99 Intersite Avenue (near Bluff Meat Supply and National Security and Fire), Springfield Park ✉ durban@adendorff.co.za

METALWORK

Benders

Compact Bender Set

- 1" - 3" • Mild Steel
- Right Angle Bending
- Capacity: 0 - 200mm
- Suitable for Flat, Square, and Solid Bar

R2695
EBENDR-002

Universal Type for hot or cold bending (various shapes)

R3995

EBENDR-001

- Cold Bending:**
- Square Steel: 16 x 16mm
 - Round Steel Ø: 18mm
 - Angle: 60 x 8mm
 - Flat Steel: 70 x 6mm; 60 x 8mm; 30 x 12mm
- Hot Bending:**
- Square Steel: 30 x 30mm
 - Round Steel Ø: 30mm
 - Angle: 70 x 15mm
 - Flat Steel: 70 x 15mm; 60 x 20mm

Universal Scroll Bender

R5195

EBENDR-000

- Capacity:
- Round Bar Ø: 10mm
 - Flat Bar: 30 x 10mm
 - Square Bar: 10 x 10mm



Tube Notcher

Attachment for Pedestal Drill

R1395

ETUBEN-001

- Spindle: 1/2"
- Tube Capacity: 2" (50mm)
- Angle Capacity: 0 - 60°



Square Tube Roller

R4595

EBENDR-006

Complete with a Set of Rollers

Max. Capacity Mild Steel	Min. Ø	Min Radius
20 x 20 x 1.2mm	450mm	180mm
25 x 25 x 1.2mm	500mm	170mm
30 x 30 x 1.5mm	550mm	200mm
40 x 40 x 1.5mm	600mm	220mm



Rotary (Jenny) Machine

Supplied with Standard Set of Forming Dies

- Model RM08**
- Capacity: 0.8mm
 - Throat Depth: 177mm (shown)


R6995

EBENDR-008

- Model RM18**
- Capacity: 1.2mm
 - Throat Depth: 457mm

R6495

EBENDR-012



Slip Rollers

- High Strength Steel Rollers
- Quick Release Top Roller
- Hardened Steel Gearing

Capacity	Roll (Ø size)	Price
Mini 305mm x 0.8mm	32mm	R3595 ESLIPR-002
900mm x 1.5mm	50mm	R14950 ESLIPR-001
1 300mm x 1.5mm	75mm	R26950 ESLIPR-003

Mini Guillotine, Bender & Roller

R6995

ESHEET-305

- Capacity: 1mm x 305mm
- Roller Ø: 38mm



Guillotine, Bender & Roller

MILD STEEL ONLY

Rated Mild Steel Material Dependant

Roller
Bender
Guillotine

Width	Capacity	Price
1 000mm	1 000mm x 1 mm	R17995 ESHEET-100
1 320mm	1 320mm x 1 mm	R32950 ESHEET-132
1 320mm	1 320mm x 1.5mm	R42950 ESHEET-133



R9950
ESHEEB-048

- Capacity: 1mm x 1 200mm

Rated Mild Steel Material Dependant

MAC AFRIC.

900mm

R6950

ESHEET-001

- Width: 900mm
- Capacity: 2mm x 900mm



Foot Shearer/Guillotine

EXCELLENT QUALITY

R39950

ESHEAR-132

- Capacity: 1.5mm x 1 320mm
- With Foot Control For Easy Operation

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



Multi-Purpose Metal Craft Bending Set

Functions: Riveting, Rolling, Bending, Twisting, Scrolling and Shearing

R7995

EBENDR-003

Shearing

- Flat Bar: 30 x 5mm
 - Square Bar: 6 x 6mm
 - Round Bar: Ø 6mm
- Punching** • 4mm Diameter
- Screwing** • Flat Bar: 30 x 5mm
- Square Bar: 10 x 10mm
- Curving** • Flat Bar: 30 x 5mm
- Square Bar: 8 x 8mm
 - Round Bar: Ø 10mm



Box and Pan Sheet Metal Folders

R35950

EBENDB-127

- Capacity: 2.0mm x 1 270mm
- Folding Angle: 135°
- Max. Clamping Bar Lift: 47mm
- Weight: 385kg
- With Foot Control for Easy Operation

Rated Mild Steel Material Dependant

(shown)
1.0mm x 610mm

R5995

EBENDB-160

1.2mm x 1 220mm

R14950

EBENDB-122



DURBAN (UMBILO) (031) 202-4355
192 Umbilo Road, Dalbridge umbilo@adendorff.co.za

PIETERMARITZBURG (033) 345-1996
300 Boom Street pmb@adendorff.co.za

ENGINEERING

Cut-off Machines

COLD CUT

(shown) 180mm

R2995

ECUTLD-180

355mm

R6995

ECUTLD-002



2 000W,
230V, 355mm

R2495

ECUTLD-001



DIRECT DRIVE

ABRASIVE CUT

R8795

ECUTHD-220 230V

ECUTHD-383 380V

BELT DRIVE

ABRASIVE CUT

HEAVY DUTY

- Motor: 2.2kW • 230V (2 600rpm)
- 380V (2 800rpm)
- Capacity: (Mild Steel) Pipe: 100 Ø x 6mm Wall Thickness
- Angle Iron: 100 x 100 x 10mm • Solid: 40mm

R9450

ECUTHD-400

- 400mm • Motor: 4kW, 380V
- Capacity: (Mild Steel) Pipe: 130 Ø x 6mm Wall Thickness
- Angle Iron: 100 x 100 x 10mm
- Solid: 50mm



Magnetic Base Drills with Coolant Feature

PROFESSIONAL'S CHOICE

The MAC AFRIC portable Magnetic Base Drill showcases a high-performance motor within a robust, sturdy design, enhancing overall productivity. Ideal for on-site hole cutting in steel plates, including H-beams, framework, ship building, bridge construction, steel reinforcements, and various other metal working and construction tasks.

Motor	1 200W, 230V	1 850W, 230V
Capacity	35mm	75mm

MAC AFRIC

R8450

EDRILM-001

R18995

EDRILM-002

ALSO AVAILABLE Large Range Annular Core Bits

ENQUIRE IN STORE



Bench & Pedestal Drills



13mm Bench Drill, D.I.Y.

- Motor: 0.35kW, 230V
- 5 Speed

R1945

EDRILB-002

Motor: 0.55kW,
230V, 12 Speed

16mm Pedestal Type (shown)

R5795

EDRILP-002

16mm Bench Type

R4995

EDRILB-001



ALSO AVAILABLE
Pedestal Drills

- Motor: 1.1kW, 230V • 12 Speed
- 25mm
- 32mm

HEAVY DUTY

R11450

EDRILP-003

R12950

EDRILP-004

Horizontal Metal or Wood Cutting Band Saw

R7995

ESAWHV-115



- With Vice on Stand • Motor: 0.55kW, 230V
- Blade Size: 1 640 x 13 x 14TPI
- Suitable for Metal, Wood, Plastic and Steel
- Capacity: Round: 110mm
Rectangular: 100 x 130mm

Hydraulic Horizontal Metal Cutting Band Saw

R54950

230V
ESAWHB-916

R54950

380V
ESAWHB-917

- Motor: 1.5kW, available 230V or 380V
- Blade Size: 25 x 0.9 x 3 035mm
- Cutting Capacity: 225 x 335mm
- Blade Speeds: 25/40/51/71rpm



200mm Metal Cutting Bandsaw with Swivel Bow

R29950

ESAWHV-200

- Power Output: 1.1 KW
- Power Input: 230 V @ 50 HZ
- Cutting Capacity Round: 205mm
- Cutting Capacity Square: 215 x 205mm
- Blade Size: 2.36m



MAC AFRIC



Bench Grinders



- | | | |
|---|---|-------------------------|
| ① | Multi-purpose Bench Grinder with Flexible Shaft | R945 EGRINB-075 |
| ② | 150mm, 230V, 2 950rpm, 0.25kW | R795 EGRINB-151 |
| ③ | 200mm, 230V, 2 950rpm, 0.35kW | R1195 EGRINB-200 |
| ④ | Combination Grindstone / Wire Polisher, 150mm, 230V, 2 950rpm, 0.52kW | R2695 EGRINB-300 |
| ⑤ | 150mm, 230V, 2 950rpm, 0.52kW | R2595 EGRINB-152 |
| ⑥ | 250mm, 230V, 2 950rpm, 0.9kW | R3495 EGRINB-255 |
| ⑦ | 200mm, 380V (Three Phase), 2 950rpm, 0.9kW | R3295 EGRINB-250 |
| ⑧ | Combination Grindstone / Belt, 150mm, 230V, 2 950rpm, 0.52kW | R2895 EGRINB-305 |
| ⑨ | Wet & Dry Bench Grinder, 150mm, 230V, 2 950rpm, 0.52kW | R2895 EGRINB-310 |
| ⑩ | 200mm Bench Buffer & Polisher, 230V, 2 950rpm, 0.75kW | R2495 EGRINB-201 |

Follow us on:



Please enquire at your nearest store for stock availability

Band Saws

**EXCELLENT
QUALITY**

230mm (9"), Bench Model

R3795 WSAWBS-009

- Motor: 350W, 230V, 50Hz
- Max. Cutting Depth: 80mm
- Max. Cutting Width: 230mm
- Table Size: 305 x 305mm
- Blade Length: 1 575mm, Width: 6.35mm, Teeth: 6 TPI Thickness: 0.3mm



(shown)
350mm (14") 400mm (16")

Motor	0.75kW, 230V	1.55kW, 230V
Capacity	335 x 160mm	370 x 200mm
Table Pivot Capacity	0 - 45°	0 - 45°
Blade Size	2 480mm	3 050mm

R12450 WSAWBS-014 **R19895** WSAWBS-016



250mm D.I.Y. Table Saws

- Motor Output: 1 800W
- Voltage: 230V • Frequency: 50Hz
- No Load Speed: 5 000rpm
- Blade Bore: 16mm
- Blade Diameter: 250mm • Blade Tilt: 0 - 45°
- Table Size Without Extensions: 642 x 532mm
- Max. Cutting Depth: 80mm

R2995 WSAWLD-004



Super Sturdy Stand

DIY

- Motor: 230V, 50Hz, 1 800W
- Blade Size: Ø250mm x Ø16mm
- Table Size: 642 x 532mm
- Cutting Height Max: 55mm/45°
- Maximum Cutting Depth: 0 - 80mm
- Blade Tilt: 0 - 45°

R4995 WSAWLD-003



DIY

Aluminium Table with Extension and Folding Stand

250mm Tilting Arbor Table Saw

R17495 WSAWHD-250

- Motor Output: 2.2kW(3HP) • Voltage: 230V
- Frequency: 60-50Hz • No Load Speed: 3 400rpm
- Blade Bore: 16mm • Blade Diameter: 250mm
- Blade Tilt: 0-45°
- Table Size Without Extensions: 508 x 686mm
- Table Size With Extensions: 1 117 x 686mm
- Mitre Angle Cut: 0-45° • Max. Cutting Depth: 85mm



300mm Panel Saw with Saw Scoring Function

PROFESSIONAL

R49950 WSAWPN-302 230V
WSAWPN-303 380V

- Motor: 2.2kW
- Sliding Action: 2 800mm
- Saw Blade Ø: 300mm

- Major Table Size: 385 x 800mm
- Length of Sliding Table: 3 200mm
- Suitable for Standard Full Sheet Size



ALSO AVAILABLE | Range of Adjustable Roller Stands

250mm Sliding Compound Mitre Saw

**PROFESSIONAL'S
CHOICE**

R4495 WSAWMT-200

- 230V • 50Hz • 2 000W • 4 500rpm
- Cuts 0 - 45° • 45° Tilting Motor
- Blade Size: 254 x 15.9 x 2.8mm



MAC AFRIC

CATERING EQUIPMENT

5l Sausage Filler

R2695 HFILER-005



With our MAC AFRIC Sausage Filler, you can make your own sausages/boerewors. With its manual crank, it is an easy process of stuffing and rolling out your own sausages. This kit also comes with a wide variety of filler sizes to suit your needs. Ideal for farmers, hunters, game lodges and home industries.

- Kit includes: 16, 22, 32, 38mm Stainless Steel Tubes.

Meat Mincer

R7995 HMIKER-012



When it comes to kitchen appliances, you can rely on our MAC AFRIC Meat Mincer. Perfectly suitable to process and mince fresh meat. Ideal for farmers, hunters, game lodges and home industries. Motor: 850W • Voltage: 230V

Multi Purpose Band Saw

R7495 WSAWMF-001

- 550W • 230V
- Table Size: 600 x 465mm
- Cutting Depth: 240mm
- Blade Size: 2 085 x M13 x 6TPI



Meat Mincer



NEW IMPROVED MODEL

Meat Process Bone Saws

(shown)

- 750W • 230V
- Cutting Depth: 250mm
- Table Size: 375 x 380mm
- Blade Size: 1 650 x 16 x 0.5mm

- **Stainless Steel**
- 750W • 230V
- Table Size: 495 x 440mm
- Cutting Depth: 240mm
- Blade Size: 1 650 x 16 x 0.5mm



R7995 WSAWMF-004

R9950 WSAWMF-006



See website for hints and tips www.adendorff.co.za

Follow us on:



CONSTRUCTION

Tamping Rammers

	CONTRACTORS CHOICE	
Petrol engine	① 4 Stroke, 4hp	② 4 Stroke, 4.0hp
Fuel Tank Capacity	3ℓ	3ℓ
Impact Force	16kn	14kn
Shoe Size	L = 350mm W = 280mm	L = 350mm W = 280mm
Weight	82kg	70kg

R29950 MRAMMR-004 **R24950** MRAMMR-003

MAC AFRIC

Backhoe Digger

R58950 MDIGBH-001



PETROL

- 15hp LIFAN Engine
- 250mm Bucket

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Drive Unit with Female Coupling for Vibrating Poker

R5995 MVIBRA-001



PETROL

OPTIONAL EXTRA

Vibrating Pokers Length: 6m

50mm 38mm

R1895 MVIBRA-002 **R1795** MVIBRA-003

DFS400 Concrete Cutter

R18950 MCUTTR-001




PETROL

- Cutting Speed: 5 - 50m/s
- Max. Cutting Depth: 120mm
- Width: 3-5mm
- Max. Power Output: 9hp / 3 600rpm
- Cooling Water Tank Capacity: 28ℓ
- Cooling Form: Spray • Weight: 110kg
- Dimensions: 1 580 x 500 x 900mm
- Blade not included

ROTSURE Measuring Wheels

PROFESSIONAL



① Model 32 Deluxe	② Model 16 Deluxe	③ Model 24 (Large)
R1095 HWHEEL-001	R795 HWHEEL-002	R495 HWHEEL-000

Power Trowel Float

CONTRACTORS CHOICE



PETROL **R15995** MPOWER-001

- Ø = 915mm
- 5.5hp Petrol Engine

Dumpy Level

With Automatic Leveling Function incl. Tripod and 5m Staff

R5295 TLEVEL-320

ALSO AVAILABLE

Staff **R845** TLEVEL-322

Tripod **R845** TLEVEL-321




Plate Compactors


	HS090	HS120
Petrol Engine	5.5hp	5.5hp
Plate Size	540 x 440mm	680 x 480mm
Weight	90kg	120kg

CONTRACTORS CHOICE

R15450 MCOMPT-090 **R16495** MCOMPT-120 (shown)



Scaffolding



① Tubular Frame 1.5m x 1m Panel	R550 TSCAFO-001
② Castor Wheel	R395 TSCAFO-002
③ Cross Brace	R235 TSCAFO-003
④ Board	R545 TSCAFO-004
⑤ Tiebar	R220 TSCAFO-005
⑥ Leveling Jack	R295 TSCAFO-007

Concrete Mixers



MAC AFRIC

COLOUR MAY VARY

① 135ℓ (shown) • Motor: 0.55kW	R3995 MMIXER-130	ELECTRIC
180ℓ • Motor: 0.65kW	R4950 MMIXER-180	
210ℓ • Motor: 1kW	R8695 MMIXER-210	
160ℓ • 3hp	R6995 MMIXER-161	PETROL
② 350ℓ • 6.5hp • 4 Stroke	R21950 MMIXER-350	
• Working Capacity: 254ℓ Volume	R29950 MMIXER-500	
500ℓ • 8hp	R29950 MMIXER-500	DIESEL
500ℓ • 8hp	R31950 MMIXER-501	



MAC AFRIC GENERATORS & WATER PUMPS

PETROL STANDBY GENERATORS

R10950 ①

MGENER-006

7.5kVA

PETROL

②

8.75kVA

R12450

MGENER-008

kVA	Nominal Output	Rated Current Output (A)	Voltage (V)	Estimated average fuel consumption (Load dependant)	AVR	Electric Start	Recoil Start	Price
1.25kVA	1kW	4.5 Amp	220V	0.43ℓ/h	✓	✗	✓	R3595 MGENER-201
2.8kVA	2kW	9.1 Amp	220V	0.8ℓ/h	✓	✗	✓	R4595 MGENER-220
2.8kVA	2kW	9.1 Amp	220V	0.82ℓ/h	✓	✓	✓	R4995 MGENER-221
5.6kVA	4kW	18.2 Amp	220V	2.2 - 3.15ℓ/h	✓	✗	✓	R8895 MGENER-450
6.5kVA	5kW	22.7 Amp	220V	2.2 - 3.15ℓ/h	✓	✓	✓	R8995 MGENER-553
① 7.5kVA	6.2kW	25 Amp	220V	2.5 - 3.15ℓ/h	✓	✓	✓	R10950 MGENER-006
② 8.75kVA	7kW	31.8 Amp	220V	2.84 - 3.15ℓ/h	✓	✓	✓	R12450 MGENER-008
12.5kVA	10kW	45.5 Amp	220V	4.06ℓ/h	✓	✓	✗	R35995 MGENER-010
12.5kVA	10kW	18.6 Amp (380V)/ 15 Amp (220V)	380V/220V	4.06ℓ/h	✓	✓	✗	R36995 MGENER-011



Warranties on Generators will be null and void if not installed by a qualified electrician that is registered with the Department of Labour and has the required certification in accordance with the law to issue a COC (Certificate of Compliance) after completion of the installation. All batteries are excluded from the warranty. See website for full T&Cs.



DIESEL ③ **R159950** MGENER-050

INVERTER GENERATORS

- Pure Sine Wave Output • Lower Noise Level • Power Factor P/F = 1



1.8kW

R6495

MGENER-001



3.2kW

R11450

MGENER-003



3.2kW Open Type

R6750

MGENER-004

DIESEL STANDBY GENERATORS

kVA	Nominal Output	Rated Current Output (A)	Voltage (V)	Model Description	Estimated average fuel consumption (Load dependant)	AVR	Price
6.5kVA	5kW	22.7 Amp	220V	Open Type	1.67ℓ/h	✓	R17995 MGENER-656
6.5kVA	5kW	22.7 Amp	220V	Enclosed Type 73 db(A) @ 7m	1.67ℓ/h	✓	R21950 MGENER-604
Powered by FAWDE							
20kVA P/F = 0.8	16kW	69.6 Amp (220V)	220V	Silent Type with ATS 70 db(A) @ 7m	6ℓ/h	✓	R94950 MGENER-017
20kVA P/F = 0.8	16kW	24.3 Amp	380V	Silent Type with ATS 72 db(A) @ 6.7m	6ℓ/h	✓	R94950 MGENER-022
30kVA	24kW	43.2 Amp	380V	Silent Type with ATS 72 ~ 75 db(A) @ 7m	7.85ℓ/h	✓	R132950 MGENER-030
40kVA	32kW	57.6 Amp	380V	Silent Type with ATS 72 ~ 75 db(A) @ 7m	9.04ℓ/h	✓	R144950 MGENER-040
③ 50kVA	40kW	72 Amp	380V	Silent Type with ATS 72 ~ 75 db(A) @ 7m	14.6ℓ/h	✓	R159950 MGENER-050

Water Pumps



PETROL CONTRACTORS CHOICE



	2" (50mm)	3" (75mm)	4" (100mm)
Motor	5.5hp	6.7hp	9hp
Head	26m	22m	20m
Suction Height	7m	7m	7m
Capacity	22 000ℓ/h	50 000ℓ/h	75 000ℓ/h
Recoil Start	R2995 MPUMPS-552	R3695 MPUMPS-553	R7295 MPUMPS-804
PETROL	For Dirty Water 3" (75mm)	High Pressure	Chemical Pump 2" (50mm)
Motor	5.5hp	5.5hp	5.5hp
Head	25m	55m	25m
Suction Height	6m	6m	8m
Max. Capacity	45 000ℓ/h	10 000ℓ/h	49 000ℓ/h
Recoil Start	R5995 MPUMPS-006	R4495 MPUMPS-005	R4995 MPUMPS-550
DIESEL	2" (50mm)	3" (75mm)	4" (100mm)
Motor	2.8kW	4kW	6.3kW
Head	25m	25m	31m
Suction Height	8m	8m	7m
Rated Speed	3 600rpm	3 600rpm	3 600rpm
Capacity	25 000ℓ/h	50 000ℓ/h	75 000ℓ/h
Electric and Recoil Start	R9950 MPUMPS-007	R10950 MPUMPS-008	R13995 MPUMPS-009

Visit our website for detailed specifications www.adendorff.co.za

Follow us on:



NATIONAL CALL CENTRE: 011 434 7000

PLUMBING, GARDENING & AIR COOLERS

Plumbers Drain Cleaners **PROFESSIONAL**

Model 200 (Manual Feed/Push)
(shown)

R14995 TDRAIN-201

ALSO AVAILABLE

Model 75
Ideal for Kitchen/Sink
Drains, Hotel Industry

R7995
TDRAIN-075



VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Plumbers Drain Cleaning Rod Sets

14 Piece
• 10 x 1m x 6mm **R1695**
XRODRN-001

14 Piece
• 10 x 2m x 6mm **R2195**
XRODRN-003

HEAVY DUTY

14 Piece
• 10 x 2m x 8mm **R3295**
XRODRN-002

Pipe Chain Vices

Bench Type

R1595
EVICES-004

Capacity: 1/8" (3.2mm) - 4" (100mm)

Tri Stand Type

R4495
EVICES-003


Capacity: 1/8" (3.2mm) - 6" (150mm)

Electric Multi Function Pipe Threading Machine with Dies

(shown)

R11950 GPIPTH-003
1/2" - 2"

R17995 GPIPTH-007
1/2" - 4"



Hand Pipe Threader

R1095
GPIPTH-001

• Capacity: 1/2" - 2"



Chain Pipe Wrench

100mm (4")

R995 TPIPCW-004

R1595 TPIPCW-008
200mm (8")



Air Coolers

1



60SQM

R3895
XPCFAN-006

2



80SQM

R8495
XPCFAN-001

3



100SQM

R10950
XPCFAN-002

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

MAC AFRIC 6.5hp Pressure Sprayers

R5950
MSPRAY-006



R8450
MSPRAY-007

• Fitted with hose reel and wheels



	1	2
Spraying Pressure	15 - 50kg/cm ²	15 - 50kg/cm ²
Flow Rate	14 - 22l/min	19.5 - 34l/min
No Load Speed	800 - 1 200rpm	520 - 900rpm

R5950
MSPRAY-006

R8450
MSPRAY-007

Log Saws

(shown)

PETROL

DIESEL

LS 710

LS 700

Motor	13hp	13hp
Blade	700 x 30 x 3.0mm	700 x 30 x 3.0mm
Max. Cutting Ø	240mm	240mm
Max. Cutting Length	2m	2m

R17495
WLOGSW-701

R22950
WLOGSW-703

36 Ton Log Splitter on Wheels

- Motor: 10hp
- Max. Log Splitting Length: 350 x 600mm

R29950
WLOGSP-032



PETROL

See our Log Splitter Range www.adendorff.co.za

8 Ton Electronic Kinetic Log Splitter

EFFICIENT & FASTER

R8950 WLOGSP-008

- Model no: HLS8T
- Motor: 230V, 50Hz, 1 800W, IP54
- Log Capacity: Ø: 50 - 300mm
- Length: 520mm • Weight: 84kg

7hp Trench Digger

PETROL

R35950
MTREND-001

- 7hp • 4 Stroke
- Trench Width: 100mm
- Trench Depth: 150/250/340/450mm
- Average Speed of Trench Digger: 60m/h

Tillers

1

2

MAC AFRIC

Engine

52cc (3hp)

212cc (8hp)

Working Width

300mm

700mm

Working Depth

100 - 150mm

150mm

G.W./N.W

15.5/14.5kg

62/59.7kg

PETROL

R3595
MTILER-001

R9950
MTILER-002

Follow us on:



Please enquire at your nearest store for stock availability

GARDEN EQUIPMENT

Chainsaws



R1795 45cc
MSAWCH-040

- Powerful MAC AFRIC 45cc engine
- Delivers power to cut through the toughest jobs
- Inertia activated chain brake system
- Easy start
- Primer bulb
- Anti-vibration system

PROFESSIONAL'S CHOICE



- MAC AFRIC • Oregon Chain • Walbro Carburetor
- Easy start with Decompression Valve
- Long Life Air Filter System
- Controlled Delivery Oil Pump
- Anti-vibration System
- Automatic Choke System
- Primer Bulb

(shown) 45cc 62cc
R2950 **R4995**
MSAWCH-045 **MSAWCH-062**



R1295
MSAWCH-020

2 000W Electric Chainsaw



R895
MSAWCS-001

Electrical Chainsaw Sharpener

Earth Auger

① 68cc 2 Stroke Earth Auger Drive Unit Only (shown)

R2950 **MAUGER-002**

150mm Auger Bit

R385 **MAUGER-150**

② 200mm Auger Bit (shown)

R435 **MAUGER-200**



Vacuum Blowers

PETROL

Handheld Type, 25.4cc

R1995 **MBLOWR-026**

- Powerful 25.4cc, 2 stroke fuel efficient low emissions engine
- Easy-start electronic ignition system
- Two-part blower tube for easy storage
- Light weight design ensuring comfort and easy manoeuvring

Backpack Type, 52.8cc

R3695 **MBLOWR-053**

PETROL

- Powerful 52.8cc, 2 stroke fuel efficient low emissions engine
- Remove debris, dead leaves, and other miscellaneous material from the ground with ease

Brush Cutters

43cc
R1995
MBRUSH-043

68cc
R2795
MBRUSH-068

ALSO AVAILABLE

① MAC AFRIC Commercial Brush Cutter (shown)

- Displacement: 52.8 / 53cc

R4995
MBRUSH-052

PROFESSIONAL

MAC AFRIC 2-Stroke Hedge Cutter

R3295 **MHEDGE-022**

- Engine Displacement: 22.5cc
- Trimming Length: 560mm

MAC AFRIC 25ℓ Knapsack Mister Duster

R2950 **MMISTR-050**

- Model GX50 • 50cc
- Range: Max. ±12m

PROFESSIONAL

MAIZE POWDER CRUSHING MACHINES



R6995
MCRUSH-003

2.6kW Electrical Maize Powder Crushing Machine



R7895
MCRUSH-004

2.6kW Electrical High Capacity Self Priming Maize Powder Grinding Machine



PETROL

R6295
MCRUSH-002

Petrol Powered Maize Powder Crushing Machine



DIESEL

R11950
MCRUSH-001

Diesel Powered Maize Powder Crushing Machine

1.1kW Electric Corn Thresher Machine



R3995
MCRUSH-005

MAC AFRIC

150mm, 15hp Wood Chipper

PETROL

R25950
WCHIPR-003

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

100mm, 6.5hp Wood Chipper

PETROL

R12950
WCHIPR-002

MAC AFRIC

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

50mm, 6.5hp Wood Chipper

R8450
WCHIPR-001

PETROL

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

See website for hints and tips www.adendorff.co.za

Follow us on:



WOODWORKING

305mm Planer

R7995

WPLANE-300

- Input Voltage: 230V / 50Hz
- Power: 1.8kW
- Feed Rate No. 1 (Slow): 4m/min
- Feed Rate No. 2 (Fast): 6m/min
- Maximum Work-piece Width: 330mm
- Minimum Work-piece Length: 140mm
- Work-piece Height: 4.2mm - 150mm
- Maximum Cut Depth Per Pass: 3mm



Belt & Disc Sanders

- ① **Bench Type** • Motor: 0.30kW, 230V
• Belt Width: 25mm • Disc: 125mm (shown)

R1895 **WSANDS-015**



- ② **Bench Type 4" x 6" Belt & Disc Sander**

- Belt Size: 100 x 915mm

R3295 **WSANDS-016**



- ③ **On Stand (shown)**

- Motor: 0.55hp, 230V
- Disc: 230mm
- Belt Size: 1 220 x 150mm

R6495 **WSANDS-069**



- ④ **300mm Disc Sander with Stand**

- Motor: 0.75kW, 230V (shown)

R3950 **WSANDS-012**



Industrial Automatic Planers

ALSO AVAILABLE
Combination Planer
& Thicknesser

R39950

230V **WPLANE-402**

380V **WPLANE-400**

ENQUIRE IN STORE

(shown)
381mm (15") 508mm (20")

Motor	2.2kW, 230V	2.2kW, 230V
Cutter Head	76mm	80mm
Thickness of Stock	152mm	204mm
Width of Stock	305mm	508mm
Depth of Cut	3mm	3mm
Table Size	381 x 508mm	630 x 510mm
Weight	210kg	375kg

R24950 **WPLANE-375** **R34950** **WPLANE-020**

150mm Surface Planer/Joiner

- Motor: 0.75kW, 230V

R10950 **WPLANE-150**



700mm Bench Morticer

- Motor: 0.37kW, 230V
- Chuck: 13mm
- Spindle Speed: 1 400rpm
- Bushing Size: 19.05mm
- Chisel Capacity: 6 - 12mm

R4895

WMORTI-007



MAC AFRIC Work Table with Adjustable Footpads and Large Solid Wood Tabletop

- Adjustable foot pads for stability
- Solid rubberwood top supporting up to 490kg
- Perfect for everything from light DIY to heavy duty tasks
- Dimensions: 113cm x 60cm
- Ample workspace and legroom
- A must-have for craftsmen and hobbyists alike.



R2795

GBENCH-006

Horizontal Belt Sander

- Motor: 1.1hp, 230V
- Belt Size: 2 000 x 152mm

R12995 **WSANDH-001**



Mortice Lock Fitting Jig

R1495 **WMORTI-012**

Drill & Bit for illustrative purposes only

MAC AFRIC




Wood Moisture Tester

R395 **TTESDM-001**



Clamps

75mm	R85	G-Clamps
100mm	R110	
150mm	R175	
200mm	R245	
250mm	R295	
300mm	R310	



Dust Collectors

MAC AFRIC

	0.75kW 230V Motor	1.5kW 230V Motor	2.2kW 380V Motor, Double Head (shown)
	Single Bag	Single Bag	Double Bag
Fan Ø	230mm	300mm	305mm
Inlet Ø	100mm	125mm	150mm
Bag Ø	370mm	500mm	500mm
Bag Height	640mm	850mm	850mm
Air Speed	600cfm (14.15m³/mm)	1 490cfm (42.15m³/mm)	2 300cfm (65.09m³/mm)
	R4495 WDUSTC-001	R5695 WDUSTC-002	R7895 WDUSTC-003



T-bar Clamps

770mm	R395	1 370mm	R595
1 070mm	R445	1 710mm	R675

HEAVY DUTY

F-Clamps

120 x 250mm	R195	120 x 600mm	R255
120 x 400mm	R225	120 x 1 000mm	R325



Ratchet Style F-Clamps

120 x 250mm	R375	120 x 600mm	R425
120 x 400mm	R425	120 x 1 000mm	R545



Heavy Duty Ratcheting Bar Clamps

150mm	R225	WCLAMP-014
300mm	R215	WCLAMP-015
450mm	R225	WCLAMP-016
600mm	R265	WCLAMP-017

HEAVY DUTY



Wood Lathes

WOODCRAFTERS CHOICE

450mm Between
Centres Bench Type

- Motor: 0.55kW, 230V

R4995 **WLATHE-001**

ENQUIRE IN STORE

ALSO AVAILABLE | Range of Wood
Lathe Chucks

1 000mm Bench Type

- Motor: 0.37kW, 230V

R3295 **WLATHE-100**



R8995

WLATHE-900

900mm Between
Centres with Swivel Head

- Motor: 0.55kW, 230V
- 10 Variable Speeds • 500 - 2 000rpm
- Swivel Head for various turning functions

BATTERY CHARGERS & AUTOMOTIVE EQUIPMENT

iCarsoft Diagnostic Testers



i800 Plus

R895

GTESTC-001



CR Elite

R4295

GTESTC-002



CR Pro

R5995

GTESTC-003

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Portable Inspection Camera/Bore Scopes

Visual Inspecting Cleaning Bore Scope

R2495

GSCOPE-006

2-Way Articulating Bore Scope

R3950

GSCOPE-005

Inspection Camera-Bore Scope

R1895

GSCOPE-000

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Vehicle Current Tester

R295 TTESMF-001

- Measurement range: 0.1A ~ 19.9A
- Max. Load: 20A/32Vdc for max. 10 secs.
- Accuracy: ± (2% of reading + 2 digits)

Mini Coating Thickness Gauge

- Portable coating thickness gauge, which can quickly, nondestructively, and accurately measure non-metallic coating thickness (such as paint, film, etc.) of metal substrate.
- Measurement range: 0~1.8mm/0~71.0mil
- Car mode resolution: 0.05mm/2mil
- User mode resolution: 0.01mm/1mil
- Measurement error: ±0.1mm

R395 GGAUGP-001

Battery Chargers/Boosters

Model	Charging Current	Price
320	35A (12V & 24V)	R2195 GCHARG-321
400	40A (12V & 24V)	R2495 GCHARG-400
600	52A on 12V & 55A on 24V	R2995 GCHARG-600

Battery for illustrative purposes only

Battery Tester & Analyser

PROFESSIONAL

R2395

TTESTB-003

- Testing Range: 100 - 2 000 CCA (12V) • 12V & 24V Starting & Charging System

630L 12/24V Charger/Booster

PROFESSIONAL

R3995

GCHARG-630

- Charging & Current: 12V - 60A / 24 - 30A

Ideal for Standard LiFePO4 Batteries

Brake Fluid Tester

R895

GBRAKT-001

Analogue Battery Load Tester

- Testing Range: 6 - 12V
- Rated Capacity: 32A to 500A

R445


TTESTB-001

Intelligent/Digital Battery Chargers

EXCELLENT QUALITY



	Charging Current	Charging Stages	Input Voltage	Price
①	1.5 Amp (12V)	3-step	12V	R345 GCHARG-001
②	4 Amp (12V) / 2 Amp (6V)	9-step	6V & 12V	R495 GCHARG-103
③	8 Amp (12V) / 2 Amp (6V)	9-step	6V & 12V	R695 GCHARG-107
④	10 Amp (12V) / 2 Amp (6V)	9-step	6V & 12V	R895 GCHARG-110



	Charging Current	Charging Stages	Input Voltage	Price
⑤	4 Amp	9-step	6V & 12V	R745 GCHARG-104
⑥	8 Amp	9-step	12V	R995 GCHARG-108
⑦	25 Amp (12V)	9-step	12V & 24V	R2595 GCHARG-125
⑧	15 Amp	9-step	12V	R1995 GCHARG-126

MAC AFRIC 12V Combination Jump Starter (with Inflator)

- Peak Start Current: 400 A • USB Output: 5 V / 3 A
- Output Voltage: 9 V / 2 A, 12 V / 1.5 A
- Battery Capacity: 10 000 MAH (37 WH)



R1695

GSTART-008



PROFESSIONAL

12V/24V Lithium Ion Jump Starters

	①	②
Start Current	400A (12V); 500A (24V)	600A (12V); 600A (24V)
Peak Current	800A (12V); 1 000A (24V)	1 500A (12V); 1 500A (24V)
Battery Type	Lithium Ion Polymer	Lithium Ion Polymer
Battery Capacity	27 000mAh	45 000mAh

R3495 GSTART-007

R6495 GSTART-005

Visit our website for detailed specifications www.adendorff.co.za

LIFTING & MATERIAL HANDLING EQUIPMENT

230V Electric Hoists

I-beam for illustrative purposes only

① 1 Ton Manual Crawl for Electric Hoist For Models: PA250, PA400 & PA1000	R1795 GCRAWL-000
Universal Crawl Mounting Bracket	R225 GHOIST-001



② Capacity Double Line	250kg/5.5m	400kg/5.5m	600kg/5.5m	1 000kg/5.5m
Capacity Single Line	125kg/11m	200kg/11m	300kg/11m	500kg/11m

MAC AFRIC. **R2195** GHOIST-250 **R2995** GHOIST-400 **R3295** GHOIST-601 **R7995** GHOIST-500

1.5 Ton Gantry Crane



- Adjustable
- Mobile
- Height Adjustment: 2.4 - 3.6m

R12950
GCRANE-000



2 Ton Crawls

I-beam for illustrative purposes only



COLOUR MAY VARY

(shown)
Geared
with Chain

Manual
Type

I-Beam Size:
100 - 150mm

I-Beam Size:
80 - 150mm

R1895
GCRAWL-001

R1395
GCRAWL-002



Beam Clamp


Model 2000 (shown)
74 - 230mm

Model 5000
89 - 320mm

R795
GCLAMB-002

R1495
GCLAMB-005

Duplex Flat Webbing Slings



	Rated	Length	Width	Price
①	2 Ton	1.5m	30mm	R100 GSLING-002
②	3 Ton	2.5m	90mm	R195 GSLING-003
③	5 Ton	4m	150mm	R495 GSLING-005

Chain Blocks

① Triangle VC Type with 3m Lift

€ Model	Safe Working Capacity	Price
1000	0.75 Ton	R1495 GCHAIN-101
2000	1.5 Ton	R1995 GCHAIN-102
5000	4 Ton	R3795 GCHAIN-105

② With 3m Lift

€ Model	Safe Working Capacity	Price
1000	0.75 Ton	R995 GCHAIN-001
2000	1.5 Ton	R1395 GCHAIN-002
5000	4 Ton	R2895 GCHAIN-005

Electric Chain Hoists (Double Chain)

HEAVY DUTY

€ Model	① 1000	② 1000	③ 2000
Safe Working Capacity	0.75 Ton x 6m	0.75 Ton x 6m	1.5 Ton x 6m
Voltage/Motor	230V - 0.8kW	380V - 1.1kW	380V - 1.5kW
Lifting Speed	1.8m/min	3.6m/min	3.4m/min

MAC AFRIC. **R14750** GHOIST-100 **R13950** GHOIST-101 **R14950** GHOIST-102



Lever Blocks with 1.5m Lift

€ Model	Safe Working Capacity	Price
1000	0.75 Ton	R1595 GCHALB-001
2000	1.5 Ton	R1995 GCHALB-002
3000	2.25 Ton	R2795 GCHALB-003
5000	3.75 Ton	R3895 GCHALB-005

Hand Pallet Trucks

HEAVY DUTY

	HYDRAULIC (shown) 2.5 Ton	2 Ton	2 Ton (Narrow Fork)	1.5 Ton (Low Level)
Outer Width of Fork	685mm	685mm	520mm	665mm
Inner Width of Fork	360mm	375mm	200.5mm	340mm
Fork Length	1 220mm	1 200mm	1 100mm	1 220mm
Height	85 - 200mm	80 - 200mm	85 - 200mm	52 - 140mm

R4995 GPALLT-002 **R4695** GPALLT-000 **R4495** GPALLT-005 **R5995** GPALLT-001



VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Hand Pallet Stacker

- Capacity: 1 000kg
- Lift (Stroke/Travel): 1.6m
- Heavy Duty Construction

R12950 GPALLT-003

HYDRAULIC



Follow us on:



Please enquire at your nearest store for stock availability

WINCHES, OUTDOOR & 4X4 EQUIPMENT

12 Volt Air Compressors



R1995

GCOMPR-004

R2495

GCOMPR-005

Get plenty of air when you need it with this high volume portable automotive air compressor. The lightweight, portable design makes it easy to store.

- Amperage: 90A • Working Pressure: 8.7 Bar (125PSI)
- Outlet Air Flow: 300ℓ/m

Tarpaulins

180GSM (Medium Weight)

± 2 x 4m

R175

TTARPL-204

± 3 x 5m

R345

TTARPL-305

± 5 x 6m

R595

TTARPL-506

60GSM (Light Weight)

± 5 x 6m

R245

TTARPL-507

HEAVY DUTY

PVC 550GSM
(Heavy Weight)

5 x 6m

R1645

TTARPL-156


3 x 5m

R895

TTARPL-135



12V Winches



HEAVY DUTY

Including Fairlead	Motor	Weight	Capacity Rolling Weight	Price
EWK 8 000U 12 Volt (shown)	1.6kW p/m	31kg	3 620kg @ 6m / 2 170kg @ 29m	R4995 GWINCH-800
EWG 8 000U 12 Volt	2.7kW s/w	36kg	3 620kg @ 6m / 2 170kg @ 29m	R6495 GWINCH-802
EWX 10 000U 12 Volt	4.3kW s/w	38kg	4 536kg @ 5.3m / 2 571kg @ 26m	R7495 GWINCH-901
EWX 12 000U 12 Volt	4.5kW s/w	42kg	5 440kg @ 4.8m / 3 125kg @ 25m	R8495 GWINCH-912
EWP 12 000U 12 Volt 2 Speed with High & Low Gear	5.4kW s/w	44kg	5 443kg @ 4.9m / 3 084kg @ 25.5m	R9950 GWINCH-914

p/m = permanent magnet

s/w = series wound

12 Volt



Including Fairlead	Motor	Capacity	Price
EWK 2 000D 12 Volt (shown) • 2 Way Control	1.7kW p/m	907kg @ 2.1m	R1495 GWINCH-200
EWP 2 500D 12 Volt • 2 Way Control	1.9kW p/m	1 134kg @ 2.1m	R1995 GWINCH-250
EWP 2 500A 12 Volt • With ATV Control	1.9kW p/m	1 134kg @ 2.1m	R1995 GWINCH-201
EWP 3 500D 12 Volt • 2 Way Control	2.4kW p/m	1 588kg @ 2.1m	R2095 GWINCH-350

p/m = permanent magnet

Trailer Jacks/Jockey



Base Type
900kg

R495

GJACKX-452

(no wheel)

300kg

R495

GJACKX-453

450kg

R895

GJACKX-451

Auto Retractable Ratchet Tie Down Straps



NEW

	Length	Price		Length	Price
①	25mm x 4m	R135	③	38mm x 4m	R265
		TTIEDN-010			TTIEDN-011
②	25mm x 3.5m	R175	④	50mm x 5m	R295
		TTIEDN-009			TTIEDN-012

Hand Gear Winches

①	1 360kg (shown)	R795
	• With Nylon Strap Belt	GWINCH-502
	• Length of Strap: 7m	
②	1 360kg • With Steel Cable	R785
	• Length of Cable: 10m	GWINCH-501
②	450kg (shown)	R465
	• With Steel Cable	GWINCH-050
	• Length of Cable: 10m	

Hydraulic Winches



HEAVY DUTY

	Oil Flow	Pressure	Capacity	Price
HWN 15 000YD Ideal for Roll Back	20~60 ℓ/min	13MPA	6 804kg @ 1 885.5psi	R13895 GWINCH-916
HWD 12 000A 2 Speed ideal for 4x4's	5~45 ℓ/min	11MPA	5 443kg @ 1 595.4psi	R13950 GWINCH-915

20ℓ Jerry Can for
Fuel, 0.8mm

AVAILABLE IN

R395

GCANJR-020



High Lift Jacks

	1.21m (48")	1.52m (60")
Capacity	3 000kg	3 000kg
Max. Height	48"	60"
Min. Height	6"	6"
Can Lift	2 Ton at 50% Height 1.75 Ton at Max. Height	2 Ton at 50% Height 1.75 Ton at Max. Height
	R1195 GJACKF-048	R1295 GJACKF-060

Nylon Base for High Lift Jack

R465

GJACKF-001

See website for hints and tips www.adendorff.co.za

Follow us on:



GARAGE EQUIPMENT

Workshop Presses



BOTTLE JACK TYPE



- ① D.I.Y. 12 Ton Bottle Jack Type (shown) **R2695** GPRESS-009
- D.I.Y. 20 Ton Bottle Jack Type **R3695** GPRESS-010
- ② 12 Ton Press with Gauge (shown) **R5495** GPRESS-012
- 20 Ton Press with Gauge **R6795** GPRESS-020
- 20 Ton Pneumatic Press with Gauge (Dual Function) **R7295** GPRESS-021

Hydraulic Workshop Presses

	(shown) 40 Ton Hydraulic-Pneumatic	100 Ton Hydraulic
Stroke	300mm	500mm
Distance between H-frame	680mm	710mm
Height of Press	1.6m	1.95m
Width of Work Table	325mm	370mm

R16995 GPRESS-041

R42950 GPRESS-001



DIY 6 Ton Bench Type Hydraulic Press (Bottle Jack Type – no Gauge)

R1995 GPRESS-006

Combination 2/3 Jaw Pullers

75mm **R120** TPULLG-075



100mm **R185** TPULLG-100

250mm **R895** TPULLG-250

150mm **R295** TPULLG-150

300mm **R1295** TPULLG-300



Bearing Separator Kit

MAC AFRIC **R995** TBEARS-001


- Range: 30 - 50mm; 50 - 75mm
- Length of Jaws: 110mm (2 Jaw Puller)
- Max. Shaft Length: 210mm

Professional 6L Ultrasonic Cleaner with Heating and Digital Timer

Equipped with a potent 180W ultrasonic power and a 300W heater, this device is designed to deliver a deep and efficient cleaning for a variety of items.



R3895 GCLEAN-006



VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Parts Washers

USE WATER-BASED SOLVENTS ONLY



90L Compact on Trolley (shown)

- Includes Pump
- 750 x 530 x 900mm

R3995 GWASHP-091



90L Compact (shown) • Stationary

- Includes Pump • 760 x 520 x 890mm

R2495 GWASHP-090

180L • Stationary • Includes Pump

- 1 100 x 550 x 900mm
- Suitable for cleaning larger parts


R3995 GWASHP-180



10 Piece Bearing Race & Seal Driver Kit

R595 TBEARS-006

- Easily replace bearing races without damaging race or axle housing
- Collars fit most wheel bearing sizes
- Machined aluminium construction



Gear Pullers



10 Ton (Crank Type) 10 Ton (shown) 20 Ton

Rated Output	10T	① 10T	20T
Reach	160mm	135mm	350mm
Max. Stroke	60mm	170mm	100mm
Spread	250mm	250mm	560mm

R1995 GPULLE-011

R3295 GPULLE-010

R5950 GPULLE-020

HYDRAULIC

Follow us on:



Buy Online

www.adendorff.co.za

PANELBEATING EQUIPMENT

MAC AFRIC Panelbeating Kits **PROFESSIONAL**

COLOUR MAY VARY

R695 7 Piece **GPANEL-001**

R1795 6 Piece **GPANEL-009**

Trim Removal Tool Sets

11 Piece (shown) **R225** **GPANEL-011**

27 Piece **R395** **GPANEL-027**

Super Sturdy Portable Foldable Work Paint Stand

- With rubber protection

R745 **GSTAND-020**

Slide Hammer & Dent Puller Kits **PROFESSIONAL**

HEAVY DUTY (shown)

12 Piece **R995** **GHAMSL-013**

14 Piece **R1495** **GHAMSL-014**

Easy Park Hydraulic Vehicle Positioning Jack

Wheel for illustrative purposes only

R3695 PER PAIR **GJACKT-150**

Wheel Arch Fender Roller **PROFESSIONAL**

- Flares Arches
- Repair Arch Damage
- Bolts directly to Hub Flange
- Adjustable

R1695 **GPANFR-001**

10 Ton Frame Straightner

With Anchor Post for added Flexibility, includes Accessories as shown

R17995 **GSTRGT-001**

Dent Lifter Kit with Attachments & Glue Gun

R845 **GBODYR-001**

OPTIONAL EXTRA

Sliding Hammer for Dent Lifter Kit **R395** **GHAMSL-002**

Paintless Hail Rod Dent Removal Kit

The MAC AFRIC Paintless Hail Rod Dent Removal Kit, abbreviated as PDR, is a comprehensive set of tools designed for efficient dent removal without the need for repainting. It includes a variety of rod tips in different sizes and shapes, along with essential accessories like pump wedges, plastic chisels, chains, and a small hammer. The kit also features an air pump bag, which aids in enlarging narrow gaps without surface damage, making it suitable for car dent repair and other expansion needs such as window gaps.

R3695 **GBODYR-002**

Hydraulic Body Repair Kits with Attachments

EXCELLENT QUALITY

WITH NEW IMPROVED SEALS

HEAVY DUTY

(shown) 10 Ton **R2995** **GBODYR-010**

15 Ton **R4995** **GBODYR-015**

20 Ton **R8950** **GBODYR-020**

Model Contents Vary

Polishers **EXCELLENT QUALITY**

① Vertical Polisher • 570W • 180mm **R1195** **TPOLIS-182**

② Angle Polisher • 1 400W • 180mm **R1495** **TPOLIS-180**

③ Random Orbital Polisher • 900W • 150mm **R1495** **TPOLIS-151**

Visit our website for detailed specifications www.adendorff.co.za Follow us on:

GARAGE EQUIPMENT: AUTOMOTIVE

23 Piece Oil Filter Wrench Kit



R895 GOILFR-002

Ball Joint Installer/ Remover Kit



R895 GJOINT-003

Auxiliary Stretch Belt Removal & Installation Tool Kit



R695 GBELTS-001

Cambelt Tension Gauge



R295
GCAMBT-001

Universal Ball Joint Separator

- Open Range: 50 - 120mm

R465
GJOINT-001



Universal Bush Remover/ Installer Sleeve Set



R2295 GBUSHK-001



Adjustable Fuel Tank Remover



R225 GFUELR-001

6 Piece Telescopic Gauge Set



R385
GGAUGE-001

Diesel Injector Seat Cutter Set



R495 GINJEC-007

- Used to clean/decarbonise injector seats. Suitable for a wide range of vehicles • Set of 5 Cutters

Valve Spring Compressor Set with Pipe Frame



R295 GVALVC-001

Wheel Bearing Removal Tool Kit



R1395 TBARS-005

114 Piece Oil Sump Thread Repair Set



R745 GOILTR-114

Universal Valve Spring Remover and Installer Compressor Kit



R1095 GVALVC-002

Diesel Injector Puller Kit



R945 GPULLE-004

- With Slide Hammer • Ideal for the removal of stuck and seized common Rail Injectors without dismantling the Cylinder Head

Timing Tool Kits

LARGE RANGE AVAILABLE: See in store or visit our website @ www.adendorff.co.za



- Suitable for BMW 2.0 (N20/N26)

R1645
GTIMEK-015

PETROL



R395 GTIMEK-003

- Car Engine Timing Tool Set for VAG 1.2, 1.4 TFSi, 1.4, 1.6 FSi - Chain Drive
- Timing Kit suitable for 1.2/1.4 TFSi and 1.4/1.6 FSi engines
- Kit contains essential tools for crank TDC positioning, camshaft setting and tensioner locking



R1195 GTIMEK-002

- Suitable for VAG 1.2, 1.4 TFSi, 1.4, 1.6 FSi, Chain Drive
- Suitable for 1.2/1.4 TFSi and 1.4/1.6 FSi Engines
- Contains Essential Tools for Crank, TDC Positioning, Camshaft Setting and Tensioner Locking
- VW and Audi Engine Timing Tool Set for use on Petrol and Diesel Engines. To set the correct timing when replacing the Timing Belt.



- Suitable for BMW 2.5, 3.0 (N51-52-52-53-54)

R1695 GTIMEK-009

PETROL

Follow us on:



Please enquire at your nearest store for stock availability

GARAGE EQUIPMENT: AUTOMOTIVE

Radiator/Water Tank Leak/ Pressure Detector Sets

- Test Cooling Systems for Leaks
- Includes Hand Pump and Test Head

33 Piece

R1895

GTESTR-002



15 Piece

R1595

GTESTR-001



Single Stage Vacuum Pump



R2495

GVACUM-004

Hand Held Vacuum Pump

- Suitable for wide range of vehicles



R345

GVACUM-001

Compression Tester Kits



PETROL

R345

GCOMPT-003



DIESEL

R1595

GCOMPT-002

22 Piece Fuel And Aircon Disconnect Set

This Kit is used for fast and easy separation of quick disconnect style fittings.



R595

GFUELT-022

AC Manifold Set for 134A Ref. Gas

R1095

GAIRCN-001



- Test, evaluate, fill Air Conditioning Systems
- Highly accurate Gauge Set
- Lets you quickly compare high side and low side pressure readings to manufacturer specifications
- 1/2" ACME Fittings

Fuel Injector Cleaning System

R1995

GFUELT-003



High Pressure Diesel Pump Test Kit

R3995

GTESTD-001



- Accurately measuring the high-pressure fuel circuit of diesel common rail system
- 2,000 bar gauge, pressure relief valve and high-pressure flexible hoses
- Includes a set of dummy pump regulators and injector pipe blanks.

One Man Brake Bleeder Kit

R75

GBRAKB-002



Pneumatic Brake Bleeder

R295

GBRAKB-001



Fuel Pressure Tester Set

R325

GFUELT-001



Universal Fuel Suction Retriever Pump (1.5 litre)

With Connectors

R595

GFUELT-004



Diesel Injector Tester

R1695

GTESTD-001



2m Self Priming Hose with Brass Head

R95

GPIEPS-001



Garage Creepers

Roller Seat with Bottom Tool Tray

R395

GCREEP-002



Tools for
illustrative
purposes
only

R945

GSTOOL-001

Swivel Bar / Garage Stool

- The all-new garage stool is perfect for the everyday use by mechanics or DIY enthusiasts



Padded Mechanics Creeper

R595

GCREEP-001



48" Plastic Creeper

R1095

GCREEP-005



HEAVY DUTY

36" Plastic Creeper

R695

GCREEP-003



44" Heavy Duty Creeper

- Heavy Duty Frame Designs
- 150kg rating

R1495

GCREEP-044



HEAVY DUTY

See website for hints and tips www.adendorff.co.za

Follow us on:



GARAGE EQUIPMENT

Hydraulic Transmission Jacks

€ Model-500 Telescopic

- Height Range: 870 - 1 847mm
- Safe Working Capacity: 0.4 Ton

R6995 GJACKT-102

COLOUR MAY VARY

€ Model-1000 Low Level

- Length: 760mm
- Width: 430mm • Height: 220mm
- Extended: 625mm • Lifting Height: 760mm
- Safe Working Capacity: 0.8 Ton

HEAVY DUTY **R4950** GJACKT-100

500kg Transmission Jack

- Used in vehicle pits or underneath lifted vehicles to easily remove and transport heavy transmissions.
- Get underweight very quickly if pumped up without load, around 26 - 30 strokes.

R3995 GJACKT-104

1 Ton Hydraulic Coil Spring Compressor

- Capacity: Max. Compression Tension, 1 Ton (hand-pump included)
- Max. Extension: 260mm
- Retracted Dimension: 100mm
- Rod Travel: 100mm

R2995 GCOILS-010



Interchangeable Fork Strut Coil Spring Compressor Kit


R2295 GCOILS-005



Manual Coil Spring Strut Compressor

- Max. Diameter: 300mm
- Max. Height: 630mm
- Travel/Stroke: 330mm
- Max Shock Absorber Length: 580mm

R6295 GCOILS-006



12V Car Scissor Jacks

- Model 2000
- Lifting Height Capacity: 14 - 43cm

R1595 GJACKC-004



COLOUR MAY VARY

NEW 4-in-1 Car Jack Impact Wrench & Tyre Inflator



- With an Electric Impact Wrench, Built-in Light, Versatile Safety Hammer, Gloves, and Built-in Tyre Inflator • Connects to 12V DC supply
- Fits into a portable carry case • Features an 11" 450mm lifting range for anything up to 1.5 tons.

R2495 GJACKC-001

12V Hydraulic Jack

R3495 GJACKC-002

- Safe Working Capacity: 2.25 Ton
- Lifting Height: 20 - 56cm • Stroke: 350mm



Mini Trolley Jacks

	2250-LD	2250-HD
Weight	8.3kg	12.5kg
Lifting Height	135 - 330mm	135 - 385mm
Safe Working Capacity	1.1 Ton	1.5 Ton

R695 GJACKT-000 **R895** GJACKT-001

Garage Trolley Jacks

HEAVY DUTY

Model-2500 Short Wheel Base

- Lifting Height: 120 - 500mm
- Safe Working Capacity: 2.0 Ton • 32kg

R2495 GJACKT-002

Model-3000 Short Wheel Base

- Lifting Height: 100 - 530mm
- Safe Working Capacity: 2.25 Ton
- 42kg

R3695 GJACKT-300

Long Reach Trolley Jacks

€ Model	Safe Working Capacity	Lifting Capacity	Length of Jack	Weight of Jack	Price
3000	2.25 Ton	600mm	1 290mm	54kg	R6495 GJACKT-003
5000	4.0 Ton	685mm	1 410mm	89kg	R9950 GJACKT-005
10000	8 Ton	700mm	1 560mm	133kg	R15950 GJACKT-010
20000	11 Ton	640mm	1 420mm	230kg	R21950 GJACKT-020

Digital Tyre Pressure Tester Gauge

- Accurately measuring tyre pressure, with both metric and imperial output units.
- Digital display with LED backlight allows easy use even in low-light environments.
- The gauge is equipped with a bleed valve for precise pressure adjustment.
- Heavy duty rubber cover ensures durability.
- The 360-degree rotatable chuck makes it user-friendly from any angle.



R225 GTYREG-006

Bottle Jacks



€ Model	Safe Working Capacity	Min. Height	Max. Height	Price
2	2 Ton	158mm	308mm	R245 GJACKB-002
5	5 Ton	200mm	405mm	R375 GJACKB-005
10	10 Ton	240mm	480mm	R495 GJACKB-010
20	15 Ton	250mm	490mm	R895 GJACKB-020
30	20 Ton	285mm	475mm	R1245 GJACKB-030
50	30 Ton	285mm	480mm	R1945 GJACKB-050

GARAGE EQUIPMENT

Pneumatic Tyre Changers and Balancers

Compressor Required

	CB530	CB800
Motor Power	230V	230V
Rim Width	40 - 310mm	40 - 510mm
Rim Ø	254 - 508mm	265 - 615mm
Balancing Speed	210rpm	200rpm
Rim Accuracy	1G	1G
	R17995 GTYREB-001	R21995 GTYREB-002

Compressor Required

	Model F 112	Model LT 910	Model LT 950A With Helping Arm
Motor	1.1kW, 230V	1.1kW, 230V	1.1kW, 230V
Internal Clamp	12" - 22"	14" - 26"	14" - 26"
Max. Wheel Ø	1 000mm	1 100mm	1 100mm
Max. Wheel Width	270mm	381mm	381mm
	R17995 GTYREC-002	R24995 GTYREC-005	R34950 GTYREC-006

Wheel for illustrative purposes only

Wheel for illustrative purposes only

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

4 Ton 2 Post Electric/Hydraulic Lift

COLOUR MAY VARY

Vehicle for illustrative purposes only

AUTO RELEASE **MANUAL RELEASE**

R35950 * GLIFTS-003

R34950 * GLIFTS-002

Warranty nul and void if not installed by a certified accredited installer. Please contact your nearest Adendorff branch for contact details of certified installers.

* AVAILABLE FROM AEROTON JOHANNESBURG SOUTH WAREHOUSE ONLY

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

LT-690 Truck Tyre Changer

R109950
GTYREC-004

Wheel for illustrative purposes only

- Power Output: 2.2kW • Voltage Input: 230V @ 50HZ • Max. Wheel Weight: 1 600kg
- Rim External Clamping: 355 - 1 422mm
- Max. Wheel Diameter: 2 300mm
- Max. Wheel Width: 1 065mm • Bead Loosening Force: 2 500kg • Clamping Force: 4 000kg

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

MAC AFRIC Wheel Chocks

Mighty 5T **R75 EACH** GSTAND-203

Mighty 20T **R140 EACH** GSTAND-202

MAC AFRIC Ratchet Type Jack Stands

R395 PER PAIR GSTAND-003

3 Ton Capacity for Cars (shown)

R675 PER PAIR GSTAND-006

6 Ton Capacity for LDV's & Trucks

R1595 PER PAIR GSTAND-012

12 Ton Capacity for LDV's & Trucks

Motorcycle Lift Jack

R2495
GJACKM-001

- Base: 290 x 290
- Min. Height: 130mm
- Max. Height: 420mm

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

MAC AFRIC Engine Stands

Adjustable Arms to fit all Popular Car & LDV Engines

Model 450 Universal (4 & 6 Cylinder Engines) **R1195** GSTAND-450

Model 550 Universal with Oil Pan & Parts Tray (4 & 6 Cylinder Engines) **R2495** GSTAND-550

Model 900 (4, 6 & 8 Cylinder Engines) **R2495** GSTAND-900

Model 900 with Geared Rotator (4, 6 & 8 Cylinder Engines) (shown) **R4695** GSTAND-100

Combination Hydraulic Bead Breaker only

R3695
GBEADB-001

Pneumatic Hydraulic Pump for GBEADB-001

R3495
GPUMPS-001

Model 2000 Engine Cranes

Fixed Frame • Nett Weight: 85kg • Gross Weight: 88kg

(shown) **R4495** GCRANE-002

OPTIONAL EXTRA **R595** (shown) 750kg Load Leveller

ALSO AVAILABLE Extra Heavy Duty Type Model 2 000 for Trucks

- Nett Weight: 168kg
- Gross Weight: 191kg

R9450 GCRANE-005

Foldable with 6 Wheels (shown)

- Nett Weight: 85kg
- Gross Weight: 89kg

R4695 GCRANE-004

With Pneumatic Function

- Nett Weight: 83kg
- Gross Weight: 86kg

R4995 GCRANE-003

GARAGE EQUIPMENT

12V Diesel Pump

Complete Kit (shown)

- 40l/min
- Includes Pump, Gun, Hose, Meter and Bracket

R2895
HPUMPO-008



ALSO AVAILABLE

230V Models (single phase)

ENQUIRE IN STORE

ALSO AVAILABLE

- | | | |
|--------------|-------------|------------|
| ① Pump Only | R895 | HPUMPO-011 |
| ② Hose Only | R845 | HPUMPH-005 |
| ③ Gun Only | R345 | HPUMPO-009 |
| ④ Meter Only | R845 | HPUMPO-010 |

① + ② + ③
R1895 HPUMPO-007
(Excluding Bracket)

Rotary Hand Drum Pumps

Fits into a 210l Drum

Ideal for Oil, Paraffin & Diesel (shown)

R395 TPUMPD-001

Aluminium Hand Pump

Ideal for Oil, Paraffin & Diesel

R695 TPUMPH-001

P.P. (Polyphenylene)

Ideal for: AdBlue/DEF, water, alcohol, kerosene, lubricant, water-based chemical acid and alkali solutions

PROFESSIONAL

R795 TPUMPD-003

Auto Retractable Hose Reels

SUITABLE FOR OIL

15m

R4495
GHOSEO-001

HEAVY DUTY

SUITABLE FOR GREASE

10m

R2895
GHOSEG-010

(10mm) 3/8" Air Couplers Male or Female **R60** each

Pneumatic Oil Pump

Pneumatic Mobile Oil Dispensing Kit

(without drum) (complete unit shown)

- Ratio 5:1
- Trolley, Pump, Hose Reel & Digital Oil Gun

R13950
HPUMPO-004

Pneumatic Oil Dispensing Pump (only)

- Ratio 5:1

R6295
HPUMPO-003

Digital Oil Gun (only)

- Flow Rate: 0 - 60l/min

R2195
HPUMPO-005

Drum for illustrative purposes only

Grease Pump

G.Gun 10l High Pressure Foot Operated Grease Drum

- Two Stage Pump
- Canisters can use 5 - 8kg Grease

R2495 GGREAS-009



8kg Foot Operated Grease Drum

Featuring a foot-operated treadle. Allows for hands-free operation. Includes a lock-on grease coupler for precise delivery. Ideal for heavy-duty use. Minimizes wastage and mess while ensuring optimal performance.

NEW

R2295 GGREAS-010



9l Fluid/Oil Extractors

Capacity: 9 litres. Utilised for extracting various fluids, particularly favoured in automotive maintenance for removing oil substances from engines and confined areas.

① Manual

R1195
HPUMPO-013

② Pneumatic

R1195
HPUMPO-012



NEW

12l Oil Lube Dispenser & Drum

Designed for easy and efficient dispensing of all types of lubricants. Featuring a handle with three pivot points to handle different viscosities. Ensures smooth and effortless pumping action. Large capacity and robust design.

R1195
GOILCN-004



12V Mini Oil Extractor Pump



R375
HPUMPO-002

Grease Guns



400cc
R240
GGREAS-400

500cc
R250
GGREAS-501

600cc
R275
GGREAS-600

Pneumatic Grease Drums

Includes Hose, Gun & Trolley

Grease Pump	Inlet Pressure	Price	HEAVY DUTY
12l (shown)	6 - 8 bar	R2950	GGREAS-012
30l	6 - 8 bar	R4495	GGREAS-005
40l	4 - 8 bar	R4995	GGREAS-017



Follow us on:



Please enquire at your nearest store for stock availability

SANDBLASTING EQUIPMENT

Sand Blast Guns



Sand Blast Pot Gun with 4 Nozzles

R245 AGUNSB-000

Gun with 4 Ceramic Nozzles



R245 AGUNSB-003

Gravity Feed (Top Load Type)



R495

AGUNSB-118

Sandblasting Hood

R395

GCABSB-008



Sandblasting Sand (Fine Grit)

- 25kg Bag • 47 - 58 Microns

R75

GCABSG-030



90L "Dust Free" Sandblasting Unit complete with 1 200W, 230V, Vacuum, Hose and Gun

R6495

GPOTSB-001

Compressor Required

Sand Blast Pots

Features:

- Range of Blasting Pressure: 420kPa - 900kPa (4.2 - 9 bar)
- Nozzle Sizes: Ø 2.4, 2.7, 3.2, 3.6mm

45L

R2195

GPOTSB-045

90L

R2995

GPOTSB-090



Sandblasting Cabinets



Bench Type

- Complete with High Efficiency Gun, Light, Pickup Hose, Gloves, Spare Glass Shields and Nozzles
- 580 x 490 x 490mm

R2495

GCABSB-001



Vertical Type

- Heavy Duty Steel Construction
- Complete with High Efficiency Gun, Hose, Light, Gloves, etc.
- 890 x 570 x 1 390mm

R6950

GCABSB-002



Industrial Sand Blast Cabinet with Foot Pedal & Extractor

- 1 220 x 600 x 1 710mm

R19450

GCABSB-003

Pneumatic Equipment



5 Piece DIY Air Tool Kit

R395

ASPRAK-006

Pneumatic Undercoating Gun

- Suction Feed Type
- Max. Pressure: 9 bar
- 4cfm

R275

AGUNUC-002

Air Duster Gun

R85

ADUSTR-001

Rubberizing/Stone Chipping Gun

- 4cfm

R395

AGUNUC-001



Engine Cleaning Gun

- 2 - 4 bar

R145

ACLEAN-001



Pneumatic Watering Gun

- 6cfm

R195

AGUNWT-001

Air Recoil Hose with 1/4" Male BSP-Adaptor

Hose Length: 15m

R215

AHOSES-015

8mm

Hose Length: 7m

R145

AHOSES-007



Auto Retractable Hose Reels



DISCLAIMER: Image provided for illustrative purposes only; actual product appearance may differ



- ① **20m (10mm fittings)**
• Steel design with enhanced durability

R2495
GHOSER-020

- ② **15m (10mm fittings)**
• Steel design with enhanced durability

R2295
GHOSER-016

- ③ **15m (8mm fittings)**

R1395
GHOSER-015

- ④ **8m (10mm fittings)**
• Steel design with enhanced durability

R1195
GHOSER-008

- ⑤ **10m (10mm fittings)**

R1195
GHOSER-010

- ⑥ **20m (10mm fittings)**

R1950
GHOSER-021

8mm I.D. Ø Air Line Hoses

Blue PVC Flex Hose 20m with Couplings (shown)

R325

AHOSES-020

Blue PVC Flex Hose
• 10m with Couplings

R215

AHOSES-028

Blue PVC Flex Hose
• 100m Roll

R1500

AHOSES-006

8mm I.D. Ø

R22

AHOSES-009


per meter cut (min 10m)

10mm I.D. Ø

R25

AHOSES-011

per meter cut (min 10m)



RUBBER REINFORCED

See website for hints and tips www.adendorff.co.za

Follow us on:



PNEUMATIC EQUIPMENT

Spring Balancer

- Takes the weight of the Air Tool off your hand
- Weight Tension: 1 - 2kg

R425 ABALAN-100 ①



Pneumatic Screwdriver

4.55mm, Straight Type

R895 ASCRWD-455 ②



HEAVY DUTY

Adjustable Clutch • 7cfm

R1495 ASCRWD-002



Straight Line Sander **PROFESSIONAL**

- Smooth Action • Double Piston
- 4 - 6cfm • Stroke: 2 100/min
- Paper Size: 70 x 445mm



R1495 ASANSL-010

MAC AFRIC

175mm Buffer/Polisher – Air Angle Type

- 12cfm
- Free Speed: 2 500r/min
- Spindle Thread Size: 5/8"
- Suggested Min. Compressor: 4kW
- Safety Lever Throttle



R2395 APOLIS-175

Air Die Grinder Kits

R395

AGRIND-001



14 Piece

- 8cfm • 25 000rpm
- Collet Chuck Capacity: 3mm & 6mm

For grinding those difficult to reach areas

Air Die Grinder

- Ideal for Tyre Repair
- Includes Bits



HEAVY DUTY **R1895** AGRIND-002

17 Piece Air Micro Die Grinder Kit

- 3mm Collet and Inline Oiler
- 10 Grinding Stones
- Grinder Body Dimensions: 140mm x Ø15.5mm
- 54 000rpm

R485

AGRINK-017



3" (75mm) Air Cut-Off Tool

- 6cfm

R395

ACUTTO-075



ALSO AVAILABLE Cutting Discs **R20** EACH ACUTTD-001

Metal Shear

- 4cfm • Cuts, Trims, Outlines and Shears Plastic, Tin, Aluminium and Other Metals up to 18# Rolled Steel
- Capacity: 1mm max. Mild Steel



R845 ASHEAR-001

5 Piece Brass Quick Coupler Set

For use on all Air Operated Equipment



R100 ACOUPL-005

Dual Action Palm Sanders (6 - 8cfm)



125mm (5") Pneumatic

R695 ASANOR-002

ALSO AVAILABLE With Self Vacuuming Function (velcro type)

R945 ASANOR-005

Dual Action Sander



R1095 ASANDA-020

- 8 - 10cfm
- Pad Size: 150mm
- Adjustable Air Flow for a virtually scratch free finish

ALSO AVAILABLE

125mm/150mm Velcro Sanding Pads & Sanding Discs


ENQUIRE IN STORE

Pneumatic Orbital Finishing Sander



R895 ASANOR-001

4-in-1 Variable Multi Function Air Tool



R795 AMULTI-022

Needle Descalers / Air Hammers



190mm Hammer Action Chisel Set

• 5cfm **R495** AHAMMC-190



190mm Combination Air Hammer/Descaler Chisel Set

• 5cfm **R795** ASCALD-190

ALSO AVAILABLE

Barrel Type Descaler • 5cfm

HEAVY DUTY

R2595 ASCALD-001

Follow us on:



Buy Online

www.adendorff.co.za

PNEUMATIC EQUIPMENT

Staplers Required Air Consumption: 2 - 4cfm

HEAVY DUTY

Heavy Duty Model

- Capacity: 10 - 22mm Staples
- Crown: 10mm

R995 **ASTAPL-010**



DIY Model

- Capacity: 6 - 13mm Staples
- Crown: 10mm

R475 **ASTAPL-013**



Industrial 18 - 64mm Concrete Nailer

- Ideal for nailing skirtings to the wall
- Required Pressure: 4 - 7 bar

R1495 **ANAILR-660**



42 Piece Pneumatic Tool Kit

- 12.5mm (1/2") Drive Impact Wrench with 10 Sockets
- Heavy Duty Dual Action Sander
- 6mm Air Die Grinder and Stones
- 10mm Reversible Air Drill
- 150mm Air Hammer with Chisels and Bits
- 8 - 10cfm

R2495 **ATOOLK-042**



MAC AFRIC

Pneumatic Riveter

- 4 Nozzles • 4.2cfm
- For Rivets 2.4 - 4.8mm

R1695 **ARIVET-001**

ALSO AVAILABLE
Complete Set with Service Kit • 4.2cfm

R1995 **ARIVET-002**



Air Riv-Nut Tool

- Riv-Nut Sizes: M4, M5, M6 M8

R1195 **ARIVNR-001**



Industrial Coil Nailers Required Pressure: 5 - 7 bar

R2995 **ANAILR-900** 45 - 70mm

R3995 **ANAILR-909** 45 - 90mm

ALSO AVAILABLE 50, 70 & 90mm Coil Nails (on a roll)



3-in-1 Finishing Nailer

- 4.8 - 7.5 bar
- Ideal for: 18#GA Staples 16 - 40mm
- 18#GA F-nails 20 - 50mm
- 16#GA T-nails 25 - 64mm

R1595 **ANAILA-001**



Brad Nailers

F-Nails - 18# Gauge

HEAVY DUTY

30mm (shown) **R1095** **ANAILA-030**

- 10 - 30mm

50mm **R1595** **ANAILA-050**


- 15 - 50mm

D.I.Y. F30 **R425** **ANAILF-030**

- 10 - 30mm

D.I.Y. F50 **R545** **ANAILF-050**

- 15 - 50mm



Industrial 34° Clipped Head Nailer

- Range: 50 - 90mm
- Shank Ø: 2.98 - 3.33mm

R2195 **ANAILA-028**

ALSO AVAILABLE
Nails: 50, 75 & 90mm



50mm Combination Nailer and Stapler

- For: 18# F-Nails 15 - 50mm, 5.8mm Crown Staples (16mm available in store)
- Safety Pin • Quick Release Nose Piece for fast clearing of jams
- Required Pressure: 4 - 7 bar

R545 **ANAILA-055**



T-Nails - 16# Gauge

HEAVY DUTY

T50 **R1295** **ANAILR-650**

- 20 - 50mm

T64 **R1495** **ANAILR-664**

- 32 - 64mm



MAC AFRIC



Pneumatic Drills

- Reversible
- 6cfm

With Key Chuck


10mm **R495** **ADRILR-010**

12.5mm (shown) **R575** **ADRILR-005**

With Keyless Chuck

10mm **R495** **ADRILR-011**

12.5mm **R545** **ADRILR-012**



Air Brushes

- Air Consumption: 0.4 - 0.8cfm
- 0.2mm Fine Tip Fluid Nozzle
- Working Pressure: 1 - 3 bar
- Gravity Side Feed

R595 **ABRUSH-008**

- Air Consumption: 0.4 - 0.8cfm
- 0.3mm Fine Tip Fluid Nozzle
- Working Pressure: 1 - 3 bar
- Gravity Top Feed

R895 **ABRUSH-002**




Silent Mini Oil Free Compressors

6 1/2 D.I.Y. Portable Silent Type

- 550W, 3/4hp, 8 bar • 105l/min, 3.7cfm • 230V



Steel Tank • 14.5kg **R2095** **COMPRE-006**

Aluminium Tank • 13.8kg **R2295** **COMPRE-007**

MAC AFRIC

DIY

Ideal for Air Brushing, Nailers, Staple Guns & Air Blowers

Visit our website for detailed specifications www.adendorff.co.za Follow us on: 

NATIONAL CALL CENTRE: 011 434 7000

PNEUMATIC/GARAGE EQUIPMENT



Air Inflators/Deflators with Hose, Nozzle and Gauge

1/4" BSP Inlet

1	Tyre Inflator/Deflator	0 - 700kPa	R225 AGAUGE-004
2	Tyre Inflator/Deflator • Robust Design	0 - 1 200kPa	R445 AGAUGE-000
3	Garage Type	0 - 1 100kPa	R795 AGAUGE-001
4	Garage Type	0 - 1 050kPa	R1395 AGAUGE-002
5	Digital Tyre Inflator	0.68 - 1 700kPa	R445 AGAUGE-008
6	Inflator/Deflator	48 - 1 240kPa	R945 AGAUGE-009



Impact Socket Sets

38 Piece Metric/Imperial 3/8" Drive

- 3/4", 11/16", 5/8", 9/16", 1/2", 7/16", 3/8", 5/16"
- 8, 10, 11, 12, 13, 14, 17, 19mm

- 1/2" Drive • 3/8", 7/16", 1/2", 9/16", 5/8", 1 1/16", 3/4", 13/16", 7/8", 15/16", 1"
- 10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm



R1095 TSOCKE-038



15 Piece 12.5mm (1/2") Drive, (75mm) Deep Metric • 10 - 24mm

R1195 TSOCKE-015



10 Piece Deep 1" or 3/4" Drive Impact Sockets

(88mm deep)

- 21, 22, 24, 27, 29, 30, 32, 33, 38, 41mm

R995

TSOCKE-011

1" TSOCKE-010



Air Wrench Kits

12.5mm (1/2") Drive

- 6 - 8cfm
- Complete with 10 Sockets: 9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm
- Forward and Reverse Push Button

R1295 AWRENC-001



15 Piece 12.5mm (1/2") Drive Ratchet Wrench Kit • 8cfm

- Complete with 7 Sockets: 9, 10, 11, 13, 14, 17, 19mm

R795 AWRENC-015



1/2" & 3/8" 119 Piece Impact Socket Set



R3695 TSOCKE-120

Contains both metric and SAE (Imperial Sizes) Chrome Molybdenum Steel
Material: 35CR-MO Tool Standard: ANSI

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS

Impact Wrenches



- 1 **12.5mm (1/2") Twin Hammer (shown)**
• 720Nm • 4.6cfm • 2.2l/s

R895 AWRENC-007

- 12.5mm (1/2") Twin Hammer**
• 850Nm • 4.87cfm • 2.3l/s

R1095 AWRENC-008

- 19mm (3/4") Twin Hammer**
• 1 300Nm • 7.42cfm • 3.5l/s

R2495 AWRENC-009

- 2 **19mm (3/4") Twin Hammer (shown)**
• 1 600Nm • 8 - 12cfm

R3495 AWRENC-005



HEAVY DUTY

25mm (1") Drive Heavy Duty Impact Wrench

2 600Nm • 13.3cfm • 6.3l/s

R3595 AWRENC-026

3 200Nm • 13.98cfm • 6.6l/s (shown)

R4295 AWRENC-032

4 800Nm • 14.83cfm • 7l/s

R4995 AWRENC-048

2 600Nm • 13.35cfm • 6.3l/s
(Short Anvil)


R3495 AWRENC-027

Follow us on:



Please enquire at your nearest store for stock availability

TOP QUALITY SPRAY GUNS



Low Volume Low Pressure • Bar: 2 - 3.5 • CFM Requirements: 3 - 3.9

- 1 Gravity Feed • 1.3mm Nozzle **R695** ASPRAG-700
- 2 Gravity Feed • 1.3mm Nozzle **R695** ASPRAG-500
- 3 Gravity Feed (Anodized Finish) • 1.5mm Nozzle **R695** ASPRAG-109
- 4 Mini Side Feed Touch-up • 0.6mm Nozzle **R445** ASPRAG-019
- 5 Gravity Feed Spray Gun Holder **R100** ASPRAA-001

High Volume Low Pressure • Bar: 2 - 3.5 • CFM Requirements: 4.2 - 7.1

- 6 Gravity Feed Mini Touch-up • 0.8mm Nozzle **R295** ASPRAG-110
- 7 Gravity Feed • 2.5mm Nozzle **R365** ASPRAG-025
- 8 Gravity Feed • 1.4mm Nozzle **R385** ASPRAG-106
- 9 Gravity Feed • 1.4mm Nozzle **R275** ASPRAG-107
- 10 Gravity Feed with Regulator • 1.4mm Nozzle **R445** ASPRAG-827

Spray Pots

	Operating Pressure	Price
1	1.4 - 2.4 bar	R2495 ASPRAP-010
2	0.8 - 2.1 bar	R1395 ASPRAP-002

ACCESSORIES INCLUDED:
Gun, Gauge & Hose

Industrial Quality
(Excluding Gun & Hose)

Required Air Consumption: 8 - 12cfm

- 3 20ℓ with Auto Agitator **R5695** (shown) ASPRAP-022
- 20ℓ with Manual Agitator **R4695** ASPRAP-021
- 10ℓ with Auto Agitator **R4295** ASPRAP-012
- 10ℓ with Manual Agitator **R3295** ASPRAP-011
- 40ℓ with Manual Agitator **R8995** ASPRAP-040

Suction Feed Spray Guns

EXCELLENT QUALITY



- 1 High Pressure • 4 - 7cfm • 1.8mm Nozzle **R325** ASPRAH-001
- 2 Low Volume Low Pressure Anodized • 3 - 3.9cfm • 1.5mm Nozzle **R895** ASPRAH-003
- 3 High Volume Low Pressure • 4.2 - 7.1cfm • 1.4mm Nozzle **R695** ASPRAH-005
- 4 Low Pressure • 0.8mm Nozzle **R225** ASPRAL-615

Mini Gravity Feed (HVLP)

- 1 • 1.0mm Nozzle **R1095** ASPRAG-300

Gravity Feed (with Stand) (HVLP)

- 2 • 1.3mm Nozzle **R1195** ASPRAG-100

Gravity Feed (HVLP)

- 3 • 1.3mm Nozzle **R1995** ASPRAG-101

PROFESSIONAL



Electric Airless D.I.Y. Spray Guns



- 1 0.5kW, 230V
- 2 0.06kW, 230V
- 3 0.6kW, 230V (shown)

	1	2	3
Max. Flow	900ml/min	260ml/min	1 000ml/min
Tank Capacity	800ml	800ml	900ml
Nozzle	1.8mm/2.6mm	0.8mm	2.5mm



- R795** ASPRAY-012
- R395** ASPRAY-011
- R795** ASPRAY-013

Airless Sprayers

GRACO Classic 495 PC

P.O.A.

ASPRAY-495

R24950

ASPRAY-021

The GRACO GX21 is a fast, portable and affordable solution for small finishing faces.

- Compatible Material: Primer, Stains, Water-based Paint, Acrylics, Enamel and Latex
- Max. Flow Rate: 1.8ℓ/min
- Motor Type: Brushless DC
- Pump Type: ProX Piston Pump • Voltage: 230V

ONLY AVAILABLE AT CERTAIN STORES

ENQUIRE IN STORE

VISIT OUR WEBSITE FOR DETAILED SPECIFICATIONS



Model 550

Brushless Motor

R16995

ASPRAY-550

See website for hints and tips www.adendorff.co.za

Follow us on:



**PROFESSIONAL
QUALITY**



MAC AFRIC

COMPRESSORS

Backed by

**Adendorff
machinery mart**



SANS 347: 2012 compliant –
RSA Conformity Assessment Reviewed –
AIA Verification by Intertek



R2395 COMPRE-515

R2395 COMPRE-002

R24950 COMPRE-705

R30950 COMPREV-510

IDEAL FOR
ROADSIDE
ASSISTANCE



DIRECT DRIVE

Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Price
24ℓ	2hp 1.5kW	110ℓ/min (3.88cfm)	230V	116psi 8 bar	R1745 COMPRE-024
50ℓ (shown)	2hp 1.5kW	120ℓ/min (4.23cfm)	230V	116psi 8 bar	R2395 COMPRE-515
100ℓ	2hp 1.5kW	120ℓ/min (4.23cfm)	230V	116psi 8 bar	R4695 COMPRE-115
100ℓ V-head	3hp 2.2kW	190ℓ/min (7cfm)	230V	116psi 8 bar	R5995 COMPRV-123



BELT DRIVE – DIESEL DRIVEN

Tank Size	Motor Size	Output Delivery	Max. Pressure	Price
150ℓ Electric Start 2 Stage Air Pump	11hp	614ℓ/min (21cfm) 555ℓ/min (19cfm)	90psi 6 bar 145psi 10 bar	R26950 COMPRE-706



BELT DRIVE

Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Price
50ℓ	2.5hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	R5995 COMPRE-517
100ℓ	2.5hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	R7950 COMPRE-210
100ℓ Vertical Space Saver	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R8795 COMPRE-310
150ℓ	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R9295 COMPRE-315
200ℓ	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R9950 COMPRE-615
100ℓ V-head	2hp 1.5kW	170ℓ/min (6cfm)	230V	116psi 8 bar	R7850 COMPRV-120
100ℓ V-head	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R8795 COMPRV-130
200ℓ V-head	3hp 2.2kW	250ℓ/min (8.83cfm)	230V	116psi 8 bar	R10950 COMPRV-230
300ℓ V-head	5hp 4kW	600ℓ/min (21.2cfm)	380V	116psi 8 bar	R17450 COMPRV-355
300ℓ V-head	7.5hp 5.5kW	670ℓ/min (23.66cfm)	380V	116psi 8 bar	R18950 COMPRV-375
500ℓ V-head (shown)	10hp 7.5kW 2 Stage Air Pump	1 050ℓ/min (28.25cfm)	380V	175psi 12 bar	R30950 COMPRV-510
500ℓ V-head	10hp 7.5kW 2 Stage Air Pump	1 150ℓ/min (37cfm)	380V	175psi 12 bar	R33950 COMPRV-575



OIL-FREE SILENT TYPE

Tank Size	Motor Size	Output Delivery	Input Power	Max. Pressure	Price
24ℓ Silent Type	0.55kW	40ℓ/min (1.41cfm)	230V	101psi 7 bar	R2495 COMPRE-001
50ℓ Silent Type (shown)	0.75kW	60ℓ/min (2.1cfm)	230V	101psi 7 bar	R3295 COMPRE-002
50ℓ Silent Type (with 2 motors)	2 x 0.75kW = 1.5kW	120ℓ/min (4.23cfm)	230V	101psi 7 bar	R4695 COMPRE-003
100ℓ Silent Type (with 4 motors)	4 x 0.55kW = 2.2kW	160ℓ/min (5.7cfm)	230V	116psi 8 bar	R9995 COMPRE-004



BELT DRIVE – PETROL DRIVEN

Tank Size	Motor Size	Output Delivery	Max. Pressure	Price
70ℓ (Pull Start)	6.5hp	360ℓ/min (12.7cfm)	116psi 8 bar	R10950 COMPRE-070
150ℓ (Pull Start)	6.5hp	360ℓ/min (12.7cfm)	116psi 8 bar	R12950 COMPRE-071
150ℓ Electric Start 2 Stage Air Pump (shown)	15hp	614ℓ/min (21cfm) 555ℓ/min (19cfm)	90psi 6 bar 145psi 10 bar	R24950 COMPRE-705

Follow us on:



Buy Online

www.adendorff.co.za